



EN

2025/2026



SOLIS COLLECTION











SUMMARY

CLOTHING

size charts, standards	10
materials and properties	14
collection overview	16
index	24
workwear collection	36
high-visibility clothing	126
professional clothing	160
gastronomy, healthcare and services	166
disposable, waterproof clothing	180
welding clothes	187
men's leisure clothing	190
women's leisure clothing	232
underwear and socks	250
hats, scarves and other accessories	255

FOOTWEAR

size charts, standards	266
index	274
work footwear collection	280
leisure footwear	330
accessories	353

GLOVES

tables, certifications and standards	362
index	370
leather and combined	374
mechanical, textile	379
coated in latex/pu/nitrile/pvc	386
disposable	396
welding, heat resistant, cut resistant	398
antivibration, special, ESD and winter	404
ANSELL and MAPA	414

PROTECTIVE EQUIPMENT

eye protection	428
head protection	438
hearing protection	450
respiratory protection	460

CHILDREN'S ASSORTMENT

478

WORK ACCESSORIES

492

WORK AT HEIGHT

508

CUSTOM SEWING

518

EXPLANATIONS

526



Note: The catalog is intended for informational purposes only.

We are not responsible for print errors.

HOW TO SET THE CORRECT CODE?

In the product catalog, you can also notice the code mentioned for our products, which is used in our company and our distributors and end customers to navigate the products, but also to order on B2B portals and e-shops. Below are some instructions on how to navigate the code structure.

Product code - you can select the desired size available with the product by putting the code after the double-digit **XX**.

CXS PRODUCT, 1234 567 890 XX

Size: 46 - 64

Material: 100% cotton

Weaving: kepr

Grammage: 230 g/m²

Additional material: 600D polyester

Norm: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

Product color code - select the desired color, which is available for the given product, by inserting it into the product code after the three-digit XXX. An example of color codes is in the table below. Of course, there are many more colors and color combinations in our assortment!

1234 567 XXX 11

414



510



710



735



GUIDELINE SIZE CHARTS

Below we present several size charts with the conversion of the marking of the given sizes to the code, or rather its part, which indicates the size of the product. More detailed tables, including body dimensions, can be found in the catalog on page 10.

WORK CLOTHING

SIZE / CODE	36	38	40	42	44	46	48	50	52
SIZE / CODE	54	56	58	60	62	64	66	68	–

LEISURE CLOTHING

SIZE	2XS	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL
CODE	90	91	92	93	94	95	96	97	98	99	X6	X7

CHILDREN'S CLOTHES

SIZE	90	100	110	120	130	140	150	160	170
CODE	09	10	11	12	13	14	15	16	17

WORK AND LEISURE FOOTWEAR

SIZE / CODE	35	36	37	38	39	40	41	42
SIZE / CODE	43	44	45	46	47	48	49	50

CHILDREN'S FOOTWEAR

SIZE / CODE	28	29	30	31	32	33	34	35
-------------	----	----	----	----	----	----	----	----

GLOVES

SIZE	5	6	7	8	9	10	11	12
CODE	05	06	07	08	09	10	11	12



CLOTHING

TABLES AND STANDARDS	10
CUTS	13
MATERIALS AND PROPERTIES	14
OVERVIEW OF WORK COLLECTIONS	16
INDEX	24

WORKWEAR

CXS SOLIS FLEX	36
CXS LEONIS	44
CXS NAOS	52
CXS STRETCH	60
CXS SIRIUS BRIGHTON	72
CXS SIRIUS	80
CXS PHOENIX	88
CXS ORION	96
CXS LUXY BRIGHT	104
CXS LUXY	110
CXS KLASIK	122
CXS HALIFAX	126
CXS NORWICH	132
CXS BENSON	138
CXS BEDFORD	146
HIGH VISIBLE CLOTHING	150
PROFESSIONAL CLOTHING	160
GASTRONOMY, HEALTHCARE AND SERVICES	166
DISPOSABLE CLOTHING	180
WATERPROOF CLOTHING	184
WELDING ACCESSORIES	187


LEISURE CLOTHING

MEN'S LEISURE CLOTHING	190
WOMEN'S LEISURE CLOTHING	232
UNDERWEAR	250
SOCKS	251
CAPS AND SCARVES	255
ACCESSORIES	261



SIZE CHARTS

The size charts are only guidelines for choosing the right size and do not give rise to any claims for goods. If you measure between two sizes, always choose the larger size. Workwear, footwear and other protective work equipment are intended for all-day wear and should be as comfortable as possible.




for the following
height groups

170 cm 182 cm 194 cm

SIZE	S		M		L		XL		2XL	
	44	46	48	50	52	54	56	58	60	62
CHEST	84-88	88-92	92-96	96-100	100-104	104-108	108-112	112-116	116-120	120-124
WAIST	74-78	78-82	82-86	86-90	90-94	94-98	98-102	102-107	107-112	112-117
HIPS	88-92	92-96	96-100	100-104	104-108	108-112	112-116	116-120	120-124	124-128
NECK	37	38	39	40	41	42	43	44	45	46

SIZE	3XL		4XL		5XL		6XL		7XL	
	64	66	68	70	72	74	76	78	80	82
CHEST	124-128	128-132	132-136	136-140	140-144	144-148	148-152	152-156	156-160	160-164
WAIST	117-122	122-127	127-132	132-137	137-142	142-147	147-152	152-157	157-162	162-167
HIPS	128-132	132-136	136-140	140-144	144-148	148-152	152-156	156-160	160-164	164-168
NECK	47	48	49	50	51	52	53	54	55	56

Dimensions are in cm



height

170 cm

SIZE	XS		S		M		L		XL	
	34	36	38	40	42	44	46	48	50	52
CHEST	76-80	80-84	84-88	88-92	92-96	96-100	100-104	104-108	108-112	112-116
WAIST	60-64	64-68	68-72	72-76	76-80	80-84	84-88	88-92	92-96	96-100
HIPS	82-86	86-90	90-94	94-96	96-102	102-106	106-110	110-114	114-118	118-122

SIZE	2XL		3XL		4XL	
	54	56	58	60	62	64
CHEST	116-120	120-124	124-128	128-132	132-136	136-140
WAIST	100-104	104-108	108-112	112-116	116-120	120-124
HIPS	122-126	126-130	130-134	134-138	138-142	142-146

Dimensions are in cm

WORKWEAR STANDARDS

The CXS brand has a portfolio of workwear and protective clothing that meets both general workwear requirements and specific protection criteria. This enables the selection of workwear to meet the exact requirements of a specific occupation, whether it is construction, craft or chemical work.

EN ISO 13688

· protective clothing - general requirements



EN ISO 20471

· high visibility warning clothing for professional use



EN 343 + A1 (EN 343)

· protective clothing against rain

EN 13356

· reflective accessories for non-professional use



EN 17353

· increased visibility for medium risk situations



EN 381 (EN ISO 11393)

· protective clothing against chainsaw cutspilou



EN ISO 11612

· protective clothing against heat and flame



EN 1149-5

· protective clothing - electrostatic properties



EN 61340-5-1

· protection of electronic components against electrostatic phenomena



EN 14058

· clothing for protection against cold environments



EN ISO 11611

· protective clothing for use in welding and similar processes

CHEMICAL PROTECTIVE CLOTHING



EN 13034

· limited protection against liquid spraying chemicals TYPE 6



EN 1073-2

· protection against contamination by radioactive particles



EN 13982

· protection against the ingress of particulate matter and protection against aerosols TYPE 5



EN 14126

· protection against dangerous microorganisms



EN 14605

· protection against liquid aerosols, TYPE 4

HIGH VISIBLE CLOTHING

Working on the road, at the airport or in operations with reduced visibility requires workwear to ensure that the wearer is unnoticeable. Worker visibility is guaranteed by high visible garments that comply with EN ISO 20471 and the appropriate protection classes. CXS offers a range of workwear, winter jackets and accessories to help prevent accidents caused by lack of worker visibility.

EN ISO 20471



EN ISO 20471 divides high visible clothing into three groups according to the minimum surface area of the materials used. The standard also specifies the location and number of reflective elements. Higher safety classes, for example, require that the stripes delimit the figure - a vest alone is therefore not sufficient. Clothing should also have vertical reflective elements. They ensure that the worker can be seen clearly even when bending down to pick up tools.

MATERIAL	CLASS 1	CLASS 2	CLASS 3
Base material	0,14 m ²	0,5 m ²	0,8 m ²
Retroreflective material	0,1 m ²	0,13 m ²	0,2 m ²
Combined material	0,2 m ²	-	-

WHAT CLASS TO CHOOSE?

It depends on the workplace. The choice of the appropriate class is related to where employees work.

Class 1 - Suitable for workers who do not move on roads or tracks and who encounter traffic up to 30 km/h.

Class 2 - Designed for workers on or near roads and tracks without traffic. The speed of surrounding vehicles must not exceed 60 km/h.

Class 3 - The highest level of protection for use by personnel working on or near roads and tracks where there is at least partial traffic.

PICTOGRAMS



4-WAY STRETCH material



Waterproof material



Reversible clothing



2-WAY STRETCH material



Breathable material



Winter / insulated



Reinforced knee area



Lightweight material



Reflective accessories



Underarm ventilation



Recycled material



Women's version



Waterproof TPU membrane



Taped seams



ESD Protection



CX-SHIELD waterproof membrane



EASY PROLONG SYSTEM



Cotton


CUTS

We have two cuts for our gardener trousers - *STANDARD* and *COMFORT* - both cuts are appropriately selected for the materials used so that they fit as best as possible on any figure and at the same time do not restrict movement during work. In the catalogue, you can identify the given cut by the pictogram at the bottom of this page.



COMFORT CUT

- combination of materials with flexible fibres
- comfortable cut according to current trends
- closer fitting lines while maintaining ergonomics
- suitable for all body types preferring




COMFORT



STANDARD CUT

- material with a solid structure
- traditional classic loose fit
- comfortable trousers without restricting movement
- suitable for all body types preferring classic workwear



STANDARD

EASY-PROLONG

EASY-PROLONG is a practical design solution that allows you to easily extend the legs of work trousers by up to 5 cm. Thanks to the specially designed leg ends with a double seam, their length can be adjusted without using a sewing machine - just tear off the bottom seam. This adjustment significantly increases wearing comfort and allows the garment to be adapted to different body heights and user needs. The EASY-PROLONG system is part of selected models of the CXS collections and represents a smart solution for greater flexibility of workwear.

video



EASYPROLONG

Move&Flex®

Highly flexible and elastic material allowing the user to move freely without restrictions. The strong twill weave resists wear and tear more easily, ensuring the garment's longevity even with frequent use. The high percentage of cotton provides the wearer with good body temperature regulation and sweat wicking. This ensures maximum comfort even when worn for long periods of time.



CORDURA®

CORDURA® is a synthetic fabric specially designed for extremely demanding conditions. It is characterized by high tear or puncture resistance and durability. It is easy to maintain and keeps its shape. For these properties we use it to reinforce stressed parts of garments such as shoulders, knees, pockets, legs, etc.



CORDURA®
F A B R I C

GREEN UP®

The revolutionary GreenUp material is a combination of superior quality and sustainability. It is a polyester knit with excellent breathability and durability. Up to 20 PET bottles are used to make one pair of shoes that would otherwise end up in accumulated waste. Material GreenUp is a step towards a cleaner planet.



COOLMAX®

Material made of profiled and highly functional polyester fibre. It is characterized by excellent moisture wicking and excellent breathability, which helps maintain optimal body temperature even during intense physical activity. This material is very lightweight, comfortable to wear, quick drying and easy to maintain. It is resistant to mould and bacteria, which contributes to the longevity of the garment. It is ideal for the production of garments and accessories for both sport and work.



ULTRA LAVA®

This unique treatment of the garment material significantly reduces the growth of bacteria, thus preventing unpleasant odours. In addition, it provides UV protection with UPF 30, which protects the skin from the harmful effects of sunlight. Ultra Lava treatment improves the performance of both functional underwear and workwear. However, it should be borne in mind that its effectiveness gradually decreases with each wash.



SORONA®

Sorona is a fiber developed by DuPont and is presented as an environmentally friendly alternative to traditional synthetic fibers. It is made from biodegradable sources such as corn glucose syrup. Compared to traditional synthetic fibres such as polyester or nylon, it is one of the more sustainable materials due to its recyclability and lower greenhouse gas emissions during production. Another advantage of Sorona is its strength and high stain resistance. The material made of Sorona is soft, flexible and can be washed at 60 °C.





CX5 SOLIS FLEX

functional and minimalist collection

Material: cotton / elastane

Weaving: twill with peach finish

Grammage: 230 g/m²

Standard: EN ISO 13688

Colors:



CX5 LEONIS

design and durability

Material: polyester / nylon / elastane / CORDURA®

Weaving: canvas

Grammage: 300 g/m²

Standard: EN ISO 13688

Colors:





CXS NAOS

stylish and functional collection

Material: nylon / elastane

Weaving: canvas

Grammage: 220 g/m²

Standard: EN ISO 13688

Colors:



CORDURA
FABRIC



CXS STRETCH

designed for maximum comfort at work

Material: cotton / elastane

Weaving: canvas

Grammage: 250 g/m²

Standard: EN ISO 13688

Colors:





CXS SIRIUS

high durable collection

Material: polyester / cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Colors: 



CXS SIRIUS BRIGHTON

color highlighted in the correct places

Material: polyester / cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Colors: 





CXS PHOENIX

solution for environments with higher temperatures

Material: polyester / cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688

Colors:



CXS ORION

for demanding all-day work

Material: polyester / cotton

Weaving: twill

Grammage: 280 g/m²

Standard: EN ISO 13688

Colors:





CXS LUXY

selection of variants for a wide area of use

Material: cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Colors:



CXS LUXY BRIGHT

a simple solution for good visibility

Material: cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Colors:





CXS KLASIK

traditional and comfortable cut

Material: cotton

Weaving: twill

Grammage: 240 g/m²

Standard: EN ISO 13688



GASTRONOMY, HEALTHCARE AND SERVICES

great-fitting classic cut

Material: cotton / polyester / elastane

Standard: EN ISO 13688





CX5 BENSON

modern design, great visibility, maximum safety

Material: cotton / polyester

Grammage: 280 g/m²

Standard: EN ISO 20471

Colors:



CORDURA
FABRIC



CX5 HALIFAX

hi-vis collection for the summer season

Material: cotton / polyester

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 20471

Colors:





CXS NORWICH

hi-vis collection for a wide range of uses

Material: polyester / cotton

Weaving: twill

Grammage: 280 g/m²

Standard: EN ISO 20471

Colors: 



CXS BEDFORD

softshell hi-vis collection

Material: polyester / elastane

Standard: EN ISO 20471

Colors: 



INDEX

Workwear collections



CXS SOLIS FLEX

NEW

page 40



CXS SOLIS FLEX

NEW

page 42



CXS SOLIS FLEX

NEW

page 43



CXS 4ENVI SOLIS

NEW

page 40



CXS SOLIS FLEX

NEW

page 43



CXS LEONIS II

NEW

page 48



CXS LEONIS

FINAL SALE

page 49



CXS LEONIS II

NEW

page 48



CXS LEONIS

FINAL SALE

page 49



CXS LEONIS

NEW COLOUR

page 50



CXS LEONIS

NEW

page 51



CXS LEONIS

NEW

page 51



CXS NAOS

NEW

page 56



CXS NAOS

NEW

page 56



CXS NAOS

page 57



CXS NAOS

page 58



CXS NAOS

page 59



CXS STRETCH

NEW COLOUR

page 64



CXS STRETCH

NEW COLOUR

page 65



CXS STRETCH

NEW COLOUR

page 66



CXS TEXAS

page 66/209



CXS STRETCH

page 67



CXS STRETCH

page 67



CXS STRETCH

page 68



CXS BALTIMORE

WINTER

page 68/200



CXS STRETCH

WINTER

page 69



CXS STRETCH

WINTER

page 69



CXS STRETCH

WINTER

page 69



CXS STRETCH

WOMEN

page 70



CXS STRETCH

WOMEN

page 71



page 71

CXS STRETCH



page 76

CXS SIRIUS BRIGHTON



page 76

CXS SIRIUS BRIGHTON



page 77

CXS SIRIUS BRIGHTON



page 77

CXS SIRIUS BRIGHTON



page 78

CXS SIRIUS BRIGHTON

WINTER



page 78

CXS SIRIUS BRIGHTON

WINTER



page 79

CXS SIRIUS BRIGHTON

WINTER



page 79/200

CXS BRIGHTON

WINTER



page 84

CXS SIRIUS LUCIUS



page 84

CXS SIRIUS NIKOLAS



page 85

CXS SIRIUS TRISTAN



page 85

CXS SIRIUS ELIAS



page 86

CXS SIRIUS LUCIUS

WINTER



page 86

CXS SIRIUS NIKOLAS

WINTER



page 87

CXS SIRIUS TRISTAN

WINTER



page 87

CXS SIRIUS AISHA

WOMEN



page 92

CXS PHOENIX PERSEUS



page 92

CXS PHOENIX CEFEUS



page 93

CXS PHOENIX CRONOS



page 93

CXS PHOENIX ZEFYROS



page 94

CXS PHOENIX BELLONA

WOMEN



page 94

CXS PHOENIX MONETA

WOMEN



page 95

CXS PHOENIX HEKATE

WOMEN



page 95

CXS PHOENIX FORTUNE

WOMEN



page 100

CXS ORION OTAKAR



page 100

CXS ORION TEODOR



page 101

CXS ORION TEODOR PLUS



page 101

CXS ORION KRYŠTOF



page 102

CXS ORION DAVID



page 102

CXS ORION OTAKAR

WINTER



page 102

CXS ORION TEODOR

WINTER



page 103

CXS ORION KRYŠTOF

WINTER



page 103/201

CXS IRVINE

WINTER

INDEX



page
108

CXS LUXY BRIGHT



page
108

CXS LUXY BRIGHT



page
109

CXS LUXY BRIGHT



page
114

CXS LUXY EDA



page
115

CXS LUXY JOSEF



page
116

CXS LUXY ROBIN



page
116

CXS LUXY TOMÁŠ



page
117

CXS LUXY PATRIK



page
117

CXS LUXY DENIS



page
117

CXS LUXY ROBERT



page
118

CXS LUXY HUGO

WINTER



page
118

CXS LUXY JAKUB

WINTER



page
119

CXS LUXY MARTIN

WINTER



page
119

CXS LUXY ROBERT

WINTER



page
120

CXS LUXY DIANA

WOMEN



page
120

CXS LUXY ELENA

WOMEN



page
121

CXS LUXY SABINA

WOMEN



page
124

CXS KLASIK MIREK



page
124

CXS KLASIK MIREK



page
125

CXS KLASIK FRANTA



page
125

CXS KLASIK VENCA



page
125

CXS KLASIK STELA

Hi-Vis clothing and accessories



page
130

CXS HALIFAX



page
130

CXS HALIFAX



page
131

CXS HALIFAX



page
136

CXS NORWICH

NEW



page
136

CXS NORWICH

NEW



page
137

CXS NORWICH

NEW



page
137

CXS NORWICH



page
142

CXS BENSON



page
142

CXS BENSON



CXS BENSON

CXS BENSON
NEW COLOUR

CXS BENSON
WINTER NEW COLOUR

CXS BEDFORD

CXS BEDFORD
WINTER



CXS BEDFORD



CXS NAOS HV



CXS NAOS HV



CXS CHESTER



CXS LUTON



VIZWELL LEEDS
WINTER



CXS OXFORD
WINTER



CXS CARDIFF
WINTER



CXS LONDON
WINTER



VIZWELL YORK



VIZWELL BATH



CXS PRESTON



CXS FROME



CXS OLDHAM



CXS BANGOR



CXS RIPON



CXS EXETER



VIZWELL DOVER



CXS CROSS BELT



VIZWELL BOLTON



CXS DORSET



CXS GUSTAV



CXS CRAN



CXS TYNAN



CXS ELY



CXS READY



CXS HV



CXS REFLECTIVE TAPE

Professional clothes



CXS WORKTECH MULTI
NEW

INDEX



page
160

CXS WORKTECH MULTI

NEW



page
161

CXS ELEKTROTECHNIK II



page
161

CXS ELEKTROTECHNIK II



page
162

CXS MOFOS



page
162

CXS MOFOS



page
163

LESNÍK



page
163

LESNÍK



page
164

CHEMIK



page
164

CHEMIK



page
165

CXS DENALI



page
165

CXS NOME



page
165

ACID RESISTANT APRON

**Gastro, white,
disposable
and waterproof
clothing**



page
168

CXS RAVI

NEW



page
168

CXS RADIM



page
169

CXS CHEF



page
169

CXS ADAM



page
170

CXS EDWARD

FINAL SALE



page
170

CXS EDWARD PRO

NEW



page
171

CXS ARTUR



page
171

CXS FELIX



page
172

CXS KAREL

FINAL SALE



page
172

CXS ENZO

NEW



page
173

CXS TARA

NEW WOMEN



page
173

CXS MIA

NEW WOMEN



page
174

CXS BELLA

WOMEN



page
174

CXS NAOMI

FINAL SALE WOMEN



page
174

CXS EVA

WOMEN



page
175

CXS TARA

WOMEN



page
175

CXS MAIA

WOMEN



page
175

CXS GABRIELA

WOMEN



page
176

CXS ERIN

WOMEN



page
176

CXS IRIS

WOMEN



page
176

CXS DARJA

WOMEN



page
177

CXS DARJA

WOMEN



page
177

CXS TARA

WOMEN



page
177

CXS AMY

WOMEN



INDEX



page
194

CXS LAVAL



page
195

CXS FRANCISCO

FINAL SALE



page
195

CXS NORFOLK

WINTER



page
196

CXS SACRAMENTO

FINAL SALE



page
196

CXS VEGAS



page
198

CXS 4ENVI PORTLAND

WINTER



page
198

CXS KANSAS

FINAL SALE



page
199

CXS CAMO

FINAL SALE



page
199

CXS LINCOLN

WINTER



page
201

CXS FREMONT

WINTER



page
202

CXS PILOT

WINTER



page
202

CXS GEORGIA

WINTER



page
204

CXS ALTON

NEW



page
205

CXS 4ENVI HAMPTON



page
205

CXS INDIANAPOLIS



page
206

CXS INDIANA



page
206

CXS MINTER

FINAL SALE



page
206

CXS FLINT

FINAL SALE



page
207

CXS OTAWA



page
207

CXS GRANBY



page
208

CXS ARNY



page
208

CXS HARRISON

NEW COLOUR



page
209

CXS ODEON



page
210

CXS TORONTO



page
210

CXS MALONE



page
211

CXS TOPEKA



page
212

CXS PASO



page
212

CXS HEBRON



page
212

CXS OVERLAND

FINAL SALE WINTER



page
213

CXS RENO

WINTER



page
213

CXS ANTARKTIDA

WINTER



page
214

CXS UTAH



page
214

CXS UTAH



page
214

CXS OHIO

WINTER



page
215

CXS DENVER

WINTER



page 215

CXS SEATTLE



page 215

CXS SEATTLE

WINTER



page 216

CXS RICHARD



page 216

CXS MARCUS



page 216

CXS MERLIN



page 217

CXS OLSEN



page 217

CXS NOLAN

NEW COLOUR



page 218

CXS WILDER



page 218

CXS DARREN



page 218

CXS WORKWEAR

FINAL SALE



page 219

CXS DANIEL



page 219

CXS HENRY



page 220

CXS MICHAEL



page 220

CXS SIMON



page 220

CXS PETR



page 221

CXS TIM



page 221

CXS TOM



page 222

CXS VENATOR JOGGER

NEW



page 222

CXS ALBI



page 223

CXS NIMES I



page 223

CXS MURET



page 223

CXS CAMO



page 224

CXS VENATOR



page 224

CXS BOISE



page 225

CXS AKRON



page 225

CXS TRENTON

WINTER



page 226

CXS ELVIN



page 226

CXS ROWAN



page 227

CXS MORIS



page 227

CXS DIXON

FINAL SALE



page 228

CXS SEAMFLEX

NEW

INDEX



page
229



page
229



page
229



page
230

CXS SEAMFLEX

NEW

CXS MOVADO

NEW COLOUR

CXS COOLDRY

FINAL SALE NEW COLOUR

CXS COOLDRY

FINAL SALE NEW COLOUR



page
230



page
230



page
231



page
231



page
231

CXS REWARD

WINTER

CXS REWARD

WINTER

CXS ACTIVE

CXS ACTIVE

CXS SPORTY COOL

**Women's
leisure
clothing**



page
234



page
234



page
235



page
235

CXS TAMPA

NEW WOMEN

CXS STRETCH

NEW WOMEN

CXS AUGUSTA

WOMEN

CXS WICHITA

WINTER WOMEN



page
236



page
236



page
237



page
237



page
237

CXS ARIZONA

WINTER WOMEN

CXS NEVADA

WOMEN

CXS DIGBY

WINTER WOMEN

CXS ORLEANS

WINTER WOMEN

CXS OCEANSIDE II

WINTER WOMEN



page
238



page
238



page
239



page
239



page
239

CXS KENOVA

WINTER WOMEN

CXS OCEANIA

WOMEN

CXS IRVINE

WINTER WOMEN

CXS CAPE

WOMEN

CXS POMONA

WOMEN FINAL SALE



page
240



page
240



page
241



page
241

CXS HARRIET

WOMEN

CXS GRANBY LADY

WOMEN

CXS TORONTO

WOMEN

CXS LAREDO

WOMEN



page
241



page
242



page
242



page
242

CXS FONTANA

WINTER WOMEN

CXS OMAK

WINTER WOMEN

CXS HEBRON

WOMEN FINAL SALE

CXS EMILY

WOMEN

NEW COLOUR



page 243

CXS MILFORD
WOMEN



page 243

CXS LINDA
WOMEN



page 243

CXS ELLA
WOMEN



page 244

CXS MARY
WOMEN



page 244

CXS OREGON
WOMEN



page 244

CXS AKRON
WOMEN



page 245

CXS TRENTON
WINTER WOMEN



page 246

CXS UMI
WOMEN



page 246

CXS ELEN
WOMEN



page 247

CXS MIA
NEW COLOUR WOMEN



page 247

CXS IVA
WOMEN



page 248

CXS SEAMFLEX LADY
NEW WOMEN



page 248

CXS SEAMFLEX LADY
NEW WOMEN



page 249

CXS REWARD
WINTER WOMEN



page 249

CXS REWARD
WINTER WOMEN



page 249

CXS MOVADO
NEW WOMEN

Underwear, socks and accessories



page 250

CXS TREON
NEW



page 250

CXS DIRK



page 250

CXS BOXER



page 250

CXS ROCKY



page 250

CXS NICK



page 251

CXS FREEHEM
NEW



page 251

CXS WARMSTEP
WINTER NEW



page 251

CXS MERINO
WINTER NEW



page 252

CXS VERDE



page 252

CXS CAVA



page 252

CXS LOWER



page 253

CXS NEVIS



page 253

CXS PACK



page 253

CXS SOFT



page 253

CXS COMFORT



page 254

CXS THERMAX
WINTER



page 254

CXS THERMAX
WINTER



page 254

CXS SKI
WINTER



page 255

CXS LORY



page 255

CXS TOBY
WINTER

INDEX



page
255

CXS DARREN



page
255

CXS DARREN



page
256

CXS GAMAY

NEW



CXS ELY

NEW COLOUR



page
257

CXS FERDA



page
257

CXS JACK



page
257

CXS PHIL



page
258

CXS CAMO



page
258

CXS XAVER

FINAL SALE



page
258

CXS LOKI

WINTER



page
259

CXS TYNAN

WINTER



page
259

CXS IVANUS

WINTER



page
259

CXS IVAN

WINTER



page
260

CXS KULICH

WINTER



page
260

CXS EVAN

WINTER



page
260

CXS TED

WINTER



page
260

CXS DAN

WINTER



page
261

CXS KALU

NEW



page
261

CXS TANO



page
261

CXS WASCO



page
261

CXS NAVAH



page
262

CXS KARUK



page
262

CXS SUTAJ



page
262

CXS TWANA



page
262

CXS DARREN



page
262

CXS BRACES



page
263

CXS TROMSO

NEW



page
263

CXS BONEKAN KIDNEY BAND

WINTER



page
263

CXS WAIST SUPPORT



NEW

CXS SOLIS FLEX

A FUNCTIONAL AND MINIMALIST COLLECTION FOR EVERY GENERATION

The CXS Solis collection brings a new dimension of style and practicality to everyday working life. This timeless basic work series combines clean lines with an elegant modern design that perfectly adapts to the needs of all generations, different body types and a wide range of professions. The blouse, trousers and bib trousers are designed in a minimalist way, but with an emphasis on functionality, which ensures their versatility and comfort.

The CXS SOLIS FLEX series is ideal not only for professional areas such as engineering, construction, light industry and automotive, but will also be great for the garden, home workshop or hobby activities.

The collection is made of MOVE & FLEX® stretch material, which is durable, flexible and allows free movement without restrictions. The material also adapts easily to the figure and provides comfort all day long. The durable twill weave ensures a long life of the material and a great appearance even after repeated washing. Stressed areas are reinforced with durable 600D polyester material.

All models are available in five colour options and are equipped with reflective elements that increase safety in conditions with reduced visibility.

Material composition

Basic material: 98 % cotton 2 % elastane

Weaving: twill

Grammage: 230 g/m²

Additional material: 600D polyester

Standard: EN ISO 13688

Jacket 4ENVI SOLIS

Basic material: 100% recycled polyester - fleece

Grammage: 300 g/m²

Additional material: 100% recycled polyester 600D Oxford

Standard: EN ISO 13688

video





reflective element on the shoulders

zipped chest pockets

forearm made of 600D polyester

POLYESTER 600D - Material made of 100% polyester fiber, which stands out for its very high resistance to friction and abrasion. Polyurethane impregnation of the material ensures waterproofness.

elastic at the hips

The trousers and gardeners have a section of elastic sewn into the sides, which allows for the freest possible movement while working and also maximum comfort.

other colour variants



ergonomically shaped knees reinforced with 600D polyester

reflective element below the knee

EASY-PROLONG

Allows you to easily extend your legs by 5 cm without the need for a sewing machine or a visit to a seamstress.





SOLIS FLEX

411

510

710



260



CXS 4ENVI SOLIS, 1240 134 XXX XX

Men's working jacket

- antipilling fleece
- combination of recycled materials (60 pieces of PET bottles were used to produce 1 piece of jacket)
- chest and side zipper pockets
- sleeves to the elastic band
- tightening at the bottom
- reflective elements
- 600D polyester reinforcements on the elbows, forearms and shoulders



Size: S - 3XL (710: S - 5XL)

Basic material: 100% recycled polyester - fleece

Grammage: 300 g/m²


Additional material: 100% recycled polyester 600D Oxford

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece

tightening at the bottom



411



510



710



736



260



CXS SOLIS FLEX, 1010 130 XXX XX

Men's working jacket

- made of durable and flexible Move & Flex material
- forearm part made of 600D polyester
- zip fastening
- sleeves with adjustable cuff
- chest zipper pockets
- side zipper pockets
- adjustable waist
- reflective elements

Size: 46 - 64

Basic material: 98 % cotton 2 % elastane

Weaving: twill

Grammage: 230 g/m²

Additional material: 600D polyester

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

NEW

chest pocket



Move&Flex
MATERIAL

OEKO
TEX®





411

510



710

736



260

side multifunctional pockets



CXS SOLIS FLEX, 1020 130 XXX XX

Men's working trousers

- made of durable and flexible Move & Flex material
- elastic waist with belt loops
- reinforced seat
- front pockets with reinforcement for hanging and measuring tape
- side multifunctional pockets with 600D polyester reinforcement
- ergonomic knees reinforced by 600D polyester
- back pocket with 600D polyester reinforcement
- reflective elements
- EASY-PROLONG: possibility of simple extension of trousers to and higher figure

**Size:** 46 - 64**Basic material:** 98 % cotton 2 % elastane**Weaving:** twill**Grammage:** 230 g/m²**Additional material:** 600D polyester**Standard:** EN ISO 13688**Box:** 20 pieces**Unit:** 1 piece

* colour 411 and 710, men's trousers are also available in and shortened version for height 170 - 176 cm, in sizes 44 - 64 code 1020 131 XXX XX



260



CXS SOLIS FLEX, 1030 130 XXX XX

Men's working bib pants

- made of durable and flexible Move & Flex material
- zipper and divided chest pocket
- elastic band on sides of the waist
- reinforced seat
- front pockets with reinforcement for hanging and measuring tape
- side multifunctional pockets with 600D polyester reinforcement
- ergonomic knees reinforced by 600D polyester
- back pocket
- reflective elements
- EASY-PROLONG: possibility of simple extension of trousers to and higher figure

Size: 46 - 64

Basic material: 98 % cotton 2 % elastane

Weaving: twill

Grammage: 230 g/m²

Additional material: 600D polyester

Standard: EN ISO 13688

Box: 15 pieces

Unit: 1 piece



710



736



411



CXS SOLIS FLEX, 1060 130 XXX XX

Men's shorts

- made of durable and flexible Move & Flex material
- elastic waist with belt loops
- reinforced seat
- front pockets with reinforcement for hanging and measuring tape
- side multifunctional pockets with 600D polyester reinforcement
- back pocket with 600D polyester reinforcement
- reflective elements

Size: 46 - 64

Basic material: 98 % cotton 2 % elastane

Weaving: twill

Grammage: 230 g/m²

Additional material: 600D polyester

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



CX5 LEONIS

**A DYNAMIC COLLECTION DEVELOPED WITH
AN EMPHASIS ON DURABILITY AND DESIGN**

The premium CX5 LEONIS range is our most durable and sophisticated collection of workwear and accessories. It is designed for professionals who seek functionality, durability and representative style in workwear. The CX5 LEONIS collection offers jackets, vests, trousers and practical backpacks or bags for versatile use. All in our unique colour combination of black with blue and red elements and other modern colour options.

CX5 LEONIS garments are designed to meet exacting demands for quality and design - combining premium materials, smart fits and perfect workmanship down to the last detail. The CX5 LEONIS work trousers are made from highly durable materials that guarantee long-lasting durability, while their ergonomic fit promotes freedom of movement and comfort for long-term wear. The CX5 LEONIS hybrid jacket and vest will perfectly complement the trousers and take your work outfit to the next level. The water-resistant backpack and sports bags have versatile uses - you can pack them for work, school, walking and sports.

Material composition

Jackets and vests

Basic material: 100 % polyester

Material - quilted part: 100 % nylon

Additional material: 94 % polyester 6 % elastane

Padding: 100 % polyester

Lining: 100 % nylon

Standard: EN ISO 13688

Pants and shorts

Basic material: 72 % cotton 25 % nylon 3 % elastane

Weaving: canvas

Grammage: 240 g/m²

Additional material: 92 % nylon 8 % elastane

CORDURA®: 100 % nylon

Standard: EN ISO 13688

video





combination of materials

modern quilting

other colour variants



triple stitching

The trousers have a triple-stitched seam in exposed areas.

The trousers are equipped with ergonomic knees reinforced with CORDURA material with lateral knee reinforcements.

EASY-PROLONG

It allows you to easily extend your legs by 5 cm without the need for a sewing machine or a visit to a seamstress.







CXS LEONIS II, 1290 212 XXX XX

Men's working jacket

- suitable for work and leisure
- combination of materials
- sleeves and bottom with elastic band
- chest and side zipper pockets
- back ventilation
- inner chest zipper pocket
- reflective elements

Size: S - 3XL (800: S - 5XL)

Basic material: 100 % polyester

Material - quilted part: 100 % nylon

Additional material: 94 % polyester 6 % elastane

Padding: 100 % polyester

Lining: 100 % nylon

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



detail



817



CXS LEONIS II, 1390 104 817 XX

Men's vest

- suitable for work and leisure
- combination of materials
- bottom with elastic band
- chest and side zipper pockets
- inner chest zipper pocket
- reflective elements

Size: S - 3XL

Basic material: 100 % polyester

Material - quilted part: 100 % nylon

Additional material: 94 % polyester 6 % elastane

Padding: 100 % polyester

Lining: 100 % nylon

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



800



817



CXS LEONIS, 1290 167 XXX XX

Men's working jacket

- suitable for work and leisure
- combination of materials
- sleeves and bottom with elastic band
- chest and side zipper pockets
- back ventilation
- inner chest zipper pocket
- reflective elements

Size: S - 3XL (800: S - 5XL)

Basic material: 100 % polyester

Material - quilted part: 100 % nylon

Additional material: 94 % polyester 6 % elastane

Padding: 100 % polyester

Lining: 100 % nylon

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

FINAL SALE



817



CXS LEONIS, 1390 058 817 XX

Men's vest

- suitable for work and leisure
- combination of materials
- bottom with elastic band
- chest and side zipper pockets
- inner chest zipper pocket
- reflective elements

Size: S - 3XL

Basic material: 100 % polyester

Material - quilted part: 100 % nylon

Additional material: 94 % polyester 6 % elastane

Padding: 100 % polyester

Lining: 100 % nylon

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

FINAL SALE





removable ID card holder



440 **NEW COLOUR**



CXS LEONIS, 1020 120 XXX XX

Men's working trousers

- 4-way stretch material in exposed areas allows free and easy movement
- inner waist with antislip rubber printing
- CORDURA® accessories
- flexible waist with adjustable size, belt loops, 2 front pockets, 2 removable tool pockets reinforced with CORDURA®, thigh zipper pockets with possibility of ventilation, side pocket with zipper pocket
- 2 back pockets (one with zipper) reinforced with CORDURA®, folding ruler pocket with other pockets
- ergonomic knees reinforced with CORDURA® with side opening for knee pads and ventilation
- removable ID card holder in the right thigh pocket
- leg bottom reinforced with CORDURA®
- reflective elements
- EASY-PROLONG: possibility of simple extension of trousers to and higher figure

NEW COLOUR

Size: 46 - 64

Basic material: 72 % cotton 25 % nylon 3 % elastane

Weaving: canvas

Grammage: 240 g/m²

Additional material: 92 % nylon 8 % elastane

CORDURA®: 100 % nylon

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

CORDURA®
BRAND





CXS LEONIS, 1520 227 XXX XX

Men's sweatshirt

- suitable for work and leisure
- fitted cut
- elastic material
- chest and side zipper pockets
- back ventilation
- reflective elements

Size: S - 3XL, (710: S - 5XL)

Basic material: 94 % polyester 6 % elastane

Grammage: 240 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



CXS LEONIS, 1060 120 817 XX

Men's shorts

- 4-way stretch material in exposed areas allows free and easy movement
- inner waist with antislip rubber printing
- CORDURA® accessories
- flexible waist with adjustable size, belt loops, 2 front pockets, 2 removable tool pockets reinforced with CORDURA®, thigh zipper pockets with possibility of ventilation, side pocket with zipper pocket
- 2 back pockets (one with zipper) reinforced with CORDURA®, folding ruler pocket with other pockets
- removable ID card holder in the right thigh pocket
- reflective elements

Size: 46 - 64

Basic material: 72 % cotton 25 % nylon 3 % elastane

Weaving: canvas

Grammage: 240 g/m²

Additional material: 92 % nylon 8 % elastane

CORDURA®: 100 % nylon

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



CORDURA®
BRAND



CX5 NAOS

HIGH VISIBILITY, FUNCTIONAL DESIGN AND UNRESTRICTED MOVEMENT

The basis of the entire collection is and material with 4-way stretch or four-way stretch construction. Thanks to its stretchability in all four directions, it allows easy and unrestricted movement. The high proportion of nylon ensures that the garment dries quickly. Exposed areas are reinforced with durable Cordura® material to protect them against wear and tear. The CX5 NAOS also features an ergonomic design, strategically placed vents on the blouse and trousers, and a host of practical details to make your day-to-day work easier.

CX5 NAOS HV garments expand the popular CX5 NAOS collection with a high-visibility version suitable for workers in low-visibility conditions or environments where being seen is essential. Like the main collection, this version is characterized by unrestricted flexibility, comfort, and durability.

The CX5 NAOS HV jacket and trousers are ideal for industries such as aviation, maritime, logistics, shipping, automotive, and construction.

Material composition

Basic material: 93 % nylon 7 % elastane

Weaving: canvas

Grammage: 220 g/m²

CORDURA®: 100 % nylon

Additional material: 100 % polyester

Standard: EN ISO 13688

Hybrid jackets and vests

Basic material: 100 % polyester

Grammage: 195 - 200 g/m²

Additional material: 94 % polyester 6 % elastane

Grammage: 250 g/m²

Standard: EN ISO 13688

video





fleece collar

reinforced with CORDURA material

4-way stretch

The material used in the CXS NAOS collection ensures maximum freedom of movement during any work.

other colour variants



ventilation on the back of the thigh

reflective element on the leg

reinforced with CORDURA material

EASY-PROLONG

It allows you to easily extend your legs by 5 cm without the need for and sewing machine or and visit to and seamstress.





702



406



CXS NAOS, 1290 100 XXX XX

Men's working jacket

- suitable for work and leisure
- combination of materials
- knitted sleeves with adjustable cuff
- 3 zipper chest pockets, 2 zipper side pockets
- removable ID card holder in the right chest pocket
- drawstring at bottom hem
- inside zipper pocket
- contrasting yellow and reflective elements

Size: S - 4XL (406: S - 3XL)

Basic material: 100 % polyester

Grammage: 195 - 200 g/m²

Additional material: 94 % polyester 6 % elastane

Grammage: 250 g/m²

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece



702



406



CXS NAOS, 1390 100 XXX XX

Men's vest

- suitable for work and leisure
- combination of materials
- 3 zipper chest pockets, 2 zipper side pockets
- removable ID card holder in the right chest pocket
- drawstring at bottom hem
- inside zipper pocket
- contrasting yellow and reflective elements

Size: S - 4XL (406: S - 3XL)

Basic material: 100 % polyester

Grammage: 195 - 200 g/m²

Additional material: 94 % polyester 6 % elastane

Grammage: 250 g/m²

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece



530



702



706



406



CXS NAOS, 1010 100 XXX XX

Men's working jacket

- 4-way stretch material allowing free and easy movement
- CORDURA accessories
- sleeves with adjustable cuff
- 3 zipper chest pockets, 2 zipper side pockets
- removable ID card holder in the right chest pocket
- back and side ventilation under the sleeves
- inside zipper pocket
- breathable mesh lining
- bottom reinforced with CORDURA® material
- contrast elements
- reflective elements

Size: 46 - 64

Basic material: 93 % nylon 7 % elastane

Weaving: canvas

Grammage: 220 g/m²

CORDURA®: 100 % nylon

Additional material: 100 % polyester

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

underarm ventilation



CORDURA®
BRAND



* CXS NAOS collection also includes and reflective NAOS HV men's blouse, more on page 150



ventilation on the thigh



CXS NAOS, 1020 100 XXX XX

Men's working trousers

- 4-way stretch material allowing free and easy movement
- inner waist with antislip rubber tape
- CORDURA accessories
- flexible waist with adjustable size, belt loops
- 2 front pockets, 2 removable tool pockets reinforced with CORDURA, thigh zipper pocket with removable ID card holder, multifunctional side pocket
- 2 back pockets at the bottom reinforced with CORDURA
- zipper ventilation on the back of the thighs
- knees reinforced with CORDURA with the opening for knee pads
- leg bottom reinforced with CORDURA
- contrast elements
- reflective elements
- EASY-PROLONG: possibility of simple extension of trousers to and higher figure

Size: 46 - 64

Basic material: 93 % nylon 7 % elastane

Weaving: canvas

Grammage: 220 g/m²

CORDURA®: 100 % nylon

Additional material: 100 % polyester

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

CORDURA
BRAND





detachable pocket

406



CXS NAOS, 1060 100 XXX XX

Men's shorts

- 4-way stretch material allowing free and easy movement
- inner waist with antislip rubber tape
- CORDURA accessories
- flexible waist with adjustable size, belt loops
- 2 front pockets, 2 removable tool pockets reinforced with CORDURA, thigh zipper pocket with removable ID card holder, multifunctional side pocket
- 2 back pockets at the bottom reinforced with CORDURA
- contrast elements
- reflective elements

Size: 46 - 64

Basic material: 93 % nylon 7 % elastane

Weaving: canvas

Grammage: 220 g/m²

CORDURA®: 100 % nylon

Additional material: 100 % polyester

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece

CORDURA
BRAND



CX5 STRETCH

THE COLLECTION FOR MAXIMUM COMFORT AT WORK

The CX5 STRETCH collection offers modern design, maximum wearing comfort and flexibility of movement. This range includes work blouses, bib pants, shorts and softshell jackets that are designed for the demanding professional. The garments are available in many colour options to choose from to suit the work environment and corporate identity. Some colour options are also available in shortened and winter versions and for women. The CX5 STRETCH collection is ideal for a wide range of industries, such as engineering, construction, light industry, automotive, logistics, agriculture, gardening, as well as for hobbyists.

The workwear from the CX5 STRETCH collection is made of cotton with a touch of elastane. The cotton will ensure breathability and overall comfort, while the elastane will ensure the flexibility of the material. In addition, thanks to the 2-way stretch construction, the material easily stretches in two directions, facilitating freedom of movement. You can also be assured of safety with this collection, as it has been successfully tested for health safety according to OEKO-TEX Standard 100. Stressed areas such as the shoulders, elbows, knees and the bottom of the legs are reinforced with a durable 600D polyester material, which increases the garments' durability even in harsh working conditions. CX5 STRETCH garments have triple stitching in the areas where the most tension occurs.

Material composition

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Standard: EN ISO 13688

video





reinforced shoulders

The shoulders are reinforced with 600D polyester for increased durability.

2-way stretch material

This material construction allows the garment to stretch in two directions, allowing for freer movement.

other colour variants



possibility of inserting knee braces

reflective element on the leg

EASY-PROLONG

It allows you to easily extend your legs by 5 cm without the need for a sewing machine or a visit to a seamstress.





STRETCH



ventilation on the back



800 **NEW COLOUR**



CXS STRETCH, 1010 027 XXX XX

Men's working jacket

- stretch fabric allowing free movement
- shoulders reinforced by 600D polyester
- sleeves with adjustable cuff
- pocket with flap on the left sleeve
- covered zipper fastening with snaps
- chest pockets - with snap and zipper
- side zipper pockets
- adjustable waist
- ventilation on the back
- reflective elements

Size: 46 - 64, (colours 440 and 710: 46 - 68)

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

NEW COLOUR



* colour 440, 710 and 734 men's blouses are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 64 code 1010 034 XXX XX





side pocket



800 **NEW COLOUR**



CXS STRETCH, 1020 027 XXX XX

Men's working trousers

- stretch fabric allowing free movement
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with flap
- back lower hem reinforced by 600D polyester
- reflective elements
- EASY-PROLONG: possibility of simple extension of trousers to and higher figure

Size: 46 - 64, (colours 440 and 710: 46 - 68)

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

NEW COLOUR



* colour 440, 710 and 734 men's trousers are also available in and shortened version for height 170 - 176 cm, in sizes 44 - 64 code 1020 034 XXX XX

260 270 109 440 441 710 734

800 **NEW COLOUR**



CXS STRETCH, 1030 027 XXX XX

Men's working bib pants

- stretch fabric allowing free movement
- bib flap pocket
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 6000 polyester with the opening for knee pads
- two back pockets, one with flap
- back lower hem reinforced by 6000 polyester
- elastic braces in the back
- reflective elements
- EASY-PROLONG: possibility of simple extension of trousers to a higher figure

NEW COLOUR



Size: 46 - 64, (colours 440 and 710: 46 - 68)

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



* colour 440, 710 and 734 men's trousers are also available in and shortened version for height 170 - 176 cm, in sizes 44 - 64 code 1030 034 XXX XX

250

109

440

441

710

800



270

CXS TEXAS, 1520 136 XXX XX

Men's sweatshirt

- waist and sleeves with elastic cuff
- reinforced panels on elbows
- chest pocket
- pockets with zipper
- reflective elements

Material: 55 % cotton 45 % polyester

Grammage: 300 g/m²

Size: S - 3XL (colour 441, S - 4XL)

(colours 440 and 800, XS - 5XL)

Box: 20 pieces

Unit: 1 piece



260

270

109

440

441

710

734



CXS STRETCH, 1060 027 XXX XX

Men's shorts

- stretch fabric allowing free movement
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- two back pockets, one with flap
- reflective elements

Size: 46 - 64, (colours 440 and 710: 46 - 68)

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece

NEW SIZES



435



side pocket



CXS STRETCH, 1090 027 440 XX

Men's working 3/4 trousers

- stretch fabric allowing free movement
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 600D polyester
- two back pockets, one with flap
- reflective elements

Size: 46 - 64

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



CXS STRETCH, 1040 027 710 XX

Men's working overall

- stretch fabric allowing free movement
- shoulders reinforced by 6000 polyester
- sleeves with adjustable cuff
- pocket with flap on the left sleeve
- covered zipper fastening with snaps
- two-way zipper
- chest pockets - with snap and zipper
- ventilation on the back
- waist with side elastic bands
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 6000 polyester with the opening for knee pads
- two back pockets, one with flap
- reflective elements

Size: 48 - 64

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece



elastic on the back



CXS BALTIMORE, 1210 096 XXX XX

Men's working jacket

- padded
- detachable hood
- inner cuffs
- plastic loop
- tightening at the bottom
- reflective elements
- 3 inner pockets
- taped seams
- TPU membrane

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Size: S - 4XL (colour 710, S - 5XL)

Standard: EN ISO 13688, EN 14058

Box: 10 pieces

Unit: 1 piece



CXS STRETCH, 1010 050 710 XX

Men's working jacket

- fleece lining
- stretch fabric allowing free movement
- shoulders reinforced by 600D polyester
- sleeves with adjustable cuff
- pocket with flap on the left sleeve
- covered zipper fastening with snaps
- chest pockets - with snap and zipper
- side zipper pockets
- adjustable waist
- ventilation on the back
- reflective elements

Lining: fleece 100 % polyester

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Standard: EN ISO 13688

Size: 46, 50, 54, 58, 62

Box: 10 pieces

Unit: 1 piece

WINTER



CXS STRETCH, 1020 050 710 XX

Men's working trousers

- flannel lining
- stretch fabric allowing free movement
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with flap
- back lower hem reinforced by 600D polyester
- reflective elements
- EASY-PROLONG: possibility of simple extension of trousers to and higher figure

Lining: flannel 100 % cotton

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Standard: EN ISO 13688

Size: 46, 50, 54, 58, 62

Box: 10 pieces

Unit: 1 piece

WINTER



CXS STRETCH, 1030 050 710 XX

Men's working bib pants

- flannel lining
- stretch fabric allowing free movement
- bib flap pocket
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with flap
- back lower hem reinforced by 600D polyester
- elastic braces in the back
- reflective elements
- EASY-PROLONG: possibility of simple extension of trousers to and higher figure

Lining: flannel 100 % cotton

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Size: 46, 50, 54, 58, 62

Box: 10 pieces

Unit: 1 piece

WINTER



waist regulation



CXS STRETCH, 1010 029 710 XX

Ladies' working jacket

- stretch fabric allowing free movement
- shoulders reinforced by 600D polyester
- sleeves with adjustable cuff
- pocket with flap on the left sleeve
- covered zipper fastening with snaps
- chest pockets - with snap and zipper
- side zipper pockets
- adjustable waist
- ventilation on the back
- reflective elements

Size: 38 - 58

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Box: 20 pieces

Unit: 1 piece

WOMEN



reflective element



CXS STRETCH, 1020 029 XXX XX

Ladies' working trousers

- stretch fabric allowing free movement
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 600D polyester
- two back pockets, one with flap
- back lower hem reinforced by 600D polyester
- reflective elements

Size: 38 - 58

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Box: 20 pieces

Unit: 1 piece

WOMEN





CXS STRETCH, 1030 029 XXX XX

Ladies' working bib pants

- stretch fabric allowing free movement
- bib flap pocket
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 600D polyester
- two back pockets, one with flap
- back lower hem reinforced by 600D polyester
- elastic braces in the back
- reflective elements

Size: 38 - 58

Material: 98 % cotton 2 % elastane

Weaving: canvas

Grammage: 250 g/m²

Box: 20 pieces

Unit: 1 piece

WOMEN

button in waist



CXS SIRIUS BRIGHTON

STYLE AND DURABILITY FOR YOUR WORKLOAD

CXS SIRIUS BRIGHTON is a more distinctive design alternative to the basic SIRIUS collection. The workwear in this line will catch your eye at first glance with contrasting colour combinations and a modern look, without compromising on its functional parameters.

This collection also includes work blouses, trousers, shorts and bib overalls. Thanks to the choice of several colour variants, the collection is popular with those who want to stand out, but at the same time require high durability and comfort at work. There is also a version with insulation or shortened sizes, which expands the possibilities of individual selection.

The material composition and technical processing correspond to the CX5 SIRIUS collection - a mixture of polyester and cotton with a heavy weight, canvas weave, reinforcement in the most stressed areas with durable 600D polyester and OEKO-TEX Standard 100 certification. CX5 SIRIUS BRIGHTON thus combines a unique look with professional functionality.

Material composition

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Shorts

Material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688



reflective element

*covered zipper
fastening with snaps*

sleeves with adjustable cuff

other colour variants



multifunctional pockets

*knees reinforced by 600D polyester
with the opening for knee pads*





SIRIUS BRIGHTON



CXS SIRIUS BRIGHTON, 1010 001 XXX XX

Men's working jacket

- sleeves with adjustable cuff
- covered zipper fastening with snaps
- multifunctional chest pockets
- side zipper pockets
- pencil pocket on the left sleeve
- adjustable waist
- reflective elements

Size: 46 - 64 (colour 802: 44 - 68)

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



OEKO
TEX®



* colour 802 men's blouses are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 64 code 1010 035 802 XX



CXS SIRIUS BRIGHTON, 1020 001 XXX XX

Men's working trousers

- waist with belt loops and side elastic bands
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back flap pockets
- reflective elements

Size: 46 - 64 (colour 802: 44 - 68)

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

OEKO
TEX®

STANDARD



* colour 802 men's trousers are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 64 code 1020 035 802 XX

803



802



815



CXS SIRIUS BRIGHTON, 1030 001 XXX XX

Men's working bib pants

- bib flap pocket
- waist with belt loops
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- back waist rubber with button for size adjustment
- two back flap pockets
- elastic braces in the back
- reflective elements

Size: 46 - 64 (colour 802: 44 - 68)

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Box: 15 pieces

Unit: 1 piece



* colour 802 men's trousers are also available in a shortened version for height 170 - 176 cm in sizes 44 - 64, code 1030 035 802 XX

802



803



CXS SIRIUS BRIGHTON, 1060 001 XXX XX

Men's shorts

- waist with belt loops and side elastic bands
- front pockets
- multifunctional pockets on both sides
- two back flap pockets
- reflective elements

Size: 46 - 68 (colour 803: 46 - 64)

Material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



SIRIUS BRIGHTON

chest pocket



CXS SIRIUS BRIGHTON, 1010 014 802 XX

Men's working jacket

- fleece lining
- sleeves with adjustable cuff
- covered zipper fastening with snaps
- multifunctional chest pockets
- side zipper pockets
- adjustable waist
- reflective elements

Size: 46, 50, 54, 58, 62

Lining: fleece 100% polyester

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



pen pocket



CXS SIRIUS BRIGHTON, 1020 014 802 XX

Men's working trousers

- flannel lining
- waist with belt loops and side elastic bands
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back flap pockets
- reflective elements

Size: 46, 50, 54, 58, 62

Lining: flannel 100 % cotton

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



CXS SIRIUS BRIGHTON, 1030 014 802 XX

Men's working bib pants

- flannel lining
- bib flap pocket
- waist with belt loops and elastic band in the back
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- back waist rubber with button for size adjustment
- two back flap pockets
- elastic braces in the back
- reflective elements

Size: 46, 50, 54, 58, 62

Lining: flannel 100 % cotton

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece

elastic band



802



803



806



CXS BRIGHTON, 1210 078 XXX XX

Men's working jacket

- padded
- detachable hood
- underarm ventilation
- inner cuffs
- tightening at the bottom
- reflective elements
- inside zipper pocket
- taped seams

Material: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Size: S - 4XL

Standard: EN ISO 13688, EN 14058

Box: 10 pieces

Unit: 1 piece



CXS SIRIUS

STYLE AND HIGH DURABILITY FOR YOUR WORK DEPLOYMENT

The CXS SIRIUS collection is a sophisticated line of workwear designed for professionals looking for functionality, durability and comfort. It offers a wide selection of work blouses, trousers, shorts and bib overalls (so-called gardeners). The garments in this collection stand out with their robust construction and clean work design in a classic design, ideal for a wide range of professions.

CXS SIRIUS is also available in variants with insulation for work in cold conditions and in shortened versions for shorter figures. Thanks to this, each user can choose a model that will not only fit them, but also meet the demanding work load.

The garments are made of a blend of polyester and cotton with a high weight and woven in a durable canvas weave. Stressed areas – shoulders, knees and lower leg hems – are additionally reinforced with 600D polyester, which ensures increased abrasion resistance. All

CXS SIRIUS products meet the OEKO-TEX Standard 100, which guarantees their health safety even in direct contact with the skin.

Material composition

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Shorts

Material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 190 g/m²


Standard: EN ISO 13688



shoulders reinforced with 600D polyester

multifunctional chest pockets

other colour variants



sleeves with adjustable cuff

knees reinforced by 600D polyester with the opening for knee pads

reflective element

EASY-PROLONG

Allows you to easily extend your legs by 5 cm without the need for and sewing machine or and visit to and seamstress.







CXS SIRIUS LUCIUS, 1010 001 XXX XX

Men's working jacket

- shoulders reinforced by 600D polyester
- sleeves with adjustable cuff
- covered zipper fastening with snaps
- multifunctional chest pockets
- side zipper pockets
- adjustable waist
- reflective elements

Size: 46 - 64 (colour 708: 44 - 68)

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



* colour 708 men's blouses are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 64
code 1010 035 708 XX



CXS SIRIUS NIKOLAS, 1020 001 XXX XX

Men's working trousers

- waist with belt loops and side elastic bands
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back flap pockets
- bottom of legs reinforced by 600D polyester
- reflective elements

Size: 46 - 64 (colour 708: 44 - 68)

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



* colour 708 men's trousers are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 64
code 1020 035 708 XX

** colour 708 men's trousers are also available in an prolonged version for height 194 cm, in sizes 50, 54, 58, 62
code 1020 013 708 XX



CXS SIRIUS TRISTAN, 1030 001 XXX XX

Men's working bib pants

- bib flap pocket
- waist with belt loops, rubber with button for size adjustment at the back
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back flap pockets
- bottom of legs reinforced by 600D polyester
- elastic braces in the back
- reflective elements

Size: 46 - 64 (colour 708: 44 - 68)

Material: 65 % polyester 35 % cotton

Weaving: canvas

Gammage: 270 g/m²

Standard: EN ISO 13688

Box: 15 pieces

Unit: 1 piece



* colour 708 men's trousers are also available in a shortened version for height 170 - 176 cm in sizes 44 - 64, code 1030 035 708 XX



CXS SIRIUS ELIAS, 1060 001 XXX XX

Men's shorts

- waist with belt loops and side elastic bands
- front pockets
- multifunctional pockets on both sides
- two back flap pockets
- reflective elements

Size: 46 - 68 (colour 703: 46 - 64)

Material: 65 % polyester 35 % cotton

Weaving: twill

Gammage: 190 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



CXS SIRIUS LUCIUS, 1010 014 708 XX

Men's working jacket

- fleece lining
- shoulders reinforced by 600D polyester
- sleeves with adjustable cuff
- covered zipper fastening with snaps
- multifunctional chest pockets
- side zipper pockets
- adjustable waist
- reflective elements

Lining: fleece 100 % polyester

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Size: 46, 50, 54, 58, 62

Box: 10 pieces

Unit: 1 piece



reflective element



CXS SIRIUS NIKOLAS, 1020 014 708 XX

Men's working trousers

- flannel lining
- waist with belt loops and side elastic bands
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back flap pockets
- bottom of legs reinforced by 600D polyester
- reflective elements

Lining: flannel 100 % cotton

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Size: 46, 50, 54, 58, 62

Box: 10 pieces

Unit: 1 piece



CXS SIRIUS TRISTAN, 1030 014 708 XX

Men's working bib pants

- flannel lining
- bib flap pocket
- waist with belt loops, rubber with button for size adjustment at the back
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back flap pockets
- bottom of legs reinforced by 600D polyester
- elastic braces in the back
- reflective elements

Lining: flannel 100 % cotton

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Size: 46, 50, 54, 58, 62

Box: 10 pieces

Unit: 1 piece

WINTER



CXS SIRIUS AISHA, 1020 002 708 XX

Ladies' working trousers

- waist with belt loops
- waist with side elastic bands (from size 50)
- front pockets
- side multifunctional pocket
- back double pockets
- reflective elements

Size: 36 - 60

Material: 65 % polyester 35 % cotton

Weaving: canvas

Grammage: 270 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

WOMEN



side multifunctional pocket



CXS PHOENIX

A WORKING COLLECTION FOR MAXIMUM COMFORT AT HIGHER TEMPERATURES

CXS PHOENIX presents a lightweight workwear collection that is ideal for working in the summer months or in heated areas. With its simple design and lightweight material composition, it provides excellent comfort and mobility during the working day. This collection includes blouses, trousers, gardeners and shorts for both men and women. They are recommended for sectors such as light industry, construction, automotive, agriculture, as well as for the classroom, garden or home workshop.

The CXS PHOENIX collection is a great choice for those looking for garments that combine lightness, comfort and practical style. They are made from a lightweight and breathable 190 g/m² polyester/cotton blend that is health-safe according to OEKO-TEX standards. CXS PHOENIX garments also offer the option of printing or embroidery. There are also subtle reflective elements that increase workers' visibility in low light conditions or when working in the evening.

Material composition

Material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688



simple pockets

low fabric grammage

sleeves with elastic cuff

other colour variants



reflective elements

double knees







CXS PHOENIX PERSEUS, 1010 016 XXX XX

Men's working jacket

- sleeves with elastic cuff
- zip fastening
- chest flap pockets
- simple side pockets
- reflective elements

Size: 46 - 64 (colours 706 and 710: 44 - 68)

Material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



* colour 706 men's blouses are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 64 code 1010 043 706 XX



CXS PHOENIX CEFEOUS, 1020 016 XXX XX

Men's working trousers

- waist with belt loops and side elastic bands
- front pockets
- side flap pocket
- tape/folding measure pocket
- double knees
- back simple pocket
- reflective elements

Size: 46 - 64 (colours 706 and 710: 44 - 68)

Material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



* colour 706 men's trousers are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 64 code 1020 043 706 XX



CXS PHOENIX CRONOS, 1030 016 XXX XX

Men's working bib pants

- bib flap pocket
- front pockets
- side flap pocket
- tape/folding measure pocket
- double knees
- back simple pocket
- elastic braces in the back
- reflective elements

Size: 46 - 64 (colours 706 and 710: 44 - 68)

Material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



* colour 706 men's trousers are also available in a shortened version for height 170 - 176 cm in sizes 44 - 64, code 1030 043 706 XX



CXS PHOENIX ZEFYROS, 1060 016 XXX XX

Men's shorts

- front pockets
- side flap pocket
- tape/folding measure pocket
- back simple pocket
- reflective elements

Size: 46 - 64 (colours 706 and 710: 44 - 68)

Material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



bib flap pocket



CXS PHOENIX BELLONA, 1010 017 710 XX

Ladies' working jacket

- sleeves with elastic cuff
- zip fastening
- chest flap pockets
- simple side pockets
- reflective elements

Size: 36 - 58

Material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece

WOMEN



side pocket



CXS PHOENIX MONETA, 1020 017 710 XX

Ladies' working trousers

- waist with belt loops and side elastic bands
- front pockets
- side flap pocket
- tape/folding measure pocket
- back simple pocket
- reflective elements

Size: 36 - 58

Material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece

WOMEN



elastic braces in the back



CXS PHOENIX HEKATE, 1030 018 710 XX

Ladies' working bib pants

- bib flap pocket
- front pockets
- side flap pocket
- tape/folding measure pocket
- back simple pocket
- elastic braces in the back
- reflective elements

Size: 36 - 58

Material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



CXS PHOENIX FORTUNE, 1060 017 710 XX

Ladies' shorts

- front pockets
- side flap pocket
- tape/folding measure pocket
- back simple pocket
- reflective elements

Size: 36 - 58

Material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



CXS ORION

DURABLE CLASSICS FOR A TOUGH DAY'S WORK

CXS ORION introduces rugged and practical workwear that is designed with the demanding work environment in mind. This range includes work blouses, trousers, bib pants and shorts. The colour options in the collection are predominantly in earthy shades, but for those looking for something more striking, there is also an attractive black and red option. CXS ORION garments are widely used in industries such as construction, engineering, light and automotive, logistics, warehouse handling, automotive service, maintenance, assembly and agriculture. They are also suitable for garden, workshop and other hobby applications.

The garments in the CXS ORION collection withstand tough working conditions and provide practical solutions for everyday work. They are particularly characterised by their high durability and long service life thanks to their material composition of cotton and polyester and twill weave. They feature a range of pockets for storing essential tools and mobile phones, practical details to improve functionality and reflective elements for increased visibility and your safety. The entire collection meets the OEKO-TEX Standard 100 health and safety requirements.

Material composition

Material: 60 % cotton 40 % polyester

Weaving: twill

Grammage: 280 g/m²

Standard: EN ISO 13688




reflective elements

tone-on-tone stitching

waist with side elastic bands

other colour variants



multifunctional pockets on both sides

reflective element

*knees reinforced by 600D polyester
with the opening for knee pads*





ORION



CXS ORION OTAKAR, 1010 003 XXX XX

Men's working jacket

- sleeves with adjustable cuff
- pencil pocket on the left sleeve
- covered zipper fastening with snaps
- multifunctional chest pockets
- side pockets
- waist with side elastic bands
- reflective elements

Size: 46 - 64 (colours 710 and 805: 44 - 68)

Material: 60 % cotton 40 % polyester

Weaving: twill

Grammage: 280 g/m²

Standard: EN ISO 13688

Box: 15 pieces

Unit: 1 piece



* colour 710 men's blouses are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 64 code 1010 025 710 XX



CXS ORION TEODOR, 1020 003 XXX XX

Men's working trousers

- waist with belt loops and elastic band in the back
- front pockets with loops for tools
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with velcro
- reflective elements

Size: 46 - 64 (colours 710 and 805: 44 - 68)

Material: 60 % cotton 40 % polyester

Weaving: twill

Grammage: 280 g/m²

Standard: EN ISO 13688

Box: 15 pieces

Unit: 1 piece



* colour 710 men's trousers are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 64 code 1020 025 710 XX

* colour 710 men's trousers are also available in an prolonged version for height 194 cm, in sizes 50, 54, 58, 62 code 1020 015 710 XX

loose hanging pocket



CXS ORION TEODOR PLUS, 1021 003 710 XX

Men's working trousers

- waist with belt loops and elastic band in the back
- front pockets, hanging insertable tool pockets
- multifunctional pockets on both sides
- knees reinforced by 6000 polyester with the opening for knee pads
- two back pockets, one with velcro
- reflective elements

Size: 46 - 64

Material: 60 % cotton 40 % polyester

Weaving: twill

Grammage: 280 g/m²

Standard: EN ISO 13688

Box: 15 pieces

Unit: 1 piece



411



510



610



710



805



CXS ORION KRYŠTOF, 1030 003 XXX XX

Men's working bib pants

- chest flap pockets
- waist with belt loops and elastic band in the back
- two-way zipper
- front pockets with loops for tools
- multifunctional pockets on both sides
- knees reinforced by 6000 polyester with the opening for knee pads
- two back pockets, one with velcro
- elastic braces in the back
- reflective elements

Size: 46 - 64 (colours 710 and 805: 44 - 68)

Material: 60 % cotton 40 % polyester

Weaving: twill

Grammage: 280 g/m²

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece



* colour 710 men's trousers are also available in a shortened version for height 170 - 176 cm in sizes 44 - 64, code 1030 025 710 XX



710



805

CXS ORION DAVID, 1060 003 XXX XX

Men's shorts

- waist with belt loops and elastic band in the back
- front pockets with loops for tools
- multifunctional pockets on both sides
- two back pockets, one with velcro
- reflective elements

Size: 46 - 64 (710 44 - 68)

Box: 25 pieces

Unit: 1 piece



CXS ORION OTAKAR, 1010 004 710 XX

Men's working jacket

- fleece lining
- sleeves with adjustable cuff
- pencil pocket on the left sleeve
- covered zipper fastening with snaps
- multifunctional chest pockets
- side pockets
- waist with side elastic bands
- reflective elements

Lining: fleece 100 % polyester

Size: 46, 50, 54, 58, 62

Box: 10 pieces

Unit: 1 piece



* colour 710 men's blouses are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 62 code 1010 026 710 XX

CXS ORION TEODOR, 1020 004 710 XX

Men's working trousers

- flannel lining
- waist with belt loops and elastic band in the back
- front pockets with loops for tools
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with velcro
- reflective elements
- EASY-PROLONG: possibility of simple extension of trousers to and higher figure

Lining: flannel 100 % cotton

Size: 46, 50, 54, 58, 62

Box: 10 pieces

Unit: 1 piece



* colour 710 men's trousers are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 62 code 1020 026 710 XX

reflective element



CXS ORION KRYŠTOF, 1030 004 710 XX

Men's working bib pants

- flannel lining
- chest flap pockets
- waist with belt loops and elastic band in the back
- two-way zipper
- front pockets with loops for tools
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with velcro
- elastic braces in the back
- reflective elements
- EASY-PROLONG: possibility of simple extension of trousers to and higher figure

Lining: flannel 100 % cotton

Size: 46, 50, 54, 58, 62

Box: 10 pieces

Unit: 1 piece



* colour 710 men's trousers are also available in a shortened version for height 170 - 176 cm in sizes 44 - 62, code 1030 026 710 XX

411

510

610

710

260



CXS IRVINE, 1210 001 XXX XX

Men's working jacket 2 in 1

- padded
- detachable hood
- detachable sleeves
- sleeves with regulated wristband
- plastic loop
- tightening at the bottom
- reflective elements
- inner pocket
- taped seams

Material: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Size: S - 4XL (710, S - SXL)

Standard: EN ISO 13688, EN 14058

Box: 10 pieces

Unit: 1 piece



CXS LUXY BRIGHT

SIMPLE AND ECONOMICAL SOLUTION FOR GOOD VISIBILITY

CXS LUXY BRIGHT is an affordable collection of cotton workwear that features reflective stripes to increase worker safety in low visibility workplaces. The blouses, trousers and gardeners have a simple, loose yet practical fit. They are suitable as workwear for industries such as construction, automotive and light industry, logistics, agriculture or engineering.

The CXS LUXY BRIGHT collection garments are characterised by affordability, a simple yet practical design and distinctive reflective stripes to ensure worker visibility. They are sewn from 100% cotton that is breathable and health-safe according to OEKO-TEX Standard 100 certification. The strong twill weave and 260 g/m² weight will ensure durability and longevity. The garments of the CXS LUXY BRIGHT collection can be customised with your own embroidery or print to match your corporate identity..

Material composition

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688



detachable sleeves

hidden chest zipper pocket

elastic cuffs on sleeves

other colour variants



side pocket for mobile phone / wallet

double knees

reflective stripes





LUXY BRIGHT



CXS LUXY BRIGHT, 1010 028 XXX XX

Men's working jacket

- detachable sleeves with elastic cuff
- covered zipper fastening with velcro
- chest flap pockets
- hidden chest zipper pocket
- simple side pockets
- waist with side elastic bands
- reflective stripes

Size: 46 - 64 (colour 411: 44 - 68)

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



260

510

411



CXS LUXY BRIGHT, 1020 028 XXX XX

Men's working trousers

- waist with belt loops and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- reflective stripes

Size: 46 - 64 (colour 411: 44 - 68)

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece





CXS LUXY BRIGHT, 1030 028 XXX XX

Men's working bib pants

- chest pocket na zip
- waist with buttons and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- elastic braces in the back
- reflective stripes

Size: 46 - 64 (colour 411: 44 - 68)

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 15 pieces

Unit: 1 piece

waist with buttons



Collection LUXY

ECONOMICAL WORKWEAR WITH A WIDE CHOICE OF COLOURS

The CXS LUXY range is the ideal choice for those looking for an economical solution or a simple yet practical workwear design. This collection includes blouses, trousers, bib pants, shorts and overalls. To meet many needs and work environments, we offer a wide selection of colour options, shortened, prolonged cuts and winter versions of CXS LUXY garments. Blouses, trousers and gardeners for women are also available. The CXS LUXY range of garments finds its application for example in engineering, construction, light industry, logistics, agriculture, as well as in the garden or in the home workshop.

CXS LUXY garments are characterised by their simple, practical design and affordability. They are sewn from 100% cotton, which is breathable and health-safe according to OEKO-TEX Standard 100 certification. The strong twill weave and 260 g/m² weight ensure durability and long life. The garments of the CXS LUXY collection can be embroidered or printed with your company logo to match your own identity. Decent reflective elements ensure visibility in the dark in low visibility environments.

Material composition

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688



detachable sleeves

hidden chest zipper pocket

elastic cuffs on sleeves

multifunctional pocket

reflective elements

double knees

other colour variants







464

406

510

260



109

705

803

810



411



CXS LUXY EDA, 1010 006 XXX XX

Men's working jacket

- detachable sleeves with elastic cuff
- covered zipper fastening with velcro
- chest flap pockets
- hidden chest zipper pocket
- simple side pockets
- bottom part with side elastic bands
- reflective elements

Size: 44 - 68 (colours 406 and 464: 46 - 64)

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



* colour 411 men's blouses are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 64
code 1010 038 411 XX

* colour 411 Men's blouses are also available in an prolonged version for height 194 cm, in sizes 50, 54, 58, 62, 66
code 1010 007 411 XX



side pocket



411



CXS LUXY JOSEF, 1020 006 XXX XX

Men's working trousers

- waist with belt loops and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- reflective elements

Size: 44 - 68 (colours 406 and 464: 46 - 64)

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



* colour 411 men's trousers are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 64
code 1020 038 411 XX

* colour 411 men's trousers are also available in an prolonged version for height 194 cm, in sizes 50, 54, 58, 62
code 1020 007 411 XX

464 406 510 260 109 705 803 810



411



CXS LUXY ROBIN, 1030 006 XXX XX

Men's working bib pants

- chest pocket na zip
- waist with buttons and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- elastic braces in the back
- reflective elements

Size: 44 - 68 (colours 406 and 464: 46 - 64)

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 15 pieces

Unit: 1 piece



* colour 411 men's trousers are also available in a shortened version for height 170 - 176 cm in sizes 44 - 64, code 1030 038 411 XX

* colour 411 men's trousers are also available in an prolonged version for height 194 cm in sizes 50, 54, 58, 62, code 1030 007 411 XX

CXS LUXY TOMÁŠ, 1060 006 XXX XX

109

411

510

Men's shorts

- waist with belt loops and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- back flap pocket
- reflective elements

Size: 44 - 68 (colours 406 and 464: 46 - 64)

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 15 pieces

Unit: 1 piece



CXS LUXY PATRIK, 1090 006 411 XX

Men's working 3/4 trousers

- 3/4 length
- waist with belt loops and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- reflective elements

Size: 46 - 64

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



CXS LUXY DENIS, 1061 006 411 XX

Men's working shorts with bib

- chest pocket na zip
- waist with buttons and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- back flap pocket
- elastic braces in the back
- reflective elements

Size: 46 - 64

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



CXS LUXY ROBERT, 1040 006 XXX XX

Men's working overall

- covered zipper fastening with velcro
- sleeves with elastic cuff
- chest flap pockets
- hidden chest zipper pocket
- two-way zipper
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- elastic part in the back
- back flap pocket
- reflective elements

Size: 48 - 64

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece



LUXY



CXS LUXY HUGO, 1010 009 411 XX

Men's working jacket

- fleece lining
- detachable sleeves with elastic cuff
- covered zipper fastening with velcro
- chest flap pockets
- hidden chest zipper pocket
- simple side pockets
- bottom part with side elastic bands
- reflective elements

Lining: fleece 100 % polyester

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Size: 46, 50, 54, 58, 62, 66

Box: 20 pieces

Unit: 1 piece



side pocket for tape / folding measure



CXS LUXY JAKUB, 1020 009 411 XX

Men's working trousers

- flannel lining
- waist with belt loops and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- reflective elements

Lining: flannel 100 % cotton

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Size: 46, 50, 54, 58, 62, 66

Box: 20 pieces

Unit: 1 piece



elastic band in the back



CXS LUXY MARTIN, 1030 009 411 XX

Men's working bib pants

- flannel lining
- chest pocket na zip
- waist with buttons and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- elastic braces in the back
- reflective elements

Lining: flannel 100 % cotton

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Size: 46, 50, 54, 58, 62, 66

Box: 20 pieces

Unit: 1 piece



CXS LUXY ALASKA, 1040 009 411 XX

Men's working overall

- hollow fibre padding
- sleeves with elastic cuff
- covered zipper fastening with velcro
- chest flap pockets
- hidden chest zipper pocket
- waist with elastic band in the back
- two-way zipper
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- reflective elements

Padding: 100 % polyester

Lining: canvas 100 % cotton

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Size: 50, 54, 58, 62, 66

Box: 5 pieces

Unit: 1 piece





510



CXS LUXY DIANA, 1010 008 XXX XX

Ladies' working jacket

- detachable sleeves with elastic cuff
- covered zipper fastening with velcro
- chest flap pockets
- hidden chest zipper pocket
- simple side pockets
- bottom part with side elastic bands
- reflective elements

Size: 38 - 58

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

WOMEN



411



side pocket



411

510

CXS LUXY ELENA, 1020 008 XXX XX

Ladies' working trousers

- waist with belt loops and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- back flap pocket
- reflective elements

Size: 38 - 58

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

WOMEN



411

510



CXS LUXY SABINA, 1030 008 XXX XX

Ladies' working bib pants

- chest pocket na zip
- waist with buttons and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- back flap pocket
- elastic braces in the back
- reflective elements

Size: 38 - 58

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 15 pieces

Unit: 1 piece

WOMEN

side pocket for tape / folding measure



CXS KLASIK

The workwear in a proven traditional cut is a reliable choice for everyday work. Thanks to its comfortable and time-tested design, it has gained popularity especially among the older generation of workers, but it will also serve part-time workers, apprentices and students of vocational schools well.

The use of natural cotton ensures excellent breathability, which you will appreciate especially when wearing it for a longer period of time or during physically demanding activities. The combination of comfort, functionality and affordability makes these overalls an ideal basic equipment for a wide range of users.

Material composition

Material: 100 % cotton

Weaving: twill

Grammage: 240 g/m² (apron 260 g/m²)

Standard: EN ISO 13688





CXS KLASIK MIREK, 1010 010 400 XX

Men's working jacket

- reinforced elbows
- button for pulling sleeve cuffs
- covered button fastening
- 2 chest pockets with velcro

Material: 100 % cotton

Weaving: twill

Grammage: 240 g/m²

Size: 44 - 64

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



CXS KLASIK MIREK, 1020 010 400 XX

Men's working trousers

- waist with lace for fastening
- double knees
- side folding ruler pocket on the right

Material: 100 % cotton

Weaving: twill

Grammage: 240 g/m²

Size: 44 - 64

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



CXS KLASIK FRANTA, 1030 010 400 XX

Men's working bib pants

- chest pocket na zip
- back waist elastic band
- double knees
- side folding ruler pocket on the right
- button side fastening

Material: 100 % cotton

Weaving: twill

Grammage: 240 g/m²

Size: 44 - 64

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece



CXS KLASIK VENCA, 1090 001 400 XX

Men's working coat

- chest pocket with smaller one for the pencil
- back belt with button for fastening

Material: 100 % cotton

Weaving: twill

Grammage: 240 g/m²

Size: 44 - 64

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



CXS KLASIK STELA, 1090 002 400 00

Apron with front bib

- back lace for fastening

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Size: UNI 80 x 100 cm

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



CX5 HALIFAX

SUMMER ALERT COLLECTION

The CX5 HALIFAX collection is a specially designed range of summer workwear that combines high visibility with comfort and lightness. Thanks to the lightweight material and cleverly positioned ventilation, they are suitable as summer workwear for road workers, garbage collectors, rescue workers, but also for industries such as construction, logistics, air and shipping or, in short, wherever low visibility is expected. The collection includes blouses, trousers and bib overalls in traditional bright colours - yellow and orange - complemented by distinctive reflective stripes and dark blue accessories.

The main advantage of CX5 HALIFAX is the lightweight cotton/polyester material with a weight of 190 g/m². Despite this lightweight weight, the material is strong and durable thanks to the twill weave. Integrated mesh panels ensure ventilation when moving in warm outdoor environments. The garments in the HALIFAX collection are certified according to the EN ISO 20471 warning standard, achieving Class 2 individually and even Class 3 in combination, ensuring an excellent level of visibility.

Material composition

Basic material: 60 % cotton 40 % polyester

Weaving: twill

Gammage: 190 g/m²

Additional material: 65 % polyester 35 % cotton a 100 % polyester

Standard: EN ISO 20471



ideal for the summer season

chest pocket with zipper

other color variants



*reinforced knees with
possibility to insert knee pads*

*mesh back knee part
for better ventilation*







mesh detail



CXS HALIFAX, 1112 008 XXX XX

Men's high visible jacket

- summer
- sleeves with velcro adjustable cuff
- chest pockets with velcro with covered zipper pocket
- covered zipper fastening with snaps
- mesh underarm and back for better ventilation
- velcro adjustable waist
- reflective tapes (width 5 cm)

Size: 46 - 64

Basic material: 60 % cotton 40 % polyester

Weaving: twill

Grammage: 190 g/m²

Additional material: 65 % polyester 35 % cotton a 100 % polyester

Box: 20 pieces

Unit: 1 piece

EN ISO 20471



2



mesh at the back of the knee



CXS HALIFAX, 1112 009 XXX XX

Men's high visible trousers

- summer
- waist with belt loops and side elastic bands
- 2 front pockets
- 2 back covered pockets with velcro
- thigh pocket on the right leg
- reinforced knees with possibility to insert knee pads
- mesh back knee part for better ventilation
- reflective tapes (width 7 cm)

Size: 46 - 64

Basic material: 60 % cotton 40 % polyester

Weaving: twill

Grammage: 190 g/m²

Additional material: 65 % polyester 35 % cotton and 100 % polyester

Box: 20 pieces

Unit: 1 piece

155

205



EN ISO 20471



2



STANDARD



155

205



CXS HALIFAX, 1112 010 XXX XX

Men's high visible bib pants

- summer
- elastic braces in the back
- chest zipper pocket
- side button fastening
- 2 front pockets
- 2 back covered pockets with velcro
- thigh pocket on the right leg
- reinforced knees with possibility to insert knee pads
- mesh back knee part for better ventilation
- reflective tapes (width 7 cm)

Size: 46 - 64

Basic material: 60 % cotton 40 % polyester

Weaving: twill

Grammage: 190 g/m²

Additional material: 65 % polyester 35 % cotton and 100 % polyester

Box: 15 pieces

Unit: 1 piece

EN ISO 20471



* the combination of jacket and trousers or bib pants meets the standard EN ISO 20471 - class 3

EN ISO 20471



2



STANDARD



CXS NORWICH

BE SEEN IN OUR VERSATILE HI-VIS COLLECTION

Warning garments with a wide range of uses - that's the CXS NORWICH collection. Warning garments find their application in any working environment where there is a risk of reduced visibility. Thanks to their bold neon colours and reflective stripes, CXS NORWICH garments ensure safety in the workplace for road workers, garbage collectors, maintenance workers, as well as in the construction, logistics or air and shipping industries. Blouses, trousers, gardeners and shorts are available in bright colours yellow and orange.

The CXS NORWICH collection is made of breathable polyester/cotton material that is strong and durable thanks to the twill weave. The garments in this collection are also health-safe according to OEKO-TEX standards. Thanks to the warning material and 3M reflective tapes, the CXS NORWICH collection meets the requirements of the EN ISO 20471 warning standard. The individual garments reach Class 2 and the combination of top and bottom even Class 3, ensuring an excellent level of visibility.

Material composition

Basic material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 280 g/m²

Standard: EN ISO 20471



simple pockets covered by a flap

covered button fastening

reflective tapes (width 5 cm)

variants with old reflective tape



new variant with segmented reflective tape



reflective tapes (width 7 cm)







CXS NORWICH, 1112 001 XXX XX

Men's high visible jacket

- button for pulling sleeve cuffs
- left chest pocket with velcro with covered zip pocket
- right chest pocket with velcro with smaller one for the pencil
- covered button fastening
- reflective tapes (width 5 cm)

Size: 46 - 68

Basic material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 280 g/m²

Standard: EN ISO 20471

Box: 20 pieces

Unit: 1 piece



EN ISO 20471



new segmented reflective tape



155

205

942

NEW COLOUR

902

NEW COLOUR

CXS NORWICH, 1112 002 XXX XX

Men's high visible trousers

- waist with belt loops and side elastic bands
- 2 back flap pockets
- left side pocket with smaller one for the pencil
- reflective tapes (width 5 cm)

Size: 46 - 68

Basic material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 280 g/m²

Standard: EN ISO 20471

Box: 20 pieces

Unit: 1 piece



EN ISO 20471




FINAL SALE



* color 155 men's trousers are also available in a shortened version for height 170 - 176 cm, in sizes 44 - 64 code 1111 113 155 XX

new segmented reflective tape



155

205

942

NEW COLOUR

902

NEW COLOUR



CXS NORWICH, 1112 003 XXX XX

Men's high visible bib pants

- rubber waist
- elastic braces in the back
- chest pocket with velcro with smaller one for the pencil
- 2 back flap pockets
- side button fastening
- left side pocket with smaller one for the pencil
- reflective tapes (width 5 cm)

Size: 46 - 68

Basic material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 280 g/m²

Standard: EN ISO 20471

Box: 15 pieces

Unit: 1 piece



EN ISO 20471



155

205



CXS NORWICH, 1112 007 XXX XX

Men's high visible shorts

- waist with belt loops and side elastic bands
- 2 front pockets
- 2 back flap pockets
- 2 side flap pockets
- reflective tapes (width 5 cm)

Size: 46 - 68

Basic material: 65 % polyester 35 % cotton

Weaving: twill

Grammage: 280 g/m²

Standard: EN ISO 20471

Box: 25 pieces

Unit: 1 piece



EN ISO 20471



CXS BENSON

MODERN DESIGN, EXCELLENT VISIBILITY, AND MAXIMUM SAFETY

The CXS BENSON collection of high-visibility clothing is designed for professionals who require exceptional visibility, premium quality, and comfort. This collection includes work shirts, trousers, softshell jackets, insulated jackets and vests, and even work gloves, which are not only comfortable but also stylized with an emphasis on practicality and longevity. Available in both high-visibility yellow and orange options, subtly complemented by contrasting dark elements.

All garments in the CXS Benson collection meet the requirements of EN ISO 20471 and achieve class 2. However, when you combine the top and bottom garments from this collection, you achieve the highest possible class 3, ensuring maximum visibility and safety on the road, railways and in environments with reduced visibility. The collection is therefore suitable for professionals in areas such as construction, road works, aviation and shipping, logistics and even police and emergency services, where high visibility is essential for the daily safety of employees.

Material composition

Jacket and trousers

Basic material: 60 % cotton 40 % polyester

Weaving: satén

Additional material: twill 60 % cotton 40 % polyester

Gammage: 280 g/m²

Standard: EN ISO 20471



shoulders reinforced with CORDURA material

covered zipper fastening with velcro

other color variants



multifunctional pocket

detachable ID card holder
in the right pocket

knees reinforced with CORDURA
with the opening for knee pads





chest pocket

160

210



CXS BENSON, 1112 011 XXX XX

Men's high visible jacket

- shoulders reinforced with CORDURA
- sleeves with velcro adjustable cuff
- covered zipper fastening with velcro
- left chest zipper pocket, right chest flap pocket
- pencil pocket on left sleeve
- side zipper pockets
- segmented reflective tapes (width 5 cm)
- contrast orange/yellow and reflective elements
- detachable ID card holder in the right pocket

Size: 46 - 68

Basic material: 60 % cotton 40 % polyester

Weaving: satén

Additional material: twill 60 % cotton 40 % polyester

Grammage: 280 g/m²

Standard: EN ISO 20471

Box: 20 pieces

Unit: 1 piece

CORDURA
BRAND




EN ISO 20471



ID card pocket

155

902



CXS BENSON, 1112 012 XXX XX

Men's high visible trousers

- waist with belt loops and side elastic bands
- inner waist with antislip rubber tape
- 2 front pockets
- two back pockets, one with flap
- side multifunctional pockets
- zipper pocket with inner ID card holder on the thigh
- knees reinforced with CORDURA with the opening for knee pads
- lower hem reinforced with CORDURA
- segmented reflective tapes (width 7 cm)
- contrast orange/yellow and reflective elements

Size: 46 - 68

Basic material: 60 % cotton 40 % polyester

Weaving: satén

Additional material: twill 60 % cotton 40 % polyester

Grammage: 280 g/m²

Standard: EN ISO 20471

Box: 20 pieces

Unit: 1 piece



CORDURA
BRAND



EN ISO 20471



EN ISO 20471



* the combination of jacket and trousers or bib pants meets the standard EN ISO 20471 - class 3

155



160



205



210



CXS BENSON, 1117 001 XXX XX

Men's high visible softshell jacket

- fleece collar
- chest pocket
- segmented reflective tapes
- contrast orange/yellow and reflective elements
- inner chest pocket
- inner cuffs
- tightening at the bottom
- OPTI TPU membrane
- water resistant material up to 5 000 mm except seams
- breathability 3000 g/m²/24h
- detachable ID card holder in the chest pocket

Upper: 100 % polyester

Lining: 100 % polyester - fleece

Size: S - 3XL

Box: 20 pieces

Unit: 1 piece

tightening at the bottom



EN ISO 20471



2



ID card case

160



941 **NEW COLOUR**



CXS BENSON, 1110 079 XXX XX

Men's high visible jacket

- padded
- detachable hood in collar
- fleece collar
- sleeves with regulated wristband
- covered zipper fastening with velcro
- left chest zipper pocket, right chest flap pocket
- side zipper pockets
- segmented reflective tapes
- contrast orange/yellow and reflective elements
- inner chest pocket
- tightening at the bottom
- taped seams
- detachable ID card holder in the right pocket

WINTER
NEW COLOUR

Upper: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester - fleece

Standards: EN ISO 20471, EN 343+A1, EN 14058

Size: S - 3XL

Box: 20 pieces

Unit: 1 piece

EN ISO 20471



EN 343



EN 14058



tightening at the bottom



160



941 **NEW COLOUR**



CXS BENSON, 1114 079 XXX XX

Men's high visible vest

- padded
- fleece collar
- covered zipper fastening with velcro
- left chest zipper pocket, right chest flap pocket
- side zipper pockets
- segmented reflective tapes
- contrast orange/yellow and reflective elements
- inner chest pocket
- tightening at the bottom
- water resistant material up to 2000 mm
- detachable ID card holder in the right pocket

WINTER
NEW COLOUR

Upper: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester - fleece

Standards: EN ISO 20471

Size: S - 3XL

Box: 20 pieces

Unit: 1 piece

EN ISO 20471



CXS BEDFORD

The CXS BEDFORD collection brings modern high-visibility clothing designed with an emphasis on functionality, comfort and high visibility in demanding working conditions. The clothing in this series combines attractive design with technical elements that will be appreciated by professionals in the field even in adverse weather conditions. The distinctive HV red and petrol accessories, together with segmented reflective tapes, ensure not only maximum safety, but also a stylish look.

The collection includes softshell trousers, a softshell and a winter softshell jacket and is ideal for workers in construction, road maintenance, transport, logistics or for drivers and members of the security forces who move in environments with requirements for increased visibility and protection against adverse weather.

Material composition

Basic material: 100 % polyester

Additional material: 94 % polyester 6 % elastane

Lining: 100 % polyester

Standard: EN ISO 20471




detachable hood

fleece collar

detachable sleeves

*detachable ID card holder
in the right chest pocket*

underarm ventilation



multifunctional pocket



ventilation on the back of the thighs

reinforcement of bottom part of trousers

jacket without sleeves



applies for size M and bigger

EN ISO 20471



applies to size S

EN ISO 20471



applies for vest

EN ISO 20471



CXS BEDFORD, 1117 006 180 XX

Men's high visible softshell jacket

- detachable hood
- fleece collar
- detachable sleeves
- elastic inner cuffs with thumb opening
- chest and side zipper pockets
- segmented reflective tapes
- contrast HV red and petrol accessories
- inner chest pocket
- tightening at the bottom
- TPU membrane
- water resistant material up to 8000 mm except seams
- breathability 3000 g/m²/24h
- detachable ID card holder in the right chest pocket

Basic material: 100 % polyester

Additional material: 94 % polyester 6 % elastane

Lining: 100 % polyester

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece



CXS BEDFORD WINTER, 1110 105 180 XX

Men's high visible softshell jacket

- padded
- detachable hood
- fleece collar
- underarm ventilation
- sleeves with regulated wristband
- inner cuffs
- covered zipper fastening with snaps
- chest and side zipper pockets
- segmented reflective tapes
- contrast HV red and petrol accessories
- inner chest pockets
- tightening at the bottom
- TPU membrane
- water resistant material up to 8000 mm except seams
- breathability 5000 g/m²/24h
- inner chest pockets

Upper: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Basic material: 100 % polyester

Additional material: 94 % polyester 6 % elastane

Standards: EN ISO 20471, EN 14058

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece

WINTER



applies for size M and bigger

EN ISO 20471



applies to size S

EN ISO 20471



EN 14058



CXS BEDFORD, 1111 124 180 XX

Men's high visible softshell trousers

- detachable braces with size adjustment
- waist with belt loops and side elastic bands
- 2 front pockets
- 2 back pockets, one zipped
- thigh multifunctional pockets
- reinforced knees
- zipper ventilation on the back of the thighs
- reinforced bottom of the knees
- segmented reflective tapes
- contrast HV red and petrol accessories
- ULTRA TPU membrane
- water resistant material up to 5000 mm except seams
- breathability 5000 g/m²/24h
- EASY-PROLONG: possibility of simple extension of trousers to a higher figure

Lining: 100 % polyester

Basic material: 100 % polyester

Additional material: 94 % polyester 6 % elastane

Size: 46 - 64

Box: 10 pieces

Unit: 1 piece



EN ISO 20471



ventilation on the back



CXS NAOS HV, 1010 100 819 XX

Men's high visible jacket

- 4-way stretch material allowing free and easy movement
- CORDURA accessories
- sleeves with adjustable cuff
- 3 zipper chest pockets, 2 zipper side pockets
- removable ID card holder in the right chest pocket
- back and side ventilation under the sleeves
- inside zipper pocket
- breathable mesh lining
- bottom reinforced with CORDURA® material
- segmented reflective tapes (width 5 cm)

Size: 46 - 64

Basic material: 92 % polyester 8 % elastane

Weaving: canvas

Grammage: 235 g/m²

Cordura: 100 % nylon

Additional material: 100 % polyester

Standard: EN ISO 20471

Box: 20 pieces

Unit: 1 piece

CORDURA
BRAND



EN ISO 20471



CXS NAOS HV, 1020 100 819 XX

Men's high visible trousers

- 4-way stretch material allowing free and easy movement
- inner waist with antislip rubber tape
- CORDURA accessories
- flexible waist with adjustable size, belt loops
- 2 front pockets, 2 removable tool pockets reinforced with CORDURA, thigh zipper pocket with removable ID card holder, multifunctional side pocket
- 2 back pockets at the bottom reinforced with CORDURA
- zipper ventilation on the back of the thighs
- knees reinforced with CORDURA with the opening for knee pads
- leg bottom reinforced with CORDURA
- segmented reflective tapes (width 5 cm)
- EASY-PROLONG: possibility of simple extension of trousers to a higher figure

Size: 46 - 64

Basic material: 92 % polyester 8 % elastane

Weaving: canvas

Grammage: 235 g/m²

Cordura: 100 % nylon

Additional material: 100 % polyester

Standard: EN ISO 20471

Box: 20 pieces

Unit: 1 piece



CORDURA
BRAND



EN ISO 20471



HIGH VISIBLE

155

the other side of the jacket

the other side of the jacket



205



CX5 CHESTER, 1110 089 XXX XX

Men's high visible double-sided jacket

- padded
- fixed hood
- sleeves and bottom with elastic band
- segmented reflective tapes
- chest zipper pockets
- reflective elements

Size: S - 3XL

Upper: 100 % polyester

Padding: 100 % polyester

Lining: 100 % nylon

Standard: EN ISO 20471, EN 14058 (only if it is worn with the high visible color on top)

Box: 10 pieces

Unit: 1 piece



EN ISO 20471



3

EN 14058



3

2

X



205

155



CX5 LUTON, 1110 051 XXX XX

Men's high visible jacket 2 in 1

- padded
- hood in the collar
- detachable sleeves
- sleeves with regulated wristband
- inner cuffs
- ID card holder
- radio loop
- inner pocket
- taped seams
- embroidery hole

Size: S - 3XL (yellow XS - 5XL)

Upper: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Standard: EN ISO 20471, EN 343

Box: 10 pieces

Unit: 1 piece



jacket - XS, S

EN ISO 20471



2

EN ISO 20471



3

jacket - M and bigger



4

1

X

vest - XS, S, M

EN ISO 20471



1

EN ISO 20471



2

vest - L and bigger



VIZWELL LEEDS, 1110 007 XXX XX

Men's high visible jacket 2 in 1

- padded
- hood in the collar
- detachable sleeves
- zipper pocket on the left sleeve
- sleeves with regulated wristband
- inner cuffs
- ID card holder
- inner pocket
- taped seams
- embroidery hole

Size: S - 3XL

Upper: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Standard: EN ISO 20471, EN 343+A1

Box: 10 pieces

Unit: 1 piece

with
sleeves

EN ISO 20471



without
sleeves

EN ISO 20471



EN 343



150

200



CXS OXFORD, 1110 005 XXX XX

Men's high visible jacket

- padded
- hood in the collar
- 3 outside pockets + hidden pocket at the main zipper
- tightening on the bottom
- inner pocket
- taped seams

Size: S - 3XL (205 M - 3XL)

Upper: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Standard: EN ISO 20471, EN 343

Box: 10 pieces

Unit: 1 piece

EN 343



EN ISO 20471



205

155



CXS CARDIFF, 1111 001 XXX XX

Men's high visible trousers

- padded
- waist with side elastic bands
- belt loops
- 6 pockets
- 3M reflective tapes
- adjustable leg width

Size: S - 3XL

Upper: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Standard: EN ISO 20471

Box: 10 pieces

Unit: 1 piece



EN ISO 20471



205

155



205



155



CXS LONDON, 1110 001 XXX XX

Men's high visible jacket 5 in 1

- hood in the collar
- regulated sleeves, waist and wristband
- 2 chest pockets
- 3M reflective tapes
- 2 inner pockets
- taped seams
- inner jacket with detachable fleece sleeves
- inner pocket

Size: S - 3XL

Upper: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Standard: EN ISO 20471, EN 343:2019

Box: 10 pieces

Unit: 1 piece

WINTER

EN ISO 20471

Vest XS



1

Vest S-3XL



2

EN ISO 20471

Jacket set XS



2

Jacket set S-3XL



3

Jacket upper XS



2

Jacket upper S-3XL



3

EN 343



3



1



3



3



3



X

3M



VIZWELL YORK, 1116 001 XXX XX

Men's high visible rainsuit

- waterproof
- hood in the collar
- sleeves to the rubber
- back and underarm ventilation
- waist to the rubber
- 2 side pockets
- adjustable leg width
- taped seams
- practical packing

Size: M - 3XL

Material: 100 % polyester Oxford

Standard: EN ISO 20471, EN 343

Box: 10 pieces

Unit: 1 piece

practical packing



150



200



Jacket

EN ISO 20471



3

Trousers

EN ISO 20471



1

EN 343



3



1



X



HIGH VISIBLE

150

200

VIZWELL BATH, 1116 009 XXX XX

Men's high visible rainsuit

- waterproof
- hood in the collar
- sleeves to the rubber
- back and underarm ventilation
- waist to the rubber
- 2 side pockets
- adjustable leg width
- taped seams
- practical packing

Size: S - 3XL

Material: 100 % polyester Oxford

Standard: EN ISO 20471, EN 343+A1

Box: 10 pieces

Unit: 1 piece



practical packing



150

155

200

205



CXS PRESTON, 1115 023 XXX XX

Men's high visible jacket

- fleece jacket with the lining
- chest pocket
- sleeves with the rubber band
- tightening at the bottom

Size: S - 3XL

Upper: 100 % polyester fleece

Gammage: 290 g/m²

Lining: 100% polyester mesh

Standard: EN ISO 20471

Box: 10 pieces

Unit: 1 piece



size S
EN ISO 20471



M-3XL
EN ISO 20471



VIZWELL FROME, 1115 027 XXX XX

Men's high visible sweatshirt

- fixed hood
- waist and sleeves with elastic cuff
- 2 pockets

Size: S - 3XL

Upper: 65 % polyester 35 % cotton

Grammage: 290 g/m²

Standard: EN ISO 20471

Box: 10 pieces

Unit: 1 piece

EN ISO 20471



3



150

200



CXS OLDHAM, 1118 001 XXX XX

Men's high visible T-shirt

- UV protection factor UPF
- rounded neckline
- stabilizing neck tape
- underarm mesh ventilation
- side seams
- segmented vertical and horizontal reflective tapes

Size: S - 3XL

Material: 100 % polyester

Grammage: 150 g/m²

Standard: EN ISO 20471

Box: 20 pieces

Unit: 1 piece

EN ISO 20471



3



150

200



CXS BANGOR, 1113 112 XXX XX

Men's high visible T-shirt

- rounded neckline
- stabilizing neck tape
- underarm mesh ventilation
- side seams
- segmented vertical and horizontal reflective tapes

Size: S - 4XL

Material: 100 % polyester

Grammage: 110 g/m²

Standard: EN ISO 20471

Box: 20 pieces

Unit: 1 piece

EN ISO 20471



2



150

200



160

210

CXS RIPON, 1113 108 XXX XX

Men's high visible T-shirt

- V-neck
- stabilizing neck tape
- contrasting black hem around the neck and sleeves
- underarm ventilation
- side seams
- segmented vertical and horizontal reflective tapes

Size: S - 3XL (160: S - 4XL)

Material: 55 % polyester 45 % polypropilen

Grammage: 160 g/m²

Standard: EN ISO 20471

Box: 20 pieces

Unit: 1 piece

EN ISO 20471



155

205

CXS EXETER, 1113 020 XXX XX

Men's high visible T-shirt

- blue rounded neckline
- stabilizing neck tape
- side seams
- blue mesh panels on the sides
- vertical and horizontal reflective tapes

Size: S - 3XL (155: S - 5XL)

Material: 55 % cotton 45 % polyester

Grammage: 160 g/m²

Standard: EN ISO 20471

Box: 20 pieces

Unit: 1 piece

EN ISO 20471



150

200

VIZWELL DOVER, 1113 001 XXX XX

Men's high visible poloshirt

- polo shirt with short sleeves
- 3 button fastening
- chest pocket
- side seams
- Wicking Finish

Size: S - 3XL (155: S - 5XL)

Material: 55 % cotton 45 % polyester

Grammage: 160 g/m²

Standard: EN ISO 20471

Box: 20 pieces

Unit: 1 piece

EN ISO 20471



CXS CROSS BELT, 1115 005 XXX XX

High visible cross belt

- elastic
- 5cm width
- 3cm reflective band heat transferred
- adjustable width and length
- plastic buckle

Size: UNI

Material: 100 % polyester

Standard: 17353:2020 Type: B3

Box: 50 pieces

Unit: 1 piece



VIZWELL BOLTON, 1114 037 155 XX

High visible vest

- two-color
- with pockets
- zipper fastening
- ID card holder
- plastic loop

Size: S - 3XL

Material: 100 % polyester

Grammage: 120 g/m²

Standard: EN ISO 20471

Box: 50 pieces

Unit: 1 piece



EN ISO 20471



CXS DORSET, 1114 038 150 XX

High visible vest

- upper mesh part
- velcro fastening
- ID card holder

Size: S - M, L - XL, 2XL - 3XL

Material: 100 % polyester

Grammage: 120 g/m²

Standard: EN ISO 20471

Box: 50 pieces

Unit: 1 piece



EN ISO 20471



CXS GUSTAV, 1114 001 XXX XX

High visible vest
· velcro fastening

Size: S-M, L-XL, 2XL-3XL (color 150 4XL-5XL)

Material: 100 % polyester

Grammage: 120 g/m²

Standard: EN ISO 20471

Box: 50 pieces

Unit: 1 piece

EN ISO 20471
S/M 1



1

L/XL - 2XL/3XL



2



CXS CRAN, 4310 207 XXX 00

Cap with lining

- plastic inner lining
- reflective tapes
- side mesh part
- strap with velcro for size adjustment
- suitable for activities which do not require helmet wearing
- can not be used as a helmet replacement

Material: 65 % polyester 35 % cotton

Shell: ABS, EVA foam

Standard: EN 812:2012

Box: 60 pieces

Unit: 1 piece



166

215



CXS TYNAN, 1115 049 166 00

Hat with LED light

- knitted
- double-layer
- run time: 1 - 8 hours depending on used mode
- power supply: USB
- 3 light modes

Size: UNI

Material: 95 % acrylic 5 % polyester

Luminous flux: 150 lm

Standard: EN 812:2012

Box: 120 pieces

Pack: 12 pieces

Unit: 1 piece



CXS ELY, 1115 002 XXX 00

150

200

Cap

- cap with a peak
- reflective elements
- 6 panels
- velcro strap
- mesh back part

Size: UNI

Material: 100 % polyester

Box: 100 pieces

Unit: 1 piece



* other colours of the CXS ELY cap can be found in the CAPS section on page 256



CXS KEADY, 1115 003 XXX 00

166

215

Hat

- knitted
- reflective elements

Size: UNI

Material: 100 % acrylic

Box: 100 pieces

Unit: 1 piece



CXS HV, 1900 001 166 00

Reflective braces

- width: 5 cm, length: 120 cm

Size: UNI

Material: 75% polyester 25% rubber thread

Standard: EN 13356 type: 2

Box: 50 pieces

Pack: 25 pieces

Unit: 1 piece



detail of the sling



CXS REFLECTIVE TAPE, 1115 048 150 01

Self-winding reflective tape

- high visible accessory for non-professional use

Size: 43 x 4,5 cm

Material: reflective PVC foil, metal safety spring, vinyl

Standard: EN 13356 type: 2


Box: 168 pieces

Pack: 42 pieces

Unit: 1 piece



covered zipper fastening with a velcro



CXS WORKTECH MULTI, 1120 200 710 XX

Men's protective jacket

- antistatic
- permanent fire resistant treatment PROBAN
- acid-resistant treatment
- suitable for live working according to EN 61482 standard.
- elastic sleeve with adjustable cuff
- 4 front pockets
- covered zipper fastening with a velcro
- reflective elements

Size: 46 - 64

Basic material: 80 % cotton 19 % polyester
1 % antistatic carbon fibre

Weaving: twill

Grammage: 300 g/m²

Standard: EN 1149-5, EN 13034+A1, EN ISO 11612 - A1, A2, B1, C1, D1, E2, F1, EN ISO 11611 - 1, EN 61482-1 (APC-1)

Box: 20 pieces

Unit: 1 piece



CXS WORKTECH MULTI, 1120 201 710 XX

Men's protective trousers

- antistatic
- permanent fire resistant treatment PROBAN
- acid-resistant treatment
- suitable for live working according to EN 61482 standard.
- waist with belt loops and side elastic band
- front, side, and back velcro pockets
- reflective elements
- EASY-PROLONG: possibility of simple extension of trousers to a higher figure

Size: 46 - 64

Basic material: 80 % cotton 19 % polyester
1 % antistatic carbon fibre

Weaving: twill

Grammage: 300 g/m²

Standard: EN 1149-5, EN 13034+A1, EN ISO 11612 - A1, A2, B1, C1, D1, E1, F1, EN ISO 11611 - 1, EN 61482-1 (APC-1)

Box: 20 pieces

Unit: 1 piece



multifunctional chest pockets



CXS ELEKTROTECHNIK II, 1130 172 400 XX

Men's protective jacket

- antistatic and ESD
- covered zipper fastening
- multifunctional chest pockets
- sleeves with adjustable cuff
- waist with side elastic bands
- reflective elements

Size: 46 - 64

Basic material: 65 % polyester 33 % cotton
2 % carbon fibre

Weaving: twill

Grammage: 200 g/m²

Standard: EN 1149-5, EN 61340-5-1

Box: 20 pieces

Unit: 1 piece



CXS ELEKTROTECHNIK II, 1130 173 400 XX

Men's protective trousers

- antistatic and ESD
- waist with belt loops and side elastic bands
- side pocket for tape / folding measure
- back flap pocket
- reflective elements

Size: 46 - 64

Basic material: 65 % polyester 33 % cotton
2 % carbon fibre

Weaving: twill

Grammage: 200 g/m²


Standard: EN 1149-5, EN 61340-5-1

Box: 20 pieces

Unit: 1 piece



covered button fastening



CXS MOFOS, 1180 001 703 XX

Men's welding jacket

- underarm ventilation
- button for pulling sleeve cuffs
- reinforced elbows
- covered button fastening
- left chest pocket

Size: 46 - 64

Material: 100 % cotton

Weaving: twill with permanent fire-resistant finishing 100% cotton

Grammage: 390 g/m²

Standard: EN ISO 13688, EN ISO 11611 class 1/A1+A2

Box: 10 pieces

Unit: 1 piece

EN ISO 11611



CLASS 1/A1+A2



set of jacket and trousers

CXS MOFOS, 1180 002 700 XX

Men's welding trousers

- elastic braces in the back
- waist with button fastening
- right back pocket
- inside reinforced knees
- cover over shoes

Size: 46 - 64

Material: 100 % cotton

Weaving: twill with permanent fire-resistant finishing 100% cotton

Grammage: 390 g/m²

Standard: EN ISO 13688, EN ISO 11611 class 1/A1+A2

Box: 10 pieces

Unit: 1 piece



EN ISO 11611



CLASS 1/A1+A2





set of jacket and trousers



LESNÍK, 1120 008 503 XX

Men's working jacket

- snap for pulling sleeve cuffs
- covered zipper and snap fastening
- prolonged back part of the jacket
- ventilation of the underarm and back part of the jacket

Size: 48 - 64

Outer material: 80% polyester / 20% cotton;
50% polyester / 50% cotton

Inner material: 100% polyester;
96% polyester / 4% Lycra

Standard: EN ISO 13688

Unit: 1 piece



side pocket



LESNÍK, 1120 008 503 XX

Men's cut resistant trousers

- elastic braces
- 6 pockets on the trousers with bib
- back waist elastic bands
- side button opening
- cut-resistant lining across entire front part of the trousers
- anti-tick treatment at the bottom of the legs

Size: 48 - 64

Outer material: 80% polyester / 20% cotton;
50% polyester / 50% cotton

Inner material: 100% polyester;
96% polyester / 4% Lycra

Insert: 66% polyester / 34% polypropylene

Standard: EN ISO 11393-2:2019 – Class 1: 20 m/s,
design A (applies to trousers only)

Unit: 1 piece

EN ISO 11393-2:2019



chest pocket



CHEMIK, 1140 003 400 XX

Men's acid-resistant jacket

- elastic cuff
- covered button fastening
- elastic waist on the bottom sides of the jacket

Size: 48 - 64

Material: 100 % polypropylene

Grammage: 230 g/m²

Standard: EN 13034 + A1 type 6

Unit: 1 piece

EN 13034+A1



CHEMIK, 1140 005 400 XX

Men's acid-resistant trousers

- fixed waist with a lace for fastening
- 2 front pockets on the trousers
- right back pocket on the trousers

Size: 48 - 64

Material: 100 % polypropylene

Grammage: 230 g/m²

Standard: EN 13034 + A1 type 6

Unit: 1 piece



EN 13034+A1



CXS DENALI, 1130 140 XXX XX

Antistatic and ESD sweatshirt

- neck, waist and sleeves with elastic cuff
- inner part fine combed
- cotton knit with antistatic fiber

Size: S - 3XL

Material: 96 % cotton 4 % carbon fibre

Grammage: 300 g/m²

Standard: EN 1149-5, EN 61340-5-1

Box: 30 pieces

Unit: 1 piece

EN 1149-5



413

414



ESD CXS NOME, 1130 135 XXX XX

Antistatic and ESD T-shirt

- stabilizing neck tape
- side seams
- cotton knit with antistatic fiber

Size: S - 3XL (413 S - 5XL)

Material: 96 % cotton 4 % carbon fibre

Grammage: 155 g/m²

Standard: EN 1149-5, EN 61340-5-1

Box: 60 pieces

Unit: 1 piece

EN 1149-5



413

414

700



ACID RESISTANT APRON, 1140 023 XXX XX

Acid resistant apron

- thickness: 0,508mm
- resistance to chemicals, water, grease and oil

Size: 84 x 112 cm

Material: polyvinylchloride

Lining: nylon/plastic weave

Standard: EN 14605:2005, Type PB (4)

Box: 12 pieces

Unit: 1 piece

100

500



PVC-45W (56-101)

PVC-45GR (56-100)

EN 14605:2005



TYPE PB (4)

Professional clothing for gastronomy, healthcare and wellness

Our collection of white and gastro clothing is designed with an emphasis on practicality, comfort and a representative appearance. We offer a wide selection of models that meet the demanding requirements of workers in healthcare, kitchens, social services and vocational schools.

100% COTTON FOR EVERYDAY COMFORT

Traditional clothing made of pure cotton stands out for its breathability, comfortable wear and easy maintenance. Classic cuts respect the needs of workers in everyday operation, whether they are doctors, chefs or caregivers.

MODERN MIXED MATERIALS WITH ELASTANE

For those looking for a combination of aesthetics and functionality, we offer models made of mixed materials with elastane. These stylish clothes adapt perfectly to the figure, ensure freedom of movement and are an ideal choice for private surgeries, clinics, wellness centers or beauty salons.

COMBINING STYLE, COMFORT AND PERFORMANCE

Each piece of clothing in our offer is designed to not only look good, but also withstand demanding operation. Thanks to carefully selected materials and a thoughtful cut, you will feel comfortable throughout the working day.



HEALTHCARE GARDENS

baby snap detail



CXS RAVI, 1150 300 100 XX

Chef's jacket

- long sleeves with cuffs
- double-breasted snap fastening

Size: 42 - 64

Material: 100 % cotton

Grammage: 190 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

NEW



CXS RADIM, 1150 001 100 XX

Chef's jacket

- slit on the sleeve cuff
- rondon buttons

Size: 36 - 64

Material: 100 % cotton

Grammage: 190 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

NEW SIZES



MEN'S



CXS CHEF, 1150 146 801 XX

Chef's jacket

- short sleeve
- double row fastening with rondon buttons

FINAL SALE

Size: 42 - 64

Material: 65 % polyester 35 % cotton

Grammage: 190 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



CXS ADAM, 1150 018 100 XX

Men's lab coat

- 3 front pockets
- back belt with button for fastening

Size: 44 - 64

Material: 100 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688, ČSN P ENV 14237

Box: 20 pieces

Unit: 1 piece



HEALTHCARE GASTRO & SERVICES

CXS EDWARD, 1020 100 100 XX

Men's trousers

- partially elastic waist with belt loops
- 2 sac front pockets
- back slit pockets
- knee ergonomy cut

Size: 46 - 62

Material: 64 % polyester 33 % cotton 3 % elastane (Spandex)

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

FINAL SALE



CXS EDWARD PRO, 1150 306 100 XX

Men's trousers

- partially elastic waist with belt loops
- 2 sac front pockets
- back slit pockets
- knee ergonomy cut
- EASY-PROLONG: possibility of simple extension of trousers to a higher figure

Size: 46 - 62

Material: 64 % polyester 33 % cotton 3 % elastane (Spandex)

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

NEW



MEN'S



CXS ARTUR, 1150 014 100 XX

Men's trousers

- waist with belt loops
- loops in the back part with buttons for fastening
- 2 front pockets
- right back pocket

Size: 44 - 64

Material: 100 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688, ČSN P ENV 14237

Box: 20 pieces

Unit: 1 piece



CXS FELIX, 1150 008 800 XX

Men's waiters trousers

- fashion style
- waist with belt loops
- 2 front pockets
- right back button pocket

Size: 44 - 64

Material: 100 % polyester

Weaving: rongo

Unit: 1 piece



HEALTHCARE

GARMENTS & SERVICES

CXS KAREL, 1150 009 812 XX

Men's butcher's trousers

- 2 front pockets
- back loops with buttons for fastening
- right back button pocket

Size: 46 - 64

Material: 100 % cotton

Weaving: twill check

Grammage: 210 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

FINAL SALE



CXS ENZO, 1150 305 812 XX

Men's butcher's trousers

- two side pockets in the seam
- back welt pocket
- small side thigh pocket
- elastic waistband with drawstring
- towel loop

Size: 46 - 64

Material: 100 % cotton

Weaving: twill check

Grammage: 210 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

NEW



LADIES'



CXS TARA, 1150 094 100 XX

Ladies' smock

- chest pocket with smaller one for a pencil
- 2 bottom pockets



Size: 36 - 60

Material: 62 % cotton 35 % polyester 3 % elastane

Weaving: sateen

Grammage: 195 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



CXS MIA, 1490 202 100 XX

Ladies' 3/4 leggings

- waist to the rubber
- trousers with slit
- final silicon wash
- 2 front pockets



Material: 95 % cotton single jersey 5 % elastane

Grammage: 260 g/m²

Size: XS - 4XL

Box: 50 pieces

Unit: 1 piece



HEALTHCARE

GASTRO & SURGICALS

CXS BELLA, 1150 087 100 XX

Dress

- 3 front pockets
- back strap with button for tightening

Size: 38 - 58

Material: 62 % cotton 35 % polyester 3 % elastane

Weaving: twill

Grammage: 195 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



CXS NAOMI, 1150 088 100 XX

Ladies' lab coat

- chest pocket
- 2 bottom pockets
- back decorative belt in the waist section
- slit on the back
- 3/4 length

Size: 42 - 52

Material: 64 % polyester 33 % cotton 3 % elastane (Spandex)

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



back belt with button for fastening



CXS EVA, 1150 017 100 XX

Ladies' lab coat

- 3 front pockets
- back belt with button for fastening

Size: 36 - 60

Material: 100 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688, ČSN P ENV 14237

Box: 20 pieces

Unit: 1 piece



LADIES'



CXS TARA, 1150 094 501 XX

Ladies' smock

- chest pocket with smaller one for a pencil
- 2 bottom pockets
- contrasting white stripes

Size: 36 - 60

Material: 62 % cotton 35 % polyester 3 % elastane

Weaving: canvas

Grammage: 195 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

FINAL SALE
WOMEN



CXS MAIA, 1150 093 100 XX

Ladies' smock

- covered button fastening
- 3 front pockets
- satin edging of the pockets

Size: 36 - 60

Material: 62 % cotton 35 % polyester 3 % elastane

Weaving: canvas

Grammage: 195 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

WOMEN



CXS GABRIELA, 1150 023 100 XX

Ladies' smock

- 3 front pockets
- back belt with button for fastening

Size: 38 - 62

Material: 100 % cotton

Weaving: canvas

Grammage: 160 g/m²

Standard: EN ISO 13688, ČSN P ENV 14237

Box: 20 pieces

Unit: 1 piece

WOMEN



HEALTHCARE GASTRO & SERVICES

CXS ERIN, 1150 089 100 XX

Ladies' trousers

- partially elastic waist with belt loops
- 2 front sewn pockets
- back slit pocket

Size: 36 - 60

Material: 64 % polyester 33 % cotton 3 % elastane (Spandex)

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



FINAL SALE

WOMEN



CXS IRIS, 1150 090 100 XX

Ladies' trousers

- elastic rib waist
- 2 front spacious wedge pockets
- 2 back sewn pockets

Size: 36 - 60

Material: 64 % polyester 33 % cotton 3 % elastane (Spandex)

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



WOMEN



CXS DARJA, 1150 015 100 XX

Ladies' trousers

- fixed waist
- side button fastening
- 2 front pockets

Size: 36 - 60

Material: 100 % cotton

Weaving: twill

Grammage: 190 g/m²

Standard: EN ISO 13688, ČSN P ENV 14237

Box: 20 pieces

Unit: 1 piece



WOMEN



LADIES'



CXS DARJA, 1150 016 100 XX

Ladies' trousers

- back waist elastic band
- side button opening
- 2 front pockets

Size: 34 - 64

Material: 100 % cotton

Weaving: canvas

Grammage: 160 g/m²

Standard: EN ISO 13688, ČSN P ENV 14237

Box: 20 pieces

Unit: 1 piece

WOMEN



CXS TARA, 1150 092 501 XX

Ladies' trousers

- rubber waist
- 2 front pockets
- contrasting white stripes

Size: 36 - 60

Material: 62 % cotton 35 % polyester 3 % elastane

Weaving: canvas

Grammage: 195 g/m²

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

FINAL SALE
WOMEN



CXS AMY, 1150 091 100 XX

Ladies' 3/4 trousers

- cuff trousers with slit
- rubber waist with lacing
- 2 front spacious wedge pockets

Size: 36 - 60

Material: 62 % cotton 35 % polyester 3 % elastane

Weaving: twill

Grammage: 195 g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece

WOMEN



CXS ALTHEA, 1090 002 800 00

Apron with a bib

- one-piece lace fastening with possibility to adjust the size of the lace around the neck

Size: 80 x 100 cm

Material: 100 % cotton

Weaving: twill

Grammage: 260 g/m²

Standard: EN ISO 13688

Box: 60 pieces

Box: 5 pieces

Unit: 1 piece



strap size adjustment



CXS DANA, 1150 075 000 00

Ladies' apron

- with a bib
- plastic buckle for height adjustment
- front divided pocket
- back lace for fastening

Size: 80 x 100 cm

Material: 100 % cotton

Weaving: twill

Grammage: 190 g/m²

Box: 100 pieces

Unit: 1 piece



WOMEN

detail of the strap with plastic buckle



CXS STELA, 1150 012 100 00

Apron with a bib

- back lace for fastening

Size: 80 x 100 cm

Material: 100 % cotton

Weaving: twill

Grammage: 180 g/m²

Box: 60 pieces

Box: 5 pieces

Unit: 1 piece



strap detail



CXS LENA, 1150 011 100 00

Apron to the waist

- back lace for fastening

Size: 70 x 65 cm

Material: 100 % cotton

Weaving: twill

Grammage: 190 g/m²

Box: 60 pieces

Box: 5 pieces

Unit: 1 piece



detail of the lace at the waist



CXS APRON, 1150 007 800 00

Apron for waiters

- long to the waist
- 2 front pockets
- detachable pocket

Size: UNI

Material: 100 % cotton

Weaving: twill

Grammage: 190 g/m²

Unit: 1 piece



front pocket detail



CXS CLOTH, 1150 008 100 00

Waiters cloth

Size: 50 x 50 cm

Material: 100 % cotton

Weaving: twill

Grammage: 190 g/m²

Box: 100 pieces

Pack: 5 pieces

Unit: 1 piece



CXS NELA, 1150 026 100 00

Chef's beret

- elastic band for fixing

Size: UNI

Material: 100% polyester mesh

Peak: twill 100 % cotton

Box: 100 pieces

Pack: 10 pieces

Unit: 1 piece



WOMEN



CXS KUBA, 1150 025 100 XX

Chef's beret

Size: 56, 60

Material: twill 100 % cotton

Grammage: 190 g/m²

Box: 100 pieces

Pack: 10 pieces

Unit: 1 piece



DISPOSABLE

CXS CHUCK, 1160 210 100 00

Safety sleeve

- red upper seam
- length 50cm
- category III, type 6B

Size: UNI

Material: polypropylene, polyester

Weaving: twill

Grammage: 190 g/m²

Standards: EN 13034 + A1 type PB (6),
EN 14126, EN 1149-5

Box: 200 pieces

Unit: 1 piece



red upper seam



EN 1149-5



EN 13034



A1 TYPE PB (6)

EN 14126



CXS RICK, 1160 131 100 95

Disposable coat

- non woven textile
- snap fastening
- sleeves to the rubber
- dust and dirt protection

Size: XL

Material: 100 % polypropylene

Grammage: 23 g/m²

Box: 50 pieces

Unit: 1 piece

neck fastening detail



CXS OVERAL, 1160 001 100 XX

Disposable clothing

- non woven textile
- hood
- dust and dirt protection

Size: L - 3XL

Material: 100 % polypropylene

Grammage: 40g/m²

Standard: EN ISO 13688

Box: 25 pieces

Unit: 1 piece

hood



CXS CHEM100, 1160 173 100 XX

Disposable protective overall

- antistatic
- category III, type 5B, 6B
- ergonomic design
- hood
- elasticated waist
- elastic wrists, ankles and waist
- zipper covered with flap

Size: M - 3XL

Material: microporous nonwoven textile, polypropylene + polyethylene

Grammage: 60 - 65 g/m²

Standard: EN 13034+A1, EN ISO 13982-1, EN 1073-2, EN 1149-5, EN 14126

Box: 50 pieces

Unit: 1 piece



3M OVERAL 4520, 1160 006 100 XX

Protective overall

- category III, type 5,6
- antistatic
- protection against solid and liquid aerosols, acids, alkalines, spraying solvents and water

Size: L - 2XL

Material: SMMMS polypropylene, netkaná textilie

Standard: EN 13034+A-1, EN 1073-2, EN 1149-5, EN 13982-1

Box: 20 pieces

Unit: 1 piece



DISPOSABLE

DUPONT TYVEK® 500 XPERT, 1160 005 100 XX

Protective overall

- antistatic
- silicone free
- category III, type 5B, 6B
- protection against water, chemical solutions, asbestos and dust

Size: M - 3XL

Material: 100% polyethylene TYVEK®, non woven textile

Standard: EN 13034+A1, EN ISO 13982-1,
EN 1073-2, EN 1149-5, EN 14126

Box: 100 pieces

Unit: 1 piece



* size S is only available on order



DUPONT TYVEK® 600 PLUS, 1160 002 105 XX

Protective overall

- antistatic
- silicone free
- sealed seams
- category III, type 4B, 5B, 6B
- protection against water, chemical solutions, asbestos and dust

Size: L - 3XL

Material: 100% polyethylene TYVEK®, non woven textile

Standard: EN 14605+A1, EN 13034+A1, EN ISO 13982-1, EN 1073-2, EN 1149-5, EN 14126

Box: 100 pieces

Unit: 1 piece



* size S and M is only available on order



DUPONT TYCHEM® 2000 C, 1160 003 150 XX

Protective overall

- antistatic
- sealed seams
- category III, type 3B, 4B, 5B, 6B
- protection against water, inorganic chemicals, asbestos and dust

Size: L - 2XL

Material: 100% polyethylene TYVEK®, polymeric coating, non woven textile

Standard: EN 14605+A1, EN 13034+A1, EN ISO 13982-1, EN 1073-2, EN 1149-5, EN 14126

Box: 25 pieces

Unit: 1 piece



* size 3XL is only available on order



DUPONT TYVEK® 500, 1160 011 100 00

Safety sleeve

- adjustable upper seam
- length 50cm
- category III, type 6B

Size: UNI

Material: 100% polyethylene TYVEK®, non woven textile

Standard: EN 13034 + A1 type PB (6), EN 14126

Box: 200 pieces

Unit: 1 piece



EN 14126/03+AC/04



CXS MAGDA, 1160 008 100 00

Disposable cap

- non woven textile
- cut beret

Size: UNI

Material: 100 % polypropylene

Grammage: 10 g/m²

Box: 1000 pieces

Pack: 100 pieces

Unit: 1 piece



CXS TONK, 1160 010 400 00

Disposable shoe cover

- rubber band

Size: 15 x 41 cm

Material: 100 % polyethylene

Grammage: 5 g/m²

Thickness: 0,10 mm

Box: 100 pack / 1000 pieces

Unit: 1 pack / 10 pieces



CXS ERIKA, 1160 007 113 00

Disposable apron

- fixation at the waist

Size: 80 x 135 cm

Material: 100 % polyethylene

Thickness: 0,018 mm

Box: 10 pack / 1000 pieces

Unit: 1 pack / 100 pieces

apron detail



WATERPROOF

CXS ONETIME, 1170 008 113 00

Raincoat

- disposable
- light
- well storable
- snap fastening

Size: UNI

Material: 100 % polyetylen

Box: 250 pieces

Unit: 1 piece



pack



CXS EVA, 1170 037 150 00

Rain poncho

- waterproof
- suitable for women, men and children
- side fastening with 2 snaps
- reflective elements

Size: UNI (101 x 127 cm)

Material: 100 % EVA

Box: 100 pieces

Unit: 1 piece



pack



CXS GUSTAV, 1170 005 XXX 00

Apron

- waterproof
- with shirt-front

Size: 90 x 120 cm

Material: 64 % PVC 36 % polyester

Box: 40 pieces

Unit: 1 piece



100



500



800



CXS PU, 1170 045 717 XX

Rain jacket

- waterproof
- hood in the collar
- inner sleeve cuffs to rubber
- tightening on the bottom
- zipper and snap fastening
- back and underarm ventilation
- taped seams
- reflective elements

Size: S - 3XL

Material: 100 % polyurethane

Box: 20 pieces

Unit: 1 piece



back of the jacket



CXS PU, 1170 046 717 XX

Rain trousers

- waterproof
- waist to the rubber
- taped seams
- reflective elements

Size: S - 3XL

Material: 100 % polyurethane

Box: 20 pieces

Unit: 1 piece



set of jacket and trousers



VIZWELL YORK, 1116 001 XXX XX

Men's high visible rainsuit

- waterproof
- hood in the collar
- sleeves to the rubber
- back and underarm ventilation
- waist to the rubber
- 2 side pockets
- adjustable leg width
- taped seams
- practical packing

Size: M - 3XL

Material: 100 % polyester Oxford

Standard: EN ISO 20471, EN 343+A1

Box: 10 pieces

Unit: 1 piece

practical packing



150

200



VIZWELL BATH, 1116 009 XXX XX

Men's high visible raincoat

- waterproof
- detachable hood in the collar
- sleeves to the rubber
- taped seams
- back and underarm ventilation
- practical packing

Size: S - 3XL

Material: 100 % polyester Oxford

Standard: EN ISO 20471, EN 343+A1

Box: 10 pieces

Unit: 1 piece

practical packing



150

200



WATERPROOF

CXS PROFI, 1170 003 XXX XX

Rain suit

- waterproof
- hood in the collar
- tightening on the bottom
- zipper fastening
- back and underarm ventilation
- waist to the rubber
- taped seams
- lower grammage
- practical packing
- reflective elements (only colours 400, 500)

Size: M - 4XL (400 S - 4XL)

Material: 60 % polyester 40 % PVC

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



CXS VENTO, 1170 004 XXX XX

Rain coat

- waterproof
- hood in the collar
- inner sleeve cuffs to rubber
- zipper and snap fastening
- back and underarm ventilation
- taped seams
- lower grammage
- practical packing
- reflective elements

Size: M - 4XL (400: S - 4XL)

Material: 60 % polyester 40 % PVC

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



CXS DEREK, 1170 001 XXX XX

Rain coat

- waterproof
- sleeves on press snap
- zipper and snap fastening
- back and underarm ventilation
- taped seams

Size: M - 4XL

Material: 64 % PVC 36 % polyester

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



CXS KOVAR, 1180 005 000 00

Blacksmith apron

- length 110 cm
- width 75 cm
- thickness 1,0 - 1,2 mm

Size: UNI

Material: cow split leather

Standard: EN ISO 11611 class 2/A1

Box: 25 pieces

Unit: 1 piece

EN ISO 11611



apron detail



CXS SVAREC, 1180 004 000 00

Welding apron

- covered shoulders
- length 110 cm
- width 75 cm
- thickness 1,0 - 1,2mm

Size: UNI

Material: cow split leather

Standard: EN ISO 11611 class 2/A1

Box: 25 pieces

Unit: 1 piece

EN ISO 11611



apron detail



CXS RUKI, 1180 007 000 00

Welding sleeve

- fastening with leather strap with plastic buckle
- length 68 cm
- thickness 1,0 - 1,2 mm

Size: UNI

Material: cow split leather

Standard: EN ISO 11611 class 2/A1

Box: 25 pairs

Unit: 1 piece

EN ISO 11611



CXS KAME, 1180 006 000 00

Welding gaiters

- leather welding gaiters
- fastening with leather straps with plastic buckles
- length 48 cm
- thickness 1,0 - 1,2 mm

Size: UNI

Material: cow split leather

Standard: EN ISO 11611 class 2/A1

Box: 50 pairs

Unit: 1 pair

EN ISO 11611







NEW

CXS ALTON

MEN'S HOODIE WITH EMBOSSED CXS LOGO

Introducing the new CXS men's sweatshirt, which combines style, comfort and attention to detail. The dominant element is the embossed CXS logo on the chest, which gives the sweatshirt a modern and distinctive look.

The sweatshirt is equipped with a practical kangaroo pocket, ideal for warming your hands or storing small items. The final silicone treatment of the material ensures a pleasant touch and long-term shape stability. The waist and sleeves are finished with elastic ribbed cuffs that hold their shape and fit comfortably to the body.

The balanced ratio of materials - 70% cotton and 30% polyester - offers a combination of natural comfort and durability. This sweatshirt is an ideal choice for leisure and everyday wear with an emphasis on quality and style.

CXS 4ENVI PORTLAND

This men's jacket made from recycled materials is proof that functionality and sustainability can go hand in hand. Approximately 60 PET bottles were used to make one piece of this jacket, making it a responsible choice for anyone who cares about the environment.

The jacket is equipped with practical pockets - the chest and side pockets are zipped, while inside you will find a chest pocket with Velcro for safe storage of valuables. The sleeves and hem are finished with elastic, which ensures comfortable wear and protection against the wind.

Reflective elements increase visibility and thus safety in poor visibility. Thanks to the modern cut and technical design, the jacket is suitable for both work and leisure activities.

CXS 4ENVI HAMPTON

Introducing a new men's sweatshirt made with the environment and everyday practicality in mind. Up to 80 recycled PET bottles were used to make one piece of this sweatshirt, making it the ideal choice for those looking for sustainable style without compromising on quality.

The sweatshirt is equipped with a practical chest pocket and side zip pockets that will safely store everything you need. The sleeves and bottom hem are finished with elastic, which ensures a comfortable fit and better protection against the wind.

Stylish, functional and environmentally friendly - this sweatshirt is a great choice for everyday wear and leisure activities.



MEN'S



practical packaging



CXS AUGUSTA, 1290 006 416 XX

Men's ultralight jacket

- fixed hood
- side zipper pockets
- back pocket with covered zipper
- foldable into the back pocket
- sleeves and bottom with elastic band
- reflective elements
- water-repellent treatment (up to 10 washing)

Material: 100 % polyester

Size: S - 3XL

Box: 50 pieces

Unit: 1 piece



NEW

fastening detail



CXS MESA, 1210 128 800 XX

Men's jacket

- padded
- combination of materials
- fixed hood
- shoulders and hood made of waterproof softshell
- body and sleeves made of warm knit fabric
- hood and body lined with faux fur insulation
- inner zip pocket
- reflective elements

Main material: 100 % polyester

Additional material: 97 % polyester 3 % elastane

Lining - Hood and body: 100% polyester faux fur

Sleeves: 100% polyester 210T taffeta

Size: S - 4XL

Box: 10 pieces

Unit: 1 piece

WINTER
NEW





CXS STRETCH, 1230 116 XXX XX

Men's softshell jacket

- detachable hood
- underarm ventilation
- chest pockets - with snap and zipper
- side zipper pockets
- inner cuffs
- tightening at the bottom
- reflective elements
- inner zip pocket
- ULTRA TPU membrane
- water resistant material up to 5 000 mm except seams
- breathability 5 000 g/m²/24h

Material: 96 % polyester 4 % elastane

Lining: 100% polyester, combined with fleece

Size: S - 3XL, (colour 800 S - 5XL)

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece



CXS NORFOLK, 1230 109 XXX XX

Men's softshell jacket

- detachable hood
- underarm ventilation
- inner cuffs
- chest pocket
- tightening at the bottom
- reflective elements
- inner pocket
- OPTI TPU membrane
- water resistant material up to 8 000 mm except seams
- breathability 3000 g/m²/24h

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester, combined with fleece

Size: S - 3XL, (colour 800 S - 5XL)

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece





CXS DURHAM, 1230 072 XXX XX

Men's softshell jacket

- detachable hood
- pocket on the left sleeve
- inner cuffs
- chest pocket
- tightening at the bottom
- reflective elements
- OPTI TPU membrane
- water resistant material up to 10 000 mm (except seams and material around pockets)
- breathability 3000 g/m²/24h

Material: 100 % nylon and 92 % polyester 8 % elastane

Lining: 100 % polyester - fleece

Size: S - 3XL (colour 800 S - 6XL)

Box: 10 pieces

Unit: 1 piece



underarm ventilation



CXS LAVAL, 1230 026 800 XX

Men's softshell jacket

- detachable hood
- underarm ventilation
- inner cuffs
- tightening at the bottom
- reflective elements
- OPTI TPU membrane
- water resistant material up to 10 000mm except seams
- breathability 3000 g/m²/24h

Material: 96 % polyester 4 % elastane

Lining: 100% polyester- fleece

Size: S - 4XL

Box: 10 pieces

Unit: 1 piece





817



800



816



CXS NORFOLK, 1220 016 XXX XX

Men's softshell jacket

- padded
- detachable hood
- underarm ventilation
- inner cuffs
- chest pockets
- detachable ID card holder in the right pocket
- tightening at the bottom
- reflective elements
- inner pockets
- OPTI TPU membrane
- hidden zipper opening for embroidery
- water resistant material up to 8 000 mm except seams
- breathability 3000 g/m²/24h



Material: 100 % polyester ripstop

Lining and padding: 100 % polyester

Size: S - 3XL, (colour 800 S - 5XL)

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece



detachable hood



CXS FRANCISCO, 1230 066 710 XX

Men's softshell jacket

- detachable hood
- underarm ventilation
- sleeves with regulated wristband
- chest pocket
- tightening at the bottom
- reflective elements
- OPTI TPU membrane
- water resistant material up to 10 000 mm except seams
- breathability 3000 g/m²/24h



Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Size: S - 4XL

Box: 10 pieces

Unit: 1 piece



MEN'S

CXS SACRAMENTO, 1230 008 706 XX

Men's softshell jacket

- detachable hood
- underarm ventilation
- sleeves with regulated wristband
- chest pocket
- tightening at the bottom
- reflective elements
- OPTI TPU membrane
- water resistant material up to 10 000 mm except seams
- breathability 3000 g/m²/24h

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Size: S - 4XL

Box: 10 pieces

Unit: 1 piece

FINAL SALE



260

411

800

160



CXS VEGAS, 1220 013 XXX XX

Men's softshell jacket

- padded
- detachable hood
- underarm ventilation
- sleeves with regulated wristband
- chest pocket
- inner pocket
- tightening at the bottom
- reflective elements
- OPTI TPU membrane
- water resistant material up to 10 000 mm except seams
- breathability 3000 g/m²/24h

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Padding: 100 % polyester

Size: S - 4XL (Colour 800: S - 6XL)

Box: 10 pieces

Unit: 1 piece

WINTER



800



817



CXS LEONIS II, 1290 212 XXX XX

Men's jacket

- suitable for work and leisure
- combination of materials
- sleeves and bottom with elastic band
- chest and side zipper pockets
- back ventilation
- inner chest zipper pocket
- reflective elements

Size: S - 3XL (800: S - 5XL)

Main material: 100 % polyester

Material - quilted part: 100 % nylon

Additional material: 94 % polyester 6 % elastane

Padding: 100 % polyester

Lining: 100 % nylon

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

NEW



800



817



CXS LEONIS II, 1290 167 XXX XX

Men's jacket

- suitable for work and leisure
- combination of materials
- sleeves and bottom with elastic band
- chest and side zipper pockets
- back ventilation
- inner chest zipper pocket
- reflective elements

Size: S - 3XL (800: S - 5XL)

Main material: 100 % polyester

Material - quilted part: 100 % nylon

Additional material: 94 % polyester 6 % elastane

Padding: 100 % polyester

Lining: 100 % nylon

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

FINAL SALE



MEN'S



CXS 4ENVI PORTLAND, 1210 126 XXX XX

Men's jacket

- combination of recycled materials
- combination of materials
- fixed hood
- chest and side zipper pockets
- sleeves to the elastic band
- bottom with elastic band
- inner chest pocket
- reflective elements

Main material: 82 % recycled polyester

18 % polyurethane

Additional material: 76 % recycled polyester

24 % polyurethane

Padding: 100 % recycled polyester

Lining: 100 % recycled polyester

Size: S - 4XL (800 S - 5XL)

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece

WINTER



4ENVI



CXS KANSAS, 1290 160 726 XX

Men's jacket

- combination of materials
- side zipper pockets
- sleeves to the elastic band
- bottom with elastic band
- inner chest zipper pocket
- reflective elements

Material: 100 % nylon and 92 % polyester 8 % elastane

Padding: 100 % polyester

Lining: 100 % nylon

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece

FINAL SALE





CXS CAMO, 1290 147 531 XX

Men's jacket

- combination of materials
- padded at front and back part of the jacket
- fleece collar
- inner cuffs
- tightening at the bottom
- inner chest pocket

Material: 100 % polyester

Additional material: 96 % polyester 4 % elastane

Lining: 100 % polyester

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece

FINAL SALE



CXS LINCOLN, 1290 161 800 XX

Men's coat

- padded
- detachable hood
- sleeves to the elastic cuff
- bottom side slits with zipper
- inner zip pocket
- black reflective elements

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Size: S - 2XL

Box: 10 pieces

Unit: 1 piece

FINAL SALE



MEN'S



CXS BALTIMORE, 1210 096 XXX XX

Men's jacket

- padded
- detachable hood
- inner cuffs
- plastic loop
- tightening at the bottom
- reflective elements
- 3 inner pockets
- taped seams
- TPU membrane

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Size: S - 4XL (colour 710, S - 5XL)

Standard: EN ISO 13688, EN 14058

Box: 10 pieces

Unit: 1 piece



3
X
X
X
X

WINTER



CXS BRIGHTON, 1210 078 XXX XX

Men's jacket

- padded
- detachable hood
- underarm ventilation
- inner cuffs
- tightening at the bottom
- reflective elements
- inner zip pocket
- taped seams

Material: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Size: S - 4XL

Standard: EN ISO 13688, EN 14058

Box: 10 pieces

Unit: 1 piece



3
X
2
X
X

WINTER





CXS IRVINE, 1210 001 XXX XX

Men's jacket 2 in 1

- padded
- detachable hood
- detachable sleeves
- sleeves with regulated wristband
- plastic loop
- tightening at the bottom
- reflective elements
- inner pocket
- taped seams

Material: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Size: 5 - 4XL (colour 710, 5 - 5XL)

Standard: EN ISO 13688, EN 14058

Box: 10 pieces

Unit: 1 piece



CXS FREMONT, 1210 005 810 XX

Men's jacket

- padded
- hood in the collar
- sleeves with regulated wristband
- tightening at the waist
- reflective elements
- inner pocket
- taped seams

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Size: 5 - 4XL

Box: 10 pieces

Unit: 1 piece



MEN'S



CXS PILOT, 1210 003 800 XX

Men's jacket 5 in 1

- padded
- hood in the collar
- detachable sleeves
- detachable collar and inner fur liner
- pocket on the left sleeve
- waist and sleeves to the elastic cuff
- inner pocket
- taped seams

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Fur lining: 100 % polyester

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece



CXS GEORGIA, 1210 010 800 XX

Men's jacket 2 in 1

- padded
- detachable sleeves
- hood in the collar
- inner cuffs
- tightening at the bottom
- reflective elements
- 2 inner pockets

Material: 65 % polyester 35 % cotton

Padding: 100 % polyester

Lining: 100 % polyester

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece



414



510



710



tightening at the bottom



260



CXS 4ENVI SOLIS, 1240 134 XXX XX

Men's jacket

- antipilling fleece
- combination of recycled materials
- chest and side zipper pockets
- 6000 polyester reinforcements on the elbows, forearms and shoulders
- sleeves to the elastic band
- tightening at the bottom
- reflective elements

Material: 100 % recycled polyester - fleece

Grammage: 300 g/m²

Additional material:

100% recycled polyester 6000 Oxford

Size: S - 3XL (colour 710 S - 5XL)

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece



518

800



embossed CXS logo



163

CXS ALTON, 1520 226 XXX XX

Men's sweatshirt

- fixed hood with drawstring
- kangaroo pocket
- final silicon wash
- embossed CXS logo
- waist and sleeves with ribbed knit cuff

Material: 70 % cotton 30 % polyester

Grammage: 300 g/m²

Size: S - 3XL (colour 800, S - 5XL)

Box: 20 pieces

Unit: 1 piece



518



718



414



CXS 4ENVI HAMPTON, 1290 189 XXX XX

Men's jacket /sweatshirt

- combination of recycled materials
- chest and side zipper pockets
- sleeves to the elastic band
- bottom with elastic band
- reflective elements

Main material: 100 % recycled polyester

Additional material: 90 % recycled polyester
10 % elastane

Size: S - 4XL (colour 718 S - 5XL)

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece



CXS INDIANAPOLIS, 1290 107 729 XX

Men's jacket

- knitted fabric
- combination of materials
- fixed hood
- chest pocket
- contrast accessories
- sleeves to the elastic band
- tightening at the bottom
- reflective elements

Material: 100 % polyester

Grammage: 280 g/m²

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece



MEN'S

CXS INDIANA, 1290 101 702 XX

Men's jacket

- knitted fabric
- combination of materials
- fixed hood
- chest pocket
- contrast accessories
- waist and sleeves to the elastic cuff
- reflective elements

Material: 100 % polyester

Grammage: 280 g/m²

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece



CXS MINTER, 1290 130 400 XX

Men's jacket

- combination of materials
- padded at front and back part of the jacket
- fixed hood
- contrast accessories
- waist and sleeves to the elastic cuff
- reflective elements

Material: 100 % polyester

Lining: 100 % polyester single jersey

Padding: 100 % polyester

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece

FINAL SALE



CXS FLINT, 1290 131 810 XX

Men's jacket

- combination of materials
- padded at front and back part of the jacket
- fixed hood
- chest pocket
- contrast accessories
- waist and sleeves to the elastic cuff
- reflective elements
- inner chest pocket

Material: 100 % polyester

Lining: 100 % polyester - fleece

Padding: 100 % polyester

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece

FINAL SALE



413

414

700

800



250

CXS OTAWA, 1240 001 XXX XX

Men's jacket

- antipilling fleece
- sleeves to the rubber
- chest pocket
- tightening at the bottom
- reflective elements

Material: 100 % polyester - fleece

Grammage: 450 g/m²

Size: S - 3XL (colour 414, XS - 6XL)

(colour 800, XS - 3XL)

Box: 10 pieces

Unit: 1 piece



250

518

414

800



416

CXS GRANBY, 1510 031 XXX XX

Men's sweatshirt

- antipilling fleece
- tightening at the bottom
- reflective elements

Material: 100 % polyester - microfleece

Grammage: 190 g/m²

Size: S - 3XL (colour 800, S - 6XL)

Box: 20 pieces

Unit: 1 piece



MEN'S



CXS ARYN, 1520 177 XXX XX

Men's sweatshirt

- fixed hood with drawstring
- kangaroo pocket
- final silicon wash
- reflective elements (except colour 701)
- inner part fine combed
- waist and sleeves with ribbed knit cuff

Material: 65 % cotton 35 % polyester

Grammage: 300 g/m²

Size: S - 3XL (colour 800, XS - 5XL)

Box: 20 pieces

Unit: 1 piece



NEW COLOUR 100



NEW COLOUR 250



710



808



810



NEW COLOUR 413

CXS HARRISON, 1520 010 XXX XX

Men's sweatshirt

- fixed hood
- side pockets with zipper
- final silicon wash
- reflective elements

Outer material: 100% cotton

Inner material: 100% polyester fleece

Grammage: 190 g/m²

Size: S - 3XL (colour 800, S - 6XL)

Box: 20 pieces

Unit: 1 piece



260

109

440

441

710

800



270

CXS TEXAS, 1520 136 XXX XX

Men's sweatshirt

- waist and sleeves to the elastic cuff
- reinforced panels on elbows
- chest pocket
- pockets with zipper
- reflective elements

Main material: 55 % cotton 45 % polyester

Additional material: 100 % polyester

Grammage: 300 g/m²

Size: S - 3XL (colour 441, S - 4XL)

(colours 440 and 800, XS - 5XL)

Box: 20 pieces

Unit: 1 piece



416

100

413

414

800



250

CXS ODEON, 1520 001 XXX XX

Sweatshirt

- waist, neck and sleeves with elastic cuff
- inner side brushed with fleece
- final silicon wash

Material: 65 % cotton 35 % polyester

Grammage: 300 g/m²

Size: S - 3XL (colour 800, S - 5XL)

Box: 30 pieces

Unit: 1 piece



MEN'S

250

413

437

518

700

800



500

CXS TORONTO, 1520 004 XXX XX

Men's sweatshirt

- thumb hole on the sleeve cuff
- fleece collar
- zipper fastening
- 2 front zipper pockets
- reflective elements

Material: 100% polyester FlexiShield

Grammage: 230 g/m²

Size: S - 3XL (colour 800, S - 6XL)

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece



CXS MALONE, 1590 003 800 XX

Men's sweatshirt / T-shirt

- suitable as 1st or 2nd layer
- zipper neck
- raglan long sleeve
- elastic and fast drying material
- flat seams
- side seams
- reflective elements

Material: 87 % polyester 13 % elastane

Grammage: 240 g/m²

Size: S - 4XL

Box: 20 pieces

Unit: 1 piece



CXS TOPEKA, 1320 001 800 XX

Men's softshell vest

- chest pocket
- TPU membrane
- water resistant material up to 3000 mm except seams
- breathability 800 g/m²/24h
- reflective elements

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Grammage: 320 g/m²

Size: S - 3XL

Box: 20 pieces

Unit: 1 piece



CXS LEONIS II, 1390 104 817 XX

Men's vest

- suitable for work and leisure
- combination of materials
- bottom with elastic band
- chest pocket and side zipper pockets
- inner chest zipper pocket
- reflective elements

Main material: 100 % polyester

Material - quilted part: 100 % nylon

Lining: 100 % nylon

Padding: 100 % polyester

Size: S - 3XL

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



NEW



CXS LEONIS, 1390 058 817 XX

Men's vest

- suitable for work and leisure
- combination of materials
- bottom with elastic band
- chest pocket and side zipper pockets
- inner chest zipper pocket
- reflective elements

Main material: 100 % polyester

Material - quilted part: 100 % nylon

Lining: 100 % nylon

Padding: 100 % polyester

Size: S - 3XL

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



FINAL SALE



MEN'S

CXS PASO, 1320 010 802 XX

Men's softshell vest

- ultra light
- chest pocket
- bottom with elastic band
- reflective elements
- without TPU membrane

Material: 100 % polyester

Grammage: 240 g/m²

Size: S - 3XL

Box: 20 pieces

Unit: 1 piece



FINAL SALE



CXS HEBRON, 1320 016 805 XX

Men's softshell vest

- chest pocket
- bottom with elastic band
- TPU membrane
- water resistant material up to 3000 mm except seams
- breathability 600 g/m²/24h
- reflective elements

Material: 96 % polyester 4 % elastane

Size: M - 3XL

Box: 20 pieces

Unit: 1 piece



FINAL SALE



805

800

CXS OVERLAND, 1310 027 XXX XX

Men's vest

- padded
- fixed hood
- waist into elastic cuff
- reflective elements

Material: 100 % polyester

Size: S-4XL

Box: 10 pieces

Unit: 1 piece

FINAL SALE
WINTER



163

250

414

700

800

413



CXS RENO, 1310 163 XXX XX

Men's vest

- padded
- detachable hood
- waist into elastic cuff
- reflective elements

Main material: 100 % polyester

Material hood: 55 % polyester 45 % cotton

Lining: 92 % polyester 8 % elastane

Size: S - 4XL (colour 250: S - 3XL)

(colour 800: S - 5XL)

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece



CXS ANTARKTIDA, 1121 001 800 XX

Men's heated vest

- antipilling fleece
- integrated heating elements in the chest, back and back of the neck
- mechanical switch allows intuitive control and setting of 3 heating stages
- heating provided by a power bank connected to the USD cable
- internal zipped pocket for storing a power bank
- powerbank excluded

Material: 100 % polyester - fleece

Lining: 100 % polyester - microfleece

Grammage: 280 g/m²

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece



55°C



45°C



35°C



MEN'S

CXS UTAH, 1330 001 414 XX

Men's vest

- antipilling fleece
- tightening at the bottom
- reflective elements

Material: 100 % polyester - fleece

Grammage: 450 g/m²

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece



CXS UTAH, 1330 002 250 XX

Men's vest

- antipilling fleece
- tightening at the bottom
- reflective elements

Material: 100 % polyester - fleece

Grammage: 350 g/m²

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece



400

500

800

CXS OHIO, 1310 003 XXX XX

Men's vest

- padded
- corduroy collar and shoulders
- flexible armpit
- zipper fastening with flap
- tightening at the bottom
- inner zipper pocket
- reflective elements

Material: 65 % polyester 35 % cotton

Padding: 100 % polyester

Lining: 100 % polyester

Size: M - 3XL (800, S - 3XL)

Box: 10 pieces

Unit: 1 piece



CXS DENVER, 1310 004 XXX XX

Men's vest

- padded
- prolonged back part
- snap fastening
- reflective elements

Material: 65 % polyester 35 % cotton

Padding: 100 % polyester

Lining: 100 % polyester

Size: M - 3XL (400, S - 3XL)

Box: 10 pieces

Unit: 1 piece

WINTER

400



800



CXS SEATTLE, 1310 001 XXX XX

Men's vest

- padded
- fleece collar
- plastic loop
- tightening at the bottom
- reflective elements
- inner pocket
- water resistant material up to 2000 mm

Material: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Size: S - 3XL

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece

WINTER

260



411



CXS SEATTLE, 1310 002 XXX XX

Men's vest

- padded
- fleece collar
- plastic loop
- tightening at the bottom
- reflective elements
- inner pocket
- water resistant material up to 2000 mm

Material: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester - fleece

Size: M - 3XL (810, S - 3XL)

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece

WINTER

802



810





CXS RICHARD, 1690 073 XXX XX

Men's sleeveless T-shirt

- stabilizing neck and shoulder tape
- side seams
- final silicon wash

Material: 98 % cotton 2 % elastane, single jersey

Grammage: 170 -180 g/m²

Size: S - 3XL (800, S - 5XL)

Box: 60 pieces

Unit: 1 piece

CXS MARKUS, 1690 051 XXX XX

Men's top

- tubular body
- final silicon wash

Material: 100 % cotton, single jersey

Grammage: 155 g/m²

Size: S - 3XL (800, S - 5XL)

Box: 60 pieces

Unit: 1 piece

800



100



250



109



718



466



CXS MERLIN, 1610 403 XXX XX

T-shirt

- stabilizing neck and shoulder tape
- side seams
- final silicon wash

Material: 95 % cotton 5 % elastane, single jersey - quality combed cotton

Grammage: 170 -175 g/m²

Size: S - 3XL, (colour 718, S - 5XL)

Box: 60 pieces

Unit: 1 piece



734



CXS OLSEN, 1610 404 XXX XX

T-shirt

- stabilizing neck and shoulder tape
- side seams
- final silicon wash

Material: 100 % cotton

Grammage: 180 g/m²

Size: S - 5XL (436, 619: S - 3XL)

Box: 60 pieces

Unit: 1 piece



NEW COLOUR 163

NEW COLOUR 437

NEW COLOUR 511



100

250

414

416

518

717

800

NEW COLOUR 722



CXS NOLAN, 1630 312 XXX XX

T-shirt

- stabilizing neck and shoulder tape
- side seams
- final silicon wash

Material: 98 % cotton 2 % elastane, single jersey

Grammage: 180 g/m²

Size: S - 3XL (800: S - 5XL)

Box: 60 pieces

Unit: 1 piece





CXS WILDER, 1610 331 XXX XX

T-shirt

- CXS printing
- stabilizing neck and shoulder tape
- side seams
- final silicon wash

Material: 95 % cotton 5 % elastane, single jersey

Grammage: 180 g/m²

Size: S - 3XL, (800: S - 5XL)

Box: 60 pieces

Unit: 1 piece

printing detail



CXS DARREN, 1610 200 XXX XX

T-shirt

- CXS printing
- contrast grey/red stabilizing neck tape
- contrast red seams
- side seams
- final silicon wash

Material: 98 % cotton 2 % elastane, single jersey

Grammage: 175 g/m²

Size: S - 3XL, (colour 800: S - 5XL)

Box: 60 pieces

Unit: 1 piece

109

800



printing detail



CXS WORKWEAR, 1610 430 XXX XX

T-shirt

- WORKWEAR printing
- stabilizing neck and shoulder tape
- side seams
- final silicon wash

Material: 98 % cotton 2 % elastane, single jersey

Grammage: 180 g/m²

Size: S - 5XL

Box: 60 pieces

Unit: 1 piece

400

820



FINAL SALE



CXS DANIEL, 1610 001 XXX XX

T-shirt

- stabilizing neck and shoulder tape
- tubular body
- final silicon wash

Material: 100 % cotton, single jersey

Grammage: 160 g/m²

Size: S - 3XL (colour 100; S - 5XL)
(colours 413 and 800: S - 7XL)

Box: 60 pieces

Unit: 1 piece



CXS HENRY, 1630 340 XXX XX

Poloshirt

- stabilizing neck tape
- contrast trim on ribbed collar
- side seams
- bottom with side slits
- final silicon wash

Material: 97 % cotton 3 % elastane, single jersey

Grammage: 200 - 220 g/m²

Size: S - 4XL (colours 706 and 739: S - 3XL)

Box: 60 pieces

Unit: 1 piece





CXS MICHAEL, 1630 001 XXX XX

Poloshirt

- stabilizing neck tape
- rib around the cuff edges
- side seams
- bottom with side vents
- final silicon wash

Material: 100% cotton, pique

Grammage: 200 g/m²

Size: S - 3XL (414,800: S - 5XL)

Box: 60 pieces

Unit: 1 piece



CXS SIMON, 1620 302 XXX XX

T-shirt

- stabilizing neck and shoulder tape
- side seams
- final silicon wash

Material: 98 % cotton 2 % elastane, single jersey

Grammage: 180 g/m²

Size: S - 3XL, (800: S - 5XL)

Box: 60 pieces

Unit: 1 piece



CXS PETR, 1620 001 XXX XX

T-shirt

- stabilizing neck tape
- elastic sleeve cuffs
- tubular body
- final silicon wash

Material: 100 % cotton, single jersey

Grammage: 140 g/m²

Size: S - 3XL, (414,800: S - 5XL)

Box: 60 pieces

Unit: 1 piece



402



465



CXS TIM, 1660 133 XXX XX

Flannel shirt

- wristbands and pocket flaps with button
- two chest pockets
- folding sleeves with a fastening strap
- woven flannel

Material: 100 % cotton, flannel

Grammage: 160 g/m²

Size: 39 - 48

Standard: EN ISO 13688

Box: 30 pieces

Unit: 1 piece



710



411



CXS TOM, 1660 001 XXX XX

Flannel shirt

- wristbands and pocket flaps with button
- two chest pockets
- printed flannel

Material: 100 % cotton, flannel

Grammage: 145 g/m²

Size: 39 - 48

Standard: EN ISO 13688

Box: 30 pieces

Unit: 1 piece



CXS VENATOR JOGGER, 1490 350 800 XX

Men's trousers

- 4-way stretch material allowing free and easy movement
- elastic waistband with drawstring
- front pockets
- back zipper pocket
- multifunctional thigh pockets
- zipper pocket on the right side
- ergonomic reinforced knees
- leg openings finished with elastic cuffs
- reflective elements

Material: 92 % polyester 8 % elastane

Grammage: 245 g/m²

Size: 46 - 64

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

zipper pocket on the right side



700

400

CXS ALBI, 1490 303 XXX XX

Men's stretch jeans

- waist with belt loops
- plastic eyelet and hammer loop
- elastic CORDURA accessories
- two back pockets
- side multifunctional pockets
- knees reinforced with elastic CORDURA

Main material: 98 % cotton 2 % elastane

Grammage: 360 g/m²

Cordura: 88 % nylon 12 % elastane

Grammage Cordura: 260-270 g/m²

Size: 46 - 62

Box: 10 pieces

Unit: 1 piece

plastic loop



CORDURA
BRAND



CXS NIMES I, 1490 071 411 XX

Men's jeans

- waist with belt loops
- plastic loop
- inner waist with antislip rubber tape
- two back pockets made of CORDURA
- side multifunctional pockets
- knees reinforced with CORDURA with the opening for knee pads

Main material: denim 100 % cotton

Grammage: 370 g/m²

Cordura: 100 % nylon

Grammage Cordura: 255 g/m²

Size: 46 - 62

Box: 10 pieces

Unit: 1 piece



CORDURA
BRAND



CXS MURET, 1450 040 XXX XX

Men's shorts

- waist with belt loops
- plastic loop
- two back pockets made of CORDURA
- side multifunctional pockets

Main material: 98 % denim cotton 2 % elastane

Grammage: 350 g/m²

Cordura: 95 % nylon 5 % elastane

Grammage Cordura: 240-255 g/m²

Size: 46 - 62

Box: 20 pieces

Unit: 1 piece

411

710



CORDURA
BRAND

CXS CAMO, 1490 300 524 XX

Men's trousers

- hydrophobic treatment
- flexible waist with belt loops
- front pockets
- back pockets, right back pocket with flap
- side flap pockets, zipper pocket on the right side
- detachable legs
- differentiation of the right and left leg by the colour of the zipper

Material: twill 65 % polyester 35 % cotton

Grammage: 240 g/m²

Size: 46 - 64

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece

detachable legs



OEKO
TEX®



detachable legs



518

800



CXS VENATOR, 1490 001 XXX XX

Men's trousers

- flexible waist
- waist with belt loops
- front pockets
- back pockets, right back pocket with flap
- side flap pockets
- zipper pocket on the right side
- detachable legs
- differentiation of the right and left leg by the colour of the zipper
- reflective elements

Material: 98 % cotton 2 % elastane

Grammage: 270 g/m²

Size: 46 - 64

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



detachable legs



CXS BOISE, 1490 324 717 XX

Men's trousers

- summer
- 4-way stretch material allowing free and easy movement
- elasticated waistband at the sides with belt
- side zipper pockets
- thigh zipper pockets
- back zipper pocket
- reflective elements
- detachable legs with colour differentiation right and left
- horizontal and vertical zippers – detach the legs without removing your footwear
- drawstring at the bottom of the trousers

Main material: 88 % nylon 12 % elastane

Grammage: 135 g/m²

Additional material: 92 % polyester 8 % elastane

Size: 46 - 64

Standard: EN ISO 13688

Box: 30 pieces

Unit: 1 piece



ventilation on thighs



800

816



CXS AKRON, 1430 004 XXX XX

Men's softshell trousers

- flexible waist with adjustable size
- belt loops
- 4 front pockets
- ventilation on thighs and back knee part
- back zipper pocket
- reflective elements
- ULTRA TPU membrane
- water resistant material up to 5 000 mm except seams
- breathability 5000 g/m²/24h

Main material: 94 % polyester 6 % elastane

Grammage: 210 g/m²

Size: 46 - 64 (816: 46 - 60)

Box: 20 pieces

Unit: 1 piece



CXS TRENTON, 1420 003 800 XX

Men's softshell trousers

- detachable braces with size adjustment
- flexible waist with adjustable size
- 2 front zipper pockets
- ventilation on thighs
- back zipper pocket
- zipper at the bottom
- inner snowbelt at the bottom of the legs
- reflective elements
- ULTRA TPU membrane
- water resistant material up to 5 000 mm except seams
- breathability 5000 g/m²/24h

Material: 94 % polyester 6 % elastane

Grammage: 310 g/m²

Lining: 100 % polyester - fleece

Size: 46 - 62

Box: 20 pieces

Unit: 1 piece

detachable braces



414

717

CXS ELVIN, 1440 037 XXX XX

Men's sweatpants

- lightweight material
- lacing at the waist
- elastic rib waist and bottom of the legs
- 2 front zipper pockets
- back zipper pocket

Material: 80 % cotton 20 % polyester

Grammage: 240 g/m²

Size: S - 3XL

Box: 20 pieces

Unit: 1 piece

back pocket



CXS ROWAN, 1440 035 800 XX

Men's sweatpants

- lacing at the waist
- inner part fine combed
- elastic rib waist and bottom of the legs
- 2 front zipper pockets

Material: 65 % cotton 35 % polyester

Grammage: 280 g/m²

Size: S - 3XL

Box: 20 pieces

Unit: 1 piece



414



714



800



CXS MORIS, 1450 049 XXX XX

Men's tracksuit shorts

- drawstring waist
- 2 front zipper pockets

Material: 80 % cotton 20 % polyester

Grammage: 300 g/m²

Size: S - 3XL

Box: 20 pieces

Unit: 1 piece

531



800



CXS DIXON, 1450 032 XXX XX

Men's shorts

- lightweight leisure shorts
- waist with side elastic bands
- belt loops
- 4 front pockets
- back zipper pocket
- reflective logo on the leg
- inner waist with antislip rubber tape

Main material: 92 % polyester 8 % elastane

Additional material: 65 % polyester 35 % cotton

Material (800): 92 % polyester 8 % elastane

Grammage: 180 g/m²

Size: S - 3XL

Box: 30 pieces

Unit: 1 piece

701 **FINAL SALE**

MEN'S

lightweight and quick-drying material



CXS SEAMFLEX, 1720 031 806 XX

Men's functional undershirt

- lightweight, high-quality and quick-drying material
- moisture is wicked to the outer surface of the fabric
- eliminates unwanted odours
- seamless design prevents pressure marks

Material: 66% polypropylene 30% polyamide 4% elastane

Grammage: 220 g/m²

Size: XS/S, M/L, XL/2XL

Box: 36 pieces

Unit: 1 piece



CXS SEAMFLEX, 1740 041 806 XX

Men's functional underpants

- lightweight, high-quality and quick-drying material
- moisture is wicked to the outer surface of the fabric
- eliminates unwanted odours
- seamless design prevents pressure marks

Material: 66% polypropylene 30% polyamide 4% elastane

Grammage: 220 g/m²

Size: XS/S, M/L, XL/2XL

Box: 36 pieces

Unit: 1 piece



lightweight and quick-drying material



NEW COLOUR 414



NEW COLOUR 518



NEW COLOUR 800



CXS MOVADO, 1710 018 XXX XX

Men's functional undershirt

- Coolmax® material provides highly efficient moisture wicking and quick drying
- Ultra Lava antibacterial treatment
- UV protection UPF 30
- perforated shoulders, sides and back for better thermoregulation
- side seams

Material: Coolmax® 91 % polyester 9 % elastane

Grammage: 140 g/m²

Size: S - 3XL (718, 800: S - 4XL)

Box: 60 pieces

Unit: 1 piece



163



718



FINAL SALE 810



822 NEW COLOUR



CXS COOLDRY, 1720 018 XXX XX

Men's functional undershirt

- thumb hole on the sleeve cuff
- transmission of moisture to the outer surface of the textile
- eliminates the feeling of sweating

Material: 50 % polypropylene 50 % polyester Cooldry

Grammage: 140 g/m²

Size: XS - 3XL

Box: 50 pieces

Unit: 1 piece



MEN'S

NEW COLOUR 822

810

CXS COOLDRY, 1740 018 XXX XX

Men's functional underpants

- waist band
- transmission of moisture to the outer surface of the textile
- eliminates the feeling of sweating

Material: 50 % polypropylene 50 % polyester Cooldry

Grammage: 140 g/m²

Size: XS - 3XL

Box: 50 pieces

Unit: 1 piece



CXS REWARD, 1720 002 808 XX

Men's functional undershirt

- Ultra Lava antibacterial treatment
- inner part fine combed
- warming material
- coloured sewing

Material: 92 % polyester 8 % elastane

Grammage: 230 g/m²

Size: M - 3XL

Box: 50 pieces

Unit: 1 piece



CXS REWARD, 1740 002 808 XX

Men's functional underpants

- waist band
- Ultra Lava antibacterial treatment
- inner part fine combed
- warming material
- coloured sewing

Material: 92 % polyester 8 % elastane

Grammage: 230 g/m²

Size: M - 3XL

Box: 50 pieces

Unit: 1 piece



CXS ACTIVE, 1720 001 700 XX

Men's functional undershirt

- Wicking finish treatment
- eliminates the feeling of sweating

Material: 65 % cotton 35 % polyester

Grammage: 175 g/m²

Size: S - 3XL

Box: 50 pieces

Unit: 1 piece



CXS ACTIVE, 1740 001 700 XX

Men's functional underpants

- Wicking finish treatment
- eliminate the feeling of sweating

Material: 65 % cotton 35 % polyester

Grammage: 175 g/m²

Size: S - 3XL

Box: 50 pieces

Unit: 1 piece



printing detail



100

400

CXS SPORTY COOL, 1610 426 XXX XX

Functional T-shirt

- Coolmax® material provides highly efficient moisture wicking and quick drying
- Ultra Lava antibacterial treatment
- UV protection UPF 30
- side seams

Material: Coolmax® 92 % polyester 8 % elastane

Grammage: 120 g/m²

Size: S - 3XL

Box: 60 pieces

Unit: 1 piece

FINAL SALE



NEW

CXS SEAMFLEX LADY

LADIES' FUNCTIONAL SET

A seamless ladies' set designed for anyone seeking maximum comfort, freedom of movement, and reliable performance even during demanding activities. Thanks to the high-quality material with added polypropylene, the garment remains exceptionally lightweight, quick-drying, and pleasant to the touch. It quickly and effectively wicks moisture away from the body, helping to keep the skin dry and fresh all day long. At the same time, it naturally eliminates unwanted odors, ensuring lasting comfort even during prolonged wear. The seamless design minimizes pressure points and skin irritation for enhanced wearing comfort.

The flexible fabric perfectly adapts to the body's shape and maintains its form even after repeated use. SeamFlex is ideal as a first layer under workwear, for sports, or any physically demanding activity. A men's version of this functional set is also available in our range.

NEW

CXS TAMPA

A ladies' casual jacket made from a combination of materials. The quilted section is lightly padded, while the hood, sides, and sleeves are made of a soft, comfortable knit fabric. The jacket features two side zipper pockets, a back zip ventilation, and reflective elements for added visibility. The waist and cuffs are finished with an elastic band for a better fit and comfort.



300

FINAL SALE

800

400



CXS TAMPA, 1290 194 XXX XX

Ladies' jacket

- combination of materials
- fixed hood
- sleeves and bottom with elastic band
- back ventilation
- reflective elements

Main material: 100 % nylon and 100 % polyester

Lining: 100 % nylon and 100 % polyester

Lining: 100 % polyester

Size: XS - 3XL

Box: 10 pieces

Unit: 1 piece

NEW
WOMEN



tightening at the bottom



CXS STRETCH, 1230 151 700 XX

Ladies' softshell jacket

- detachable hood
- underarm ventilation
- chest pocket na zip
- side zipper pockets
- inner cuffs
- tightening at the bottom
- reflective elements
- inner zip pocket
- ULTRA TPU membrane
- water resistant material up to 5 000 mm except seams
- breathability 5 000 g/m²/24h

Main material: 96 % polyester 4 % elastane

Lining: 100 % polyester, combined with fleece

Size: XS - 3XL

Standard: EN ISO 13688

Box: 10 pieces

Unit: 1 piece

NEW
WOMEN





practical packaging



CXS AUGUSTA, 1290 003 266 XX

Ladies' ultralight jacket

- fixed hood
- side zipper pockets
- back pocket with covered zipper
- foldable into the back pocket
- sleeves and bottom with elastic band
- reflective elements
- water-repellent treatment (up to 10 washing)

Material: 100 % polyester

Size: XS - 3XL

Box: 50 pieces

Unit: 1 piece

WOMEN



800



466



CXS WICHITA, 1290 174 XXX XX

Ladies' coat

- padded
- fixed hood
- two-way zipper
- side zipper pockets
- sleeves to the elastic cuff
- bottom side slits
- inner zip pocket
- black reflective elements

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Size: XS - 3XL

Box: 10 pieces

Unit: 1 piece

WINTER
WOMEN





inner cuffs



CXS ARIZONA, 1210 122 700 XX

Ladies' jacket

- padded
- prolonged
- fixed hood
- sleeves with regulated wristband
- inner cuffs
- small zipper pockets and flap pockets
- black reflective elements
- taped seams
- OPTI TPU membrane
- water resistant material up to 5000 mm
- breathability 3000 g/m²/24h

Material: 100 % polyester

Lining: 100 % polyester

Padding: 100 % polyester

Size: XS - 3XL

Box: 10 pieces

Unit: 1 piece



300



800



528



CXS NEVADA, 1230 119 XXX XX

Ladies' softshell jacket

- detachable hood
- underarm ventilation
- inner cuffs
- tightening at the bottom
- reflective elements
- ULTRA TPU membrane
- water resistant material up to 5000 mm except seams
- breathability 5000 g/m²/24h

Main material: 96% polyester, 4% elastane

Additional material: 100% polyester, ripstop

Lining: 100% polyester

Size: XS - 3XL

Box: 10 pieces

Unit: 1 piece



CXS DIGBY, 1230 025 800 XX

Ladies' softshell jacket

- detachable hood
- underarm ventilation
- inner cuffs
- chest pocket
- tightening at the bottom
- reflective elements
- OPTI TPU membrane
- water resistant material up to 10 000 mm except seams
- breathability 3000 g/m²/24h

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester

Grammage: 280 g/m²

Size: XS - 4XL

Box: 10 pieces

Unit: 1 piece

WOMEN

underarm ventilation



CXS ORLEANS, 1290 144 800 XX

Ladies' softshell coat

- detachable hood
- inner cuffs
- tightening at the bottom
- reflective elements
- OPTI TPU membrane
- water resistant material up to 10 000 mm except seams
- breathability 3000 g/m²/24h

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - velours

Size: XS - 2XL

Box: 10 pieces

Unit: 1 piece

WOMEN



CXS OCEANSIDE II, 1210 116 511 XX

Ladies' jacket

- padded
- fixed hood
- sleeves to the elastic band
- bottom with elastic band
- reflective elements

Material: 100 % nylon

Padding: 100 % polyester

Lining: 100 % nylon

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece

WINTER
WOMEN



inner pocket



CXS KENOVA, 1210 017 802 XX

Ladies' jacket

- padded
- fixed hood
- sleeves with regulated wristband
- tightening at the bottom
- inner pocket
- taped seams
- reflective elements
- water resistant material up to 2000 mm
- breathability 2000 g/m²/24h

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Size: XS - 3XL

Box: 10 pieces

Unit: 1 piece



735

the other side 735

the other side 460

460



CXS OCEANIA, 1210 117 XXX XX

Ladies' double-sided jacket

- padded
- fixed hood
- sleeves to the elastic band
- bottom with elastic band
- reflective elements

Material: 100 % nylon

Padding: 100 % polyester

Lining: 100 % nylon

Size: S - 3XL

Box: 10 pieces

Unit: 1 piece



CXS IRVINE, 1210 098 710 XX

Ladies' jacket 2 in 1

- padded
- detachable hood
- detachable sleeves
- plastic loop
- waist and sleeves to the elastic cuff
- reflective elements
- inner pocket
- taped seams

Material: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Size: XS - 3XL

Standard: EN ISO 13688, EN 14058

Box: 10 pieces

Unit: 1 piece



CXS CAPE, 1290 102 710 XX

Ladies' jacket

- knitted fabric
- prolonged
- combination of materials
- fixed hood
- sleeves to the elastic band
- bottom with elastic band
- reflective elements

Material: 100 % polyester

Grammage: 280 g/m²

Size: XS - 3XL

Box: 10 pieces

Unit: 1 piece



CXS POMONA, 1290 103 715 XX

Ladies' jacket

- knitted fabric
- fixed hood
- waist and sleeves to the elastic cuff
- reflective elements

Material: 100 % polyester

Grammage: 280 g/m²

Size: XS - 3XL

Box: 10 pieces

Unit: 1 piece



NEW COLOUR 100

NEW COLOUR 313

NEW COLOUR 413



800

CXS HARRIET, 1520 011 XXX XX

Ladies' sweatshirt

- fixed hood
- side pockets with zipper
- final silicon wash
- reflective elements

Outer material: 100 % cotton

Inner material: 100 % polyester fleece

Grammage: 360 g/m²

Size: XS - 3XL

Box: 20 pieces

Unit: 1 piece

WOMEN



109

250

416

800



432



CXS GRANBY LADY, 1510 051 XXX XX

Ladies' sweatshirt

- antipilling fleece
- sleeves to the elastic band
- bottom with elastic band
- reflective elements

Material: 100 % polyester - microfleece

Grammage: 190 g/m²

Size: XS - 3XL

Box: 20 pieces

Unit: 1 piece

WOMEN



437

800

311



CXS TORONTO, 1520 005 XXX XX

Ladies' sweatshirt

- thumb hole on the sleeve cuff
- fleece collar
- zipper fastening
- 2 front zipper pockets
- reflective elements

Material: FlexiShield 100 % polyester

Grammage: 230 g/m²

Size: XS-3XL

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



WOMEN



CXS LAREDO, 1320 002 800 XX

Ladies' vest

- tightening at the bottom
- reflective elements

Material: 100 % polyester

Size: XS - 2XL

Box: 20 pieces

Unit: 1 piece



WOMEN



CXS FONTANA, 1310 162 717 XX

Ladies' long vest

- padded
- detachable hood
- side zipper pockets
- two-way zipper
- bottom side slits
- reflective elements
- inner chest zipper pocket

Upper material: 100 % nylon

Padding: 100 % polyester

Lining: 100 % polyester

Size: XS - 3XL

Box: 10 pieces

Unit: 1 piece



WINTER
WOMEN



CXS OMAK, 1310 018 804 XX

Ladies' vest

- padded
- fixed hood
- bottom with elastic band
- reflective elements

Upper material: 100 % nylon

Padding: 100 % polyester

Lining: 100 % polyester

Size: XS - 3XL

Box: 10 pieces

Unit: 1 piece



WINTER
WOMEN



CXS HEBRON, 1320 017 805 XX

Ladies' softshell vest

- bottom with elastic band
- TPU membrane
- water resistant material up to 3000 mm except seams
- breathability 600 g/m²/24h
- reflective elements

Material: 96 % polyester 4 % elastane

Size: XS - 2XL

Box: 20 pieces

Unit: 1 piece



FINAL SALE
WOMEN



100 250 300 416 800



NEW COLOUR 414



NEW COLOUR 413



CXS EMILY, 1610 384 XXX XX

Ladies' T-shirt

- loose fit with elasticated waistband
- round neck
- side seams
- final silicon wash

Material: 95 % cotton 5 % elastane

Grammage: 180 g/m²

Size: XS - 3XL, (colours 100 and 800: XS - 4XL)

Box: 60 pieces

Unit: 1 piece



WOMEN

NEW COLOUR 717



CXS MILFORD, 1330 036 109 XX

Ladies' vest

· antipilling fleece

Material: 100 % polyester fleece

Grammage: 260 g/m²

Size: XS - 2XL

Box: 20 pieces

Unit: 1 piece

WOMEN



CXS LINDA, 1690 050 XXX XX

Ladies' top

· side seams

· final silicon wash

Material: 95 % cotton 5 % elastane

Grammage: 180 g/m²

Size: XS - 2XL, (colour 800: XS - 3XL)

Box: 60 pieces

Unit: 1 piece

WOMEN

100

528

800



413

100

250

415

800



CXS ELLA, 1610 178 XXX XX

Ladies' T-shirt

· V-neck

· side seams

· raglan sleeve

· final silicon wash

Material: 95 % cotton 5 % elastane

Grammage: 180 g/m²

Size: XS - 2XL, (colours 800 and 100: XS - 4XL)

Box: 60 pieces

Unit: 1 piece

WOMEN

528





413



CXS MARY, 1620 121 XXX XX

Ladies' T-shirt

- V-neck
- side seams
- raglan sleeve
- final silicon wash

Material: 95 % cotton 5 % elastane

Grammage: 180 g/m²

Size: XS - 4XL, (colours 800 and 413: XS - 2XL)

Box: 60 pieces

Unit: 1 piece



CXS OREGON, 1490 211 XXX XX

Ladies' trousers

- summer
- fixed waist with belt and inner antislip printing
- zipper pocket on the right thigh
- back zipper pocket
- ventilation on back knee part
- reflective elements

Main material: 95 % nylon 5 % elastane

Grammage: 135 g/m²

Size: 36 - 54

Standard: EN ISO 13688

Box: 30 pieces

Unit: 1 piece



CXS AKRON, 1430 006 800 XX

Ladies' softshell trousers

- flexible waist with adjustable size
- belt loops
- 4 front pockets
- ventilation on thighs and back knee part
- back zipper pocket
- reflective elements
- ULTRA TPU membrane
- water resistant material up to 5 000 mm except seams
- breathability 5000 g/m²/24h

Main material: 95% polyester, 5% elastane

Grammage: 235 g/m²

Lining: 100 % polyester

Size: 36 - 54

Box: 20 pieces

Unit: 1 piece





detachable braces



ventilation on thighs



CXS TRENTON, 1420 004 800 XX

Ladies' softshell trousers

- detachable braces with size adjustment
- flexible waist with adjustable size
- 2 front zipper pockets
- ventilation on thighs
- back zipper pocket
- zipper at the bottom
- inner snowbelt at the bottom of the legs
- reflective elements
- ULTRA TPU membrane
- water resistant material up to 5 000 mm except seams
- breathability 5000 g/m²/24h



Main material: 94 % polyester 6 % elastane

Grammage: 310 g/m²

Lining: 100 % polyester - fleece

Size: 36 - 54

Box: 20 pieces

Unit: 1 piece



side gathered pockets



CXS UMI, 1490 220 800 XX

Ladies' cargo trousers

- the Sorona® fiber makes the material soft, elastic and washable up to 60°C
- waist with belt loops and elastic band in the back
- 2 front pockets
- 2 back pockets
- side gathered pockets - right zipped, left covered with flap
- tapered legs with elastication at the hems

Main material: 60 % cotton 40 % Sorona®

Weaving: twill

Grammage: 215 g/m²

Size: 36 - 54

Standard: EN ISO 13688

Box: 20 pieces

Unit: 1 piece



WOMEN



side pocket



CXS ELEN, 1490 003 800 XX

Ladies' trousers

- belt loops
- 2 front pockets
- 2 back pockets
- small side pockets for pencils

Main material: 73% viscose 22% nylon 5% elastane

Grammage: 200 g/m²

Size: 36 - 56

Box: 20 pieces

Unit: 1 piece



WOMEN





CXS MIA, 1490 202 XXX XX

Ladies' 3/4 leggings

- waist to the rubber
- trousers with slit
- final silicon wash
- 2 front pockets

Material: 95 % cotton single jersey 5 % elastane

Grammage: 230 g/m² (colour 100: 260 g/m²)

Size: XS - 4XL

Box: 50 pieces

Unit: 1 piece

WOMEN



800



CXS IVA, 1490 009 800 XX

Ladies' leggings

- waist to the rubber
- final silicon wash

Material: 95 % cotton 5 % elastane

Grammage: 230 g/m²

Size: S - 3XL

Box: 50 pieces


Unit: 1 piece

WOMEN



LADIES!

lightweight, high-quality and quick-drying material



CXS SEAMFLEX LADY, 1720 032 804 XX

Ladies' functional undershirt

- lightweight, high-quality and quick-drying material
- moisture is wicked to the outer surface of the fabric
- eliminates unwanted odours
- seamless design prevents pressure marks

Material: 66% polypropylene, 30% polyamide, 4% elastane

Grammage: 220 g/m²

Size: XS/S, M/L, XL/2XL

Box: 36 pieces

Unit: 1 piece

NEW
WOMEN



CXS SEAMFLEX LADY, 1740 043 804 XX

Dámské funkční spodky

- lightweight, high-quality and quick-drying material
- moisture is wicked to the outer surface of the fabric
- eliminates unwanted odours
- seamless design prevents pressure marks

Material: 66% polypropylene, 30% polyamide, 4% elastane

Grammage: 220 g/m²


Size: XS/S, M/L, XL/2XL

Box: 36 pieces

Unit: 1 piece

NEW
WOMEN

lightweight, high-quality and quick-drying material



CXS REWARD, 1720 003 808 XX

Ladies' functional undershirt

- inner part fine combed
- Ultra Lava antibacterial treatment
- warming material
- coloured sewing

Material: 92 % polyester 8 % elastane

Grammage: 230 g/m²

Size: S - 2XL

Box: 50 pieces

Unit: 1 piece



CXS REWARD, 1740 003 808 XX

Ladies' functional underpants

- waist band
- Ultra Lava antibacterial treatment
- inner part fine combed
- warming material
- coloured sewing

Material: 92 % polyester 8 % elastane

Grammage: 230 g/m²

Size: M - 3XL

Box: 50 pieces

Unit: 1 piece



800



300



CXS MOVADO, 1710 019 XXX XX

Ladies' functional undershirt

- Coolmax® material provides highly efficient moisture wicking and quick drying
- Ultra Lava antibacterial treatment
- UV protection UPF 30
- perforated shoulders, sides and back for better thermoregulation
- side seams

Material: Coolmax® 91 % polyester 9 % elastane

Grammage: 140 g/m²

Size: XS - 3XL (colour 800: XS - 4XL)

Box: 60 pieces

Unit: 1 piece



UNDERWEAR

CXS TREON, 1810 061 999 XX

Men's knickers

- waist to the rubber
- sweeping cut
- final silicon wash

Material: 100 % cotton, single jersey

Grammage: 140 g/m²

Size: M - 3XL

Box: 20 pieces

Unit: 1 piece



CXS DIRK, 1810 001 711 XX

Men's underpants

- waist to the rubber
- final silicon wash

Material: 100 % cotton, interlock

Grammage: 200 g/m²

Size: M - 3XL

Box: 50 pieces

Unit: 1 piece



CXS BOXER, 1810 002 711 XX

Men's knickers

- waist to the rubber
- sweeping cut
- final silicon wash

Material: 100 % cotton, single jersey

Grammage: 140 g/m²

Size: M - 3XL

Box: 50 pieces

Unit: 1 piece



CXS ROCKY, 1810 003 800 XX

Men's knickers

- waist to the rubber

Material: 95 % cotton 5 % elastane

Grammage: 200 g/m²

Size: M - 3XL

Box: 50 pieces

Unit: 1 piece



CXS NICK, 1810 033 414 XX

Men's knickers

- waist to the rubber

Material: 95 % modal 5 % elastane

Grammage: 200 g/m²

Size: M - 3XL

Box: 50 pieces

Unit: 1 piece



SOCKS

CXS FREEHEM, 1830 076 800 XX

Socks

- smooth
- elastic
- elastic hem
- moisture wicking
- 3 pairs per pack

Material: 80 % cotton 15 % polyamide 5 % elastane

Size: 36 - 38, 39 - 41, 42 - 44, 45 - 47

Box: 80 packs

Unit: 1 pack

NEW



CXS WARMSTEP, 1830 080 700 XX

Socks

- functional
- elastic
- foot and calf made of terry fabric
- reinforced foot, ankle, and Achilles areas
- thermo isolation quality
- reduce the sensation of cold

Material: 44 % cotton 38 % polypropylene

15 % polyamide 3 % elastane

Size: 40 - 42, 43 - 45, 46 - 47

Unit: 1 pair

WINTER
NEW



CXS MERINOFLEX, 1830 081 414 XX

Socks

- merino wool naturally regulates temperature and keeps feet dry
- functional
- elastic
- terry
- thermo isolation quality

Material: 28 % merino wool 28 % acrylic, 23 % nylon,

18 % polyester, 3 % spandex

Size: 37, 39, 42, 45, 47

Unit: 1 pair

WINTER
NEW



MERINO WOOL

SOCKS

CXS VERDE, 1830 078 XXX XX

Socks

- smooth
- elastic
- elastic hem
- 3 pairs per pack

Material: 80 % cotton 15 % polyester 5 % elastane

Size: 36, 39, 42, 45, 48

Box: 20 pack

Unit: 1 pack



CXS CAVA, 1830 061 XXX XX

Socks

- smooth
- fine hem

Material: 100 % cotton

Size: 36 - 38, 39 - 41, 42 - 44, 45 - 47

Box: 60 pairs

Unit: 1 pair



CXS LOWER, 1830 055 XXX XX

Socks

- low
- smooth
- elastic hem
- suitable for sneakers, moccasins and espadrilles
- antislip silicone stripes on heel inside
- 3 pairs per pack

Material: 75 % cotton 23 % nylon 2 % elastane

Size: 35 - 38, 39 - 42, 43 - 46

Box: 120 pack

Unit: 1 pack



CXS NEVIS, 1830 056 XXX XX

Socks

- functional (moisture removing)
- summer
- low
- elastic
- smooth

Material: 40 % MODAL 40 % cotton 9 % polypropylene
8 % polyester 3 % elastane

Size: 39, 42, 46

Unit: 1 pair



CXS PACK, 1830 051 718 XX

Socks

- functional
- elastic
- lower
- terry foot
- 3 pairs per pack

Material: 76 % cotton 21 % polyester
2 % elastane 1 % nylon

Size: 37 - 39, 40 - 42, 43 - 45, 46 - 48

Box: 60 pack

Unit: 1 pack



CXS SOFT, 1830 011 XXX XX

Socks

- functional
- elastic
- lower
- terry foot with polypropylene

Material: 46 % cotton 30 % polypropylene
21 % polyamide 3 % elastane

Size: 39, 42, 45, 48

Unit: 1 pair



CXS COMFORT, 1830 005 800 XX

Socks

- smooth
- elastic
- fine hem
- reinforced heel and spike

Material: 75 % cotton 22 % polypropylene 3 % elastane

Size: 39, 42, 45, 47

Unit: 1 pair



SOCKS

CXS THERMMAX, 1830 002 800 XX

Socks

- functional
- elastic
- terry foot with polypropylene

Material: 72 % cotton 18 % polypropylene

6 % polyester 4 % elastane

Size: 39, 42, 45, 47

Unit: 1 pair



CXS THERMOMAX, 1830 006 700 XX

Socks

- functional
- elastic
- terry
- thermo isolation quality
- relieving the feeling of cold

Material: 65 % cotton 30 % polypropylene 5 % elastane

Size: 37, 39, 42, 45, 47

Unit: 1 pair



CXS SKI, 1830 004 700 XX

Socks

- functional
- elastic
- thermo isolation quality
- relieving the feeling of cold
- terry foot with polypropylene

Material: 80 % cotton 16 % polypropylene 4 % elastane

Size: 37, 39, 42, 45, 47

Unit: 1 pair



CAPS & SCARVES

802

804

806

810



CXS LORY, 1820 135 XXX 00

Multifunctional scarf
· 9 different usage

Material: 95 % polyester 5 % elastane
Size: UNI
Box: 200 pieces
Pack: 10 pieces
Unit: 1 piece



CXS TOBY, 1820 133 801 00

Multifunctional scarf
· 9 different usage

Material: 100 % polyester - fleece
Size: UNI
Box: 200 pieces
Pack: 10 pieces
Unit: 1 piece



CXS DARREN, 1820 117 800 00

Multifunctional scarf
· 9 different usage
· commercial printing

Material: 100 % polyester
Size: UNI
Box: 200 pieces
Pack: 10 pieces
Unit: 1 piece



CXS DARREN, 1820 116 810 00

Cap
· reversible
· commercial printing

Material: 92 % polyester 8 % elastane
Size: UNI
Box: 120 pieces
Pack: 12 pieces
Unit: 1 piece

the other side



CAPS & SCARVES

CXS GAMAY, 1820 077 XXX 00

Cap

- lightweight and stylish
- 6 panels
- perforated back panels for ventilation
- reinforced front panels with ventilation holes

Material: 97 % cotton 3 % elastane

Size: UNI

Box: 100 pieces

Pack: 10 pieces

Unit: 1 piece

NEW



400



backside



722



backside



414



800



backside



518



backside

CXS ELY, 1115 002 XXX 00

Cap

- cap with a peak
- reflective elements
- 6 panels
- velcro strap
- mesh back part

Material: 100 % polyester

Size: UNI

Box: 100 pieces

Unit: 1 piece



150



backside



200



backside



NEW COLOUR

100



NEW COLOUR

414



NEW COLOUR

416



NEW COLOUR

700



NEW COLOUR

800



backside

CXS FERDA, 1820 003 XXX XX

Hat

- textile
- simple loose cut
- embroidered air-holes

Material - white: twill 100 % cotton

Material - black: twill 65 % polyester 35 % cotton

Grammage: 190 g/m²

Size: 56 - 58, 60 - 62

Box: 100 pieces

Pack: 10 pieces

Unit: 1 piece

100

700



CXS JACK, 1820 001 XXX 00

Cap

- sandwich cap with a peak
- 6 panels
- reflective stripe in the peak
- metal clip
- embroidered air-holes

Material: 100% brushed cotton

Grammage: 260 g/m²

Size: UNI

Box: 100 pieces

Pack: 50 pieces

Unit: 1 piece

416

backside



100

216

250

413

414

500

700

800



CXS PHIL, 1820 002 XXX 00

Cap

- cap with a peak
- 5 panels
- plastic closure
- embroidered air-holes

Material: 100 % cotton

Grammage: 160 g/m²

Size: UNI

Box: 100 pieces

Pack: 50 pieces

Unit: 1 piece

414

backside



100

413

800



CAPS & SCARVES

CXS CAMO, 1820 054 524 00

Cap

- with a peak
- adjustable size
- 5 panels
- hydrophobic treatment

Material: twill 65 % polyester 35 % cotton

Size: UNI

Box: 100 pieces

Pack: 20 pieces

Unit: 1 piece



backside



CXS XAVER, 1820 142 800 00

Cap

- cap with a peak
- reflective printing
- 6 panels
- plastic closure

Material: 100 % polyester

Size: UNI

Box: 100 pieces

Pack: 10 pieces

Unit: 1 piece



FINAL SALE



backside



802

805

806



710



CXS LOKI, 1820 157 XXX 00

Cap

- knitted
- double layer
- fleece lining

Material: 100 % acrylic

Lining: 100 % polyester - fleece

Size: UNI

Box: 60 pieces

Unit: 1 piece

WINTER



700

800

166



CXS TYNAN, 1115 049 XXX 00

Hat with LED light

- knitted
- double-layer
- run time: 1 - 8 hours depending on used mode
- power supply: USB
- 3 light modes
- yellow version with reflective stripe

Material + grammage: 100 % acrylic,

166: 95 % acrylic 5 % polyester

Luminous flux: 150 lm

Size: UNI

Box: 120 pieces

Pack: 12 pieces

Unit: 1 piece



CXS IVANUS, 1820 007 710 00

Hat

- knitted
- reflective stripe
- fleece lining
- double layer

Material: 100 % acrylic

Lining: 100 % polyester fleece

Size: UNI

Box: 60 pieces

Pack: 10 pieces

Unit: 1 piece



CXS IVAN, 1820 006 800 00

Hat

- double layer
- knitted

Material: 100 % acrylic

Size: UNI

Box: 60 pieces

Pack: 10 pieces

Unit: 1 piece



CAPS & SCARVES

CXS KULICH, 1820 011 800 00

Cap

- knitted
- double layer
- ribbed knit

Material: 100 % acrylic

Size: UNI

Box: 60 pieces

Pack: 10 pieces

Unit: 1 piece



WINTER



CXS EVAN, 1820 146 800 00

Balaclava

- mesh panel over mouth and nose for better breathing

Material: 95 % polyester 5 % elastane

Size: UNI

Box: 60 pieces

Pack: 10 pieces

Unit: 1 piece



WINTER



CXS TED, 1820 015 800 00

Balaclava

- elastic face and neck opening

Material: 70 % cotton 30 % polyester

Size: UNI

Box: 60 pieces

Pack: 10 pieces

Unit: 1 piece



WINTER



CXS DAN, 1820 016 800 00

Balaclava

- knitted
- ribbed knit
- double layer

Material: 100 % acrylic

Size: UNI

Box: 60 pieces

Pack: 10 pieces

Unit: 1 piece



WINTER



ACCESSORIES



CXS KALU, 6110 126 800 00

Textile belt

- quick-release plastic buckle with CXS logo
- can be adjusted and secured at any desired length
- loose extra loop for attaching the end of the belt
- blister

Material: 100 % nylon

Size (w.l.): 3,8 x 130 cm

Box: 50 pieces

Unit: 1 piece



CXS TANO, 6110 116 800 13

Leather belt

- elegant design
- possibility to shorten to the individual length
- thickness 2 - 3 mm
- loose extra loop for attaching the end of the belt
- zinc alloy buckle (nickel-free)

Material: buffalo grain leather

Size (w.l.): 4 x 130 cm

Box: 50 pieces

Unit: 1 piece



CXS WASCO

Textile belt

- zinc alloy buckle (nickel-free)
- the belt can be fasten in any place of the tangled material
- blister

Material: 70 % polypropylene 30 % latex

Size (w.l.): code 6110 110 800 11 - 4 x 110 cm

Size (w.l.): code 6110 110 800 13 - 4 x 130 cm

Box: 50 pieces

Unit: 1 piece



CXS NAVAH

Textile belt

- high quality metal buckle with CXS logo made of zinc alloy (nickel-free)
- simple patent closing
- the buckle allows individual length adjustment

Material: 55 % polyester 45 % cotton

Size (w.l.): code 6110 003 800 00 - 4 x 125 cm

Size (w.l.): code 6110 003 800 15 - 4 x 150 cm

Box: 50 pieces

Unit: 1 piece



ACCESSORIES

CXS KARUK, 6110 092 700 00

Textile belt

- high-quality metal buckle with CXS logo
- copper alloy (nickel-free) buckle
- allows individual length adjustment
- blister

Material: 55 % polyester 45 % cotton

Size (w.l.): 3,5 x 125 cm

Box: 50 pieces

Unit: 1 piece



CXS SUTAJ, 6110 006 800 00

Textile belt

- high quality metal buckle with CXS logo
- made of zinc alloy (nickel-free)

Material: 100 % polyamide

Size (w.l.): 4 x 125 cm

Box: 100 pieces

Pack: 10 pieces

Unit: 1 piece



CXS TWANA

Leather belt

- thickness 2,5 - 2,7 mm
- stainless steel clasp with nickel content

Material: buffalo grain leather

Size (w.l.): code 6110 004 800 11 - 4 x 110 cm

Size (w.l.): code 6110 004 800 00 - 4 x 130 cm

Size (w.l.): code 6110 004 800 15 - 4 x 150 cm

Box: 100 pieces

Unit: 1 piece



CXS DARREN, 1900 001 800 00

Braces

- width 5 cm
- commercial printing

Material: 56 % polyester yarn 44 % latex yarn

Size: UNI

Box: 50 pieces

Unit: 1 piece



detail



CXS BRACES, 1900 001 999 00

Braces

- width 4 - 5 cm

Material: elastic polyester

Size: UNI

Box: 25 pieces

Unit: 1 piece



CXS TROMSO, 6110 122 000 00

Heated lumbar belt

- provides back support and warmth
- relieves pain and tension in the lumbar area
- mechanical switch allows intuitive control and 3 heating levels (30 °C / 40 °C / 50 °C)
- heating powered by a power bank connected via USB cable
- pocket for storing the power bank
- powerbank excluded

Material: 87 % nylon 13 % elastane

Heating temperature: 30 - 50 °C

Size: XL / 2XL (length: 120 cm)

Box: 16 pieces

Unit: 1 piece



CXS BONEKAN KIDNEY BAND, 1900 002 700 00

Kidney band

- artificial fur lining

Material: twill 100 % cotton

Grammage: 240 g/m²

Lining: 100 % polyester

Size: UNI

Box: 50 pieces

Pack: 10 pieces

Unit: 1 piece



CXS WAIST SUPPORT, 6110 069 803 XX

Waist support

- fastening with velcro
- strong stripes on the back
- adjustable orange stripes

Material: 60% neoprene 20% nylon 15% polyester 5% polyethylene

Size: M -L, XL - 2XL, 3XL - 4XL

Box: 20 pieces

Unit: 1 piece

detail of the fastened belt





FOOTWEAR

ESD CERTIFICATION	267
WORK AND SAFETY FOOTWEAR STANDARDS	268
INDEX	274

WORK FOOTWEAR

CXS FIBELINE	282
CXS UNIVERSE	286
CXS TEXTLINE	292
CXS LAND	300
CXS ROCK	304
CXS PROFIT	308
CXS DOG	309
CXS MICHELIN	311
CXS SAFETY STEEL	313
CXS STONE	314
CXS ROAD	318
CXS WORK	322
WHITE AND WORK FOOTWEAR	323
CXS ISLAND	326

LEISURE FOOTWEAR

CXS ISLAND	332
PRESTIGE	334
BESTARD	336
CXS GO-TEX	339
BAREFOOT	342
SANDALS	344
SLIDES	346
BOOTS	348
CXS WINTER	352
ACCESSORIES	353



HOW TO SET THE CORRECT CODE?

Product code - you can select the desired size available with the product by putting the code after the double-digit **XX**.

CXS PRODUCT, 1234 567 890 XX

Size: 37 - 48

Upper: split nubuck leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S3S FO SR

Box: 10 pairs

Unit: 1 pair

SIZE CHART

EU	UK	cm*
34	2	22,9
35	3	23,1
36	3,5	23,6
37	4	24,2
38	5	24,9
39	6	25,5
40	6,5	26,1
41	7	26,8
42	8	27,5

EU	UK	cm*
43	9	28,2
44	9,5	28,8
45	10	29,5
46	11	30,1
47	12	30,9
48	13	31,5
49	14	32,1
50	15	32,4

Size and length information may vary depending on cut, brand and manufacturer.

* The value given in the table indicates the length of the inner insole in cm.

CERTIFIED ESD FOOTWEAR

ESD footwear is antistatic footwear that safely and controllably dissipates accumulated static electricity from the body, thereby protecting sensitive electronic equipment (such as circuit boards, microchips, etc.) from damage. ESD footwear is also intended for use in explosive or ignition-risk environments where flammable vapors may be present.



What is Electrostatic Discharge (ESD)?

Electrostatic discharge occurs when electricity rapidly passes between two differently charged objects or persons, either through direct physical contact or in very close proximity. The discharge lasts only a fraction of a second and is often visible as a spark.

ESD frequently causes "latent damage" that may only become apparent over time in the form of degraded functionality or

other operational issues. During the manufacturing of electronic components (such as circuit boards), even a very small discharge can cause invisible damage. Contaminated or defective footwear can compromise ESD protection and increase the risk of failure.

Limitations

ESD certification should not be confused with electrical safety properties.

If work is performed near live electrical equipment, national safety regulations must be strictly followed.

What Influences Electrostatic Discharge?

For ESD footwear to function properly, both personal equipment and the workplace must be conductive. Factors that influence electrostatic discharge include: Type of clothing material, Nature of contact, Use of antistatic wristbands, Speed of movement, Cleanliness of the workplace, Air humidity. A thorough risk assessment should always be performed in every working environment to ensure the safety of personnel, handled or processed substances and materials, as well as the equipment being used.



PICTOGRAMS

	Composite toe cap		Available on request
	Steel toe cap and steel midsole		Blister-packed
	Steel toe cap		Leather
	Made in EU		Waterproof TPU membrane
	Made in CZ		Waterproof CX-SHIELD membrane
	ESD protection		Metal-free footwear
	Winter version		Recycled material
	Women's version		Lightweight footwear
	Reflective elements		Footwear category

Like protective footwear, safety footwear includes a protective toe cap. However, it offers a higher level of protection, specifically: Resistance to impact energy of at least 200 joules, Resistance to compression force of at least 15 kN. Safety footwear is classified using the letter “S” in combination with the letter “B” or a number from 1 to 5 (e.g., S1, S3).

EN ISO 20345:2011 OVERVIEW

Category		Toe Cap Protection	Enclosed heel	A Antistatic features	E Energy absorption in the heel area	FO Fuel/Oil resistance	WRU Water Resistant Upper	Cleated sole	P Penetration Resistance
I., II.	SB	•	X	X	X	X	X	X	X
I.	S1	•	•	•	•	•	X	X	X
I.	S2	•	•	•	•	•	•	X	X
I.	S3	•	•	•	•	•	•	•	•
II.	S4	•	•	•	•	•	•	X	X
II.	S5	•	•	•	•	•	•	•	•

Among the essential properties of occupational, protective, and safety footwear is resistance to slipping, classified under one of three slip-resistance categories – see the table below for details.

	Requirement	Symbol	Category	
Complete footwear	Slip resistance	Marking	I.	II.
	Slip resistance on ceramic tile floor with SLS	SRA	•	•
	Slip resistance on steel floor with glycerol	SRB		
	Slip resistance on both ceramic tile floor with SLS and steel floor with glycerol	SRC		

Occupational footwear, unlike protective and safety footwear, does not include a protective toe cap designed to shield the foot from impact and compression. Occupational footwear is designated by the letter 'O' in combination with the letter 'B' or a number from 1 to 5.

EN ISO 20347:2012 OVERVIEW



Category		Enclosed heel	A Antistatic features	E Energy absorption in the heel area	WRU Water Resistant Upper	Cleated sole	P Penetration Resistance
I, II.	OB	X	X	X	X	X	X
I.	01	.	.	.	X	X	X
I.	02	.	.	.	.	X	X
I.	03	.	.	.	.	.	.
II.	04	.	.	.	.	X	X
II.	05	.	.	.	.	.	.

The update of the EN ISO 20345 and EN ISO 20347 standards introduced stricter testing methods and reflected the use of new materials, which led to changes in some safety markings. It is important to check which version (2011 or 2022) the safety or occupational footwear has been certified under.

The revised EN ISO 20345:2022 and EN ISO 20347:2022 standards apply to all safety and occupational footwear placed on the market after April 2023, provided that no valid certificate was issued before the end of March 2023. As certificates are valid for five years, both the old and new standard markings will appear side by side for some time. The following section summarizes the most important changes:

1. Slip Resistance

The previous slip resistance markings SRA, SRB, and SRC will no longer be used. The SRA-level test is now part of the basic requirement for all footwear. If the footwear undergoes additional slip testing, it will be marked with the symbol SR. The SR test is conducted on ceramic tile with glycerol, simulating oily work surfaces. Footwear that cannot be tested under these conditions (e.g. shoes with spikes) will be marked with the Ø symbol.

2. Puncture Resistance

In the older version, P indicated puncture resistance for all materials. In the new standard: P = metal midsole, PL = non-metal midsole tested with a 4.5 mm nail, PS = non-metal midsole tested with a 3 mm nail

3. Resistance to Fuel and Oil (FO)

Resistance to fuel and hydrocarbons (FO) is no longer a mandatory requirement. As with occupational footwear, this feature will now be marked separately for safety footwear.

4. Water Resistance

The previous marking WRU (water-resistant upper) is now divided into: WPA = water penetration and absorption (material-level protection), WR = water resistance of the entire footwear (whole-shoe test)

5. Expansion of Protection Levels

The original five protection levels have been expanded to seven. Safety footwear will now be marked as: SB, S1–S7 Occupational footwear: OB, O1–O7 Levels S6/S7 and O6/O7 indicate footwear that is fully water-resistant and belongs to Class I (non-rubber, non-polymeric footwear).

EN ISO 20345:2022 OVERVIEW

Category	Protective toe cap	Slip resistance (former SRA test)	Enclosed heel	A Antistatic features	E Energy absorption in the heel area	p*	PL**	PS***	WPA Water Penetration and Absorption	Cleated sole	WR Water Resistant
I., II. SB	•	•	X	X	X	X	X	X	X	X	X
I. S1	•	•	•	•	•	X	X	X	X	X	X
I. S1P	•	•	•	•	•	•	X	X	X	X	X
I. S1PL	•	•	•	•	•	X	•	X	X	X	X
II. S1PS	•	•	•	•	•	X	X	•	X	X	X
II. S2	•	•	•	•	•	X	X	X	•	X	X
II. S3	•	•	•	•	•	•	X	X	•	•	X
II. S3L	•	•	•	•	•	X	•	X	•	•	X
II. S3S	•	•	•	•	•	X	X	•	•	•	X
II. S4	•	•	•	•	•	X	X	X	X	X	X
II. S5	•	•	•	•	•	•	X	X	X	•	X
II. S5L	•	•	•	•	•	X	•	X	X	•	X
II. S5S	•	•	•	•	•	X	X	•	X	•	X
II. S6	•	•	•	•	•	X	X	X	•	X	•
II. S7	•	•	•	•	•	•	X	X	•	•	•
II. S7L	•	•	•	•	•	X	•	X	•	•	•
II. S7S	•	•	•	•	•	X	X	•	•	•	•

* P – metal penetration-resistant insert, test nail Ø 4.5 mm

** PL – non-metallic penetration-resistant insert, test nail Ø 4.5 mm

*** PS – non-metallic penetration-resistant insert, test nail Ø 3.0 mm



OCCUPATIONAL FOOTWEAR STANDARDS EN ISO 20347:2022

The updated EN ISO 20347:2022 introduces two new protection levels: 06 and 07. Additionally, occupational footwear with puncture-resistant soles will now be marked with the letters "L" or "S", depending on the type of insert used.

EN ISO 20347:2022 OVERVIEW

Category		Protective toe cap	Slip resistance (former SRA test)	Enclosed heel	A Antistatic features	E Energy absorption in the heel area	P*	PL**	PS***	WPA Water Penetration and Absorption	Cleated sole	WR Water Resistant
I., II.	0B	X	•	X	X	X	X	X	X	X	X	X
I.	01	X	•	•	•	•	X	X	X	X	X	X
I.	02	X	•	•	•	•	X	X	X	•	X	X
I.	03	X	•	•	•	•	•	X	X	•	•	X
II.	03L	X	•	•	•	•	X	•	X	•	•	X
II.	03S	X	•	•	•	•	X	X	•	•	•	X
II.	04	X	•	•	•	•	X	X	X	X	X	X
II.	05	X	•	•	•	•	•	X	X	X	•	X
II.	05L	X	•	•	•	•	X	•	X	X	•	X
II.	05S	X	•	•	•	•	X	X	•	X	•	X
II.	06	X	•	•	•	•	X	X	X	•	X	•
II.	07	X	•	•	•	•	•	X	X	•	•	•
II.	07L	X	•	•	•	•	X	•	X	•	•	•
II.	07S	X	•	•	•	•	X	X	•	•	•	•

* P – metal penetration-resistant insert, test nail Ø 4.5 mm

** PL – non-metallic penetration-resistant insert, test nail Ø 4.5 mm

*** PS – non-metallic penetration-resistant insert, test nail Ø 3.0 mm

ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS WITH CORRESPONDING SYMBOLS

SYMBOL EN ISO 20347 EN ISO 20346 EN ISO 20345		REQUIREMENTS
<i>E</i>		<i>Energy absorption in the heel area</i>
<i>A</i>		<i>Antistatic footwear</i>
<i>C</i>		<i>Conductive footwear</i>
<i>CI</i>		<i>Cold insulation of the sole</i>
<i>HI</i>		<i>Heat insulation of the sole</i>
<i>HRO</i>		<i>Heat resistant outsole</i>
<i>M</i>		<i>Metatarsal protection</i>
<i>AN</i>		<i>Ankle protection</i>
<i>CR</i>		<i>Cut-resistant upper</i>
<i>FO</i>		<i>Outsole resistant to fuel and oil</i>
<i>P</i>		<i>Puncture-resistant sole (unified marking in the older version)</i>
<i>P</i>		<i>Metallic penetration-resistant insert, test nail Ø 4.5 mm</i>
<i>PL</i>		<i>Non-metallic penetration-resistant insert, test nail Ø 4.5 mm</i>
<i>PS</i>		<i>Non-metallic penetration-resistant insert, test nail Ø 3.0 mm</i>
<i>LG</i>		<i>Ladder grip – defined heel area</i>
<i>SR</i>		<i>Additional slip resistance test</i>
<i>WRU</i>		<i>Water Resistant Upper</i>
<i>WR</i>		<i>Water Resistant</i>
<i>WPA</i>		<i>Water penetration and absorption resistance of the upper</i>
<i>SC</i>		<i>Abrasion-resistant toe cover / Scuff cap protection</i>



*Metallic penetration-resistant insert,
test nail Ø 4.5 mm*



*Non-metallic penetration-resistant insert,
test nail Ø 4.5 mm*



*Non-metallic penetration-resistant insert,
test nail Ø 3.0 mm*



*Upper resistant to water
penetration and absorption*



*Whole footwear resistant
to water penetration*

INDEX

OB

page
324



CXS WHITE BEA

page
324



CXS WHITE PAOLA

page
324



CXS WHITE MIKA

page
324



CXS WHITE MISA

WOMEN



CXS URAN

page
349



CXS ERIS

page
349



CXS MERKUR

page
350



CXS ATEN

WOMEN

page
350



CXS APOLLO

page
350



CXS FROSTA

WINTER

page
351



CXS BRUNO

WINTER

page
351

01



CXS FIBELINE FLOREA 01

NEW

page
282



CXS TEXLINE 4ENVI GREEN 01

page
292



CXS TEXLINE BURU 01

page
293



CXS TEXLINE BOSUT 01

page
294



CXS TEXLINE RAVA 01

page
295



CXS TEXLINE KOR NAT 01

page
298



CXS LAND BADU 01

page
300



CXS ROCK PHYLLITE 01

page
307



CXS PROFIT PRIZE 01

FINAL SALE

page
308



CXS PROFIT WIN 01

FINAL SALE

page
308



CXS DOG DOBRMAN 01

page
311



CXS STONE NEFRIT 01

page
314



CXS WORK KALE 01

page
322



CXS WHITE PINE 01

FINAL SALE

page
325



CXS WHITE LINDEN 01

FINAL SALE

page
325



CXS ISLAND NEVIS 01

NEW

page
327



CXS ISLAND SYROS 01

page
328



CXS ISLAND MILOS 01

page
329

02



CXS FIBELINE DORSATA 02

NEW

page
283



CXS FIBELINE MALIFERA 02

NEW

page
285



CXS UNIVERSE COMET 02

page
288

page
289**CXS UNIVERSE
METEOR 02**page
300**CXS LAND HITRA LG 02****NEW**page
304**CXS ROCK DIORIT 02****NEW**page
306**CXS ROCK PEPRIT 02****FINAL SALE WINTER**page
309**CXS DOG BOXER 02**page
310**CXS DOG MALAMUTE 02****WINTER**page
311**CXS MICHELIN OGLIO 02****FINAL SALE**page
312**CXS MICHELIN BRENTA 02****FINAL SALE**page
315**CXS STONE BERYL 02**page
316**CXS STONE APATIT 02**page
317**CXS STONE APATIT
WINTER 02****WINTER****04**page
349**CXS VENUS 04****SB**page
354**VISITOR****S1**page
296**CXS TEXTLINE DOLIN S1**page
296**CXS TEXTLINE SIT S1**page
299**CXS TEXTLINE VIS S1**page
299**CXS TEXTLINE CRES S1**page
299**CXS TEXTLINE RAB S1**page
303**CXS LAND EIVISSA S1**page
303**CXS LAND CABRERA S1**page
311**CXS DOG DOBRMAN S1**page
313**CXS SAFETY STEEL
IRON S1**page
314**CXS STONE NEFRIT S1**page
322**CXS WORK KALE S1**page
322**CXS WORK DRAGO S1**page
325**CXS WHITE PINE S1****FINAL SALE****S1P**page
282**CXS FIBELINE FLOREA S1PS****NEW**page
288**CXS UNIVERSE
SOLAR S1PS**page
292**CXS TEXTLINE 4ENVI
BLUE S1PS**page
293**CXS TEXTLINE
FLORES S1PL**page
294**CXS TEXTLINE
SUMBA S1PL**

INDEX

page
294



**CXS TEXLINE
SAVA S1P**

page
295



**CXS TEXLINE
VUKA S1P**

page
295



**CXS TEXLINE
LOPUD S1PS**

page
297



**CXS TEXLINE
MURTER S1PS**

page
297



**CXS TEXLINE
SILBA S1PS**

page
298



CXS TEXLINE MOLAT S1P

page
298



CXS TEXLINE OLIB S1P

page
301



CXS LAND SAIBAI S1PS

page
301



CXS LAND FALCON S1PS

page
302



CXS LAND FALSTER S1P

page
307



CXS ROCK PHYLLITE S1PS

page
307



CXS ROCK SLATE S1PS

page
308



CXS PROFIT GAIN S1P
FINAL SALE

page
309



CXS PROFIT TOP S1P
FINAL SALE

page
326



CXS ISLAND SABA S1PS
NEW

page
328



CXS ISLAND PAROS S1P

page
329



CXS ISLAND MILOS S1P

page
354



VISITOR INTEGRAL

S2

page
316



CXS STONE PYRIT S2

page
316



CXS STONE MARBLE S2

S3

page
283



CXS FIBELINE DORSATA S3S
NEW

page
284



CXS FIBELINE CERANA S3S
NEW

page
285



CXS FIBELINE MALIFERA S3S
NEW

page
286



**CXS UNIVERSE
CLOUD S3S**

page
286



**CXS UNIVERSE
STRATUS S3S**

page
287



**CXS UNIVERSE
CLUSTER S3**

page
287



**CXS UNIVERSE
SUPERNOVA S3**

page
289



**CXS UNIVERSE
COMET S3S**

page
290



**CXS UNIVERSE
METEOR S3S**

page
290



**CXS UNIVERSE
SOLID S3**

page
291



CXS UNIVERSE ROCKET S3
WINTER

page
291



CXS UNIVERSE SATELLITE S3S
WINTER

page
302



CXS LAND FYN S3S



page
303

CXS LAND SENJA S3S



page
304

CXS ROCK DIORIT S3

NEW



page
305

CXS ROCK APLIT S3

NEW



page
305

CXS ROCK PEPRIT S3

FINAL SALE WINTER



page
306

CXS ROCK GRANITE S3S



page
306

CXS ROCK ORE S3S



page
309

CXS DOG SETTER S3



page
310

CXS DOG BOXER S3



page
310

CXS DOG MALAMUTE S3

WINTER



page
312

CXS MICHELIN SARNO S3

FINAL SALE



page
312

**CXS MICHELIN
SCRIVIA S3**



page
313

**CXS SAFETY STEEL
MANGAN S3**

FINAL SALE



page
313

**CXS SAFETY STEEL
NICKEL S3**

WINTER



page
315

CXS STONE PYRIT S3



page
317

CXS STONE MARBLE S3



page
317

**CXS STONE APATIT
WINTER S3**

WINTER



page
318

**CXS STONE TOPAZ
WINTER S3**

WINTER



page
318

CXS ROAD ELSTON S3S



page
327

CXS ISLAND LIPARI S3

FINAL SALE

S4



page
351

CXS NEPTUN S4

S5



page
348

CXS PALLAS S5

OTHER



page
319

CXS ROAD MADISON



page
319

CXS ROAD LOVEL



page
319

CXS ROAD BELMONT



page
320

CXS ROAD AVERS



page
320

CXS ROAD GRAND



page
321

CXS ROAD GRAND WINTER

ZIMNI



page
321

CXS ROAD INDUSTRY

WINTER



page
323

CXS CORK LISA

WOMEN



page
323

CXS CORK MEGI

WOMEN



page
323

CXS CORK ZETA



page
323

CXS CORK ZETA

WOMEN

INDEX



page
334

PRESTIGE M56810



page
334

**PRESTIGE AIR
M20030-85**



page
335

PRESTIGE



page
335

PRESTIGE



page
335

PRESTIGE SPORT



page
348

CXS PLUTO

**NON-
CERTIFIED**



page
332

CXS ISLAND GRENADA

NEW



page
332

CXS ISLAND BARBADOS



page
333

CXS ISLAND JAVA



page
333

CXS ISLAND GILI



page
337

**BESTARD 2115 KRYPTON
MID**

NEW



page
337

**BESTARD 3350 GRAVITY
MID**

NEW



page
338

BESTARD 2105 KRYPTON

NEW



page
338

BESTARD RANDO II



page
339

CXS GO-TEX LHOCE



page
339

CXS GO-TEX MAKALU



page
340

CXS GO-TEX NUPCE



page
340

CXS GO-TEX MOUNT COOK



page
340

CXS GO-TEX MONT BLANC



page
341

CXS SPORT



page
341

**CXS SPORT
NEW COLOUR**



page
341

CXS SPORT



page
342

**CXS PURESTEP
NEW**



page
342

**CXS PURESTEP
NEW WOMEN**



page
343

CXS SEAMAN



page
343

**CXS SEAMAN
WOMEN**



page
344

**CXS SAHARA
FINAL SALE NEW COLOUR**



page
344

CXS SAHARA



page
345

**CXS REG
NEW**



page
346

**CXS TREND
NEW**



page
347

CXS BALOS

page
347



CXS GULF

page
347



CXS FROG

page
352



CXS WINTER SNOW

WINTER

page
352



CXS WINTER LADY

FINAL SALE WOMEN WINTER

page
352



CXS WINTER FROST

FINAL SALE WINTER

page
325



CXS WHITE LIME

FINAL SALE WOMEN

ACCESSORIES

page
348



CXS PLUTO

page
353



CXS CITYMAN

page
353



CXS ICEMAN




page
355



CXS SHOE HORN

NEW

page
355



CXS LAHTI

NEW

page
355



CXS GELFOOT

page
356



CARBON

page
356



SHOE INSOLES

page
356



WINTER SHOE INSOLES

WINTER

page
356



ACTIVE GEL

FINAL SALE

page
357



REFLECTIVE SHOELACES

page
357



SHOELACES

page
357



SHOELACES

page
357



SHOELACES

page
357



SHOELACES

page
357



SHOELACES

page
357



SHOELACES

NEW

CXS FIBELINE

The Fibeline Safety Footwear Collection is designed for those who expect more than just basic protection from their shoes. It combines high durability, comfort, and modern technology – an ideal choice for demanding work environments. These ankle boots feature ESD protection and reflective elements to ensure maximum safety and visibility.

The upper made of brushed, hydrophobic microfiber with perforation allows better air circulation, while the lining made from breathable mesh material and the comfortable HI-POLY insole provide all-day comfort.

The footwear is reinforced at the heel and protected by a rubber toe cap, which extends its lifespan. The upper material is also quick-drying and easy to maintain. The PU/rubber outsole offers excellent stability and safety – it is slip-resistant, antistatic, oil-resistant, and heat-resistant up to 300 °C.

NEW

CXS LAND HITRA LG 02

LAND HITRA 02 Safety Footwear is an ideal choice for working at heights and in demanding conditions. Thanks to the specially designed LG (Ladder Grip) outsole, it offers maximum stability and confidence when moving on ladders. The flexible knitted upper is resistant to water absorption and penetration, making it suitable even for adverse weather conditions. The inner mesh lining, combined with microfiber in the heel area and a comfortable HI-POLY insole, ensures all-day comfort.

TPU toe protection and a reinforced rubber heel provide excellent durability and resistance to wear. Reflective elements enhance visibility and safety in low-light conditions. The PU/rubber outsole is slip-resistant, antistatic, and features effective heel energy absorption, ensuring a stable and safe step in any situation.



VIDEO AVAILABLE



FIBELINE



CXS FIBELINE FLOREA 01, 2133 049 808 XX

Work sandal

- microfiber upper (breathable, durable, and quick-drying)
- abrasion resistant toe cap according to SC (Scuff cap)
- reflective elements
- breathable mesh lining
- reinforced heel with microfibre lining
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C
- ESD properties

Size: 37 - 48

Upper: suede microfiber, rubber, mesh

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20347:2022+A1:2024 01 FO SR SC HRO

Box: 10 pairs

Unit: 1 pair



01



abrasion resistant toe cap according to SC (Scuff cap)



CXS FIBELINE FLOREA S1PS, 2136 097 808 XX

Safety sandal

- microfiber upper (breathable, durable, and quick-drying)
- plastic toe cap and textile anti-penetration insole
- abrasion resistant toe cap according to SC (Scuff cap)
- reflective elements
- breathable mesh lining
- reinforced heel with microfibre lining
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C
- ESD properties

Size: 37 - 48

Upper: suede microfiber, rubber, mesh

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2022 S1PS FO SR SC HRO

Box: 10 pairs

Unit: 1 pair



S1PS





CXS FIBELINE DORSATA 02, 2124 024 808 XX

Work shoe

- perforated microfiber upper (breathable, durable, and quick-drying)
- abrasion resistant toe cap according to SC (Scuff cap)
- reflective elements
- breathable mesh lining
- reinforced heel with microfibre lining
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C
- ESD properties

Size: 37 - 48

Upper: suede microfiber, rubber, mesh

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20347:2022+A1:2024 02 FO SR SC HRO

Box: 10 pairs

Unit: 1 pair



NEW

02



CXS FIBELINE DORSATA S3S, 2128 173 808 XX

Safety shoe

- perforated microfiber upper (breathable, durable, and quick-drying)
- plastic toe cap and textile anti-penetration insole
- abrasion resistant toe cap according to SC (Scuff cap)
- reflective elements
- breathable mesh lining
- reinforced heel with microfibre lining
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C
- ESD properties

Size: 37 - 48

Upper: suede microfiber, rubber, mesh

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2022+A1:2024 S3S FO SR SC HRO

Box: 10 pairs

Unit: 1 pair



NEW

S3S



FIRELINE

special fastening system



outsole resistant to contact heat up to 300 °C



CXS FIBELINE CERANA S3S, 2128 174 808 XX

Safety shoe

- special fastening system
- perforated microfiber upper (breathable, durable, and quick-drying)
- plastic toe cap and textile anti-penetration insole
- abrasion resistant toe cap according to SC (Scuff cap)
- reflective elements
- breathable mesh lining
- reinforced heel with microfibre lining
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C
- ESD properties

Size: 37 - 48

Upper: suede microfiber, rubber, mesh

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2022+A1:2024 S3S FO SR SC HRO

Box: 10 pairs

Unit: 1 pair

NEW



S3S





CXS FIBELINE MALIFERA 02, 2114 047 808 XX

Ankle work boots

- perforated microfiber upper (breathable, durable, and quick-drying)
- abrasion resistant toe cap according to SC (Scuff cap)
- reflective elements
- breathable mesh lining
- reinforced heel with microfibre lining
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C
- ESD properties

Size: 37 - 48

Upper: suede microfiber, rubber, mesh

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20347:2022+A1:2024 02 FO SR SC HRO

Box: 10 pairs

Unit: 1 pair



02



design detail



CXS FIBELINE MALIFERA S3S, 2118 233 808 XX

Ankle safety boots

- perforated microfiber upper (breathable, durable, and quick-drying)
- plastic toe cap and textile anti-penetration insole
- abrasion resistant toe cap according to SC (Scuff cap)
- reflective elements
- breathable mesh lining
- reinforced heel with microfibre lining
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C
- ESD properties

Size: 37 - 48

Upper: suede microfiber, rubber, mesh

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2022+A1:2024 S3S FO SR SC HRO

Box: 10 pairs

Unit: 1 pair



S3S



special fastening system



CXS UNIVERSE CLOUD S3S, 2128 155 808 XX

Safety shoe

- special fastening system
- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- plastic toe cap, Dyna-Flex® insole
- reflective elements
- lining: breathable, abrasion resistant

Size: 37 - 48

Upper: split nubuck leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S3S FO SR

Box: 10 pairs

Unit: 1 pair



S3S



CXS UNIVERSE STRATUS S3S, 2118 210 808 XX

Ankle safety boots

- special fastening system
- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- plastic toe cap, Dyna-Flex® insole
- reflective elements
- lining: breathable, abrasion resistant

Size: 37 - 48

Upper: split nubuck leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S3S FO SR

Box: 10 pairs

Unit: 1 pair



S3S





CXS UNIVERSE CLUSTER S3, 2128 136 808 XX

Safety shoe

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- plastic toe cap, Dyna-Flex® insole
- reflective elements
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C

Size: 37 - 49

Upper: split nubuck leather

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2011 S3 SRC HRO

Box: 10 pairs

Unit: 1 pair



LARGE SIZES

S3



plastic toe cap, Dyna-Flex® insole



CXS UNIVERSE SUPERNOVA S3, 2118 195 808 XX

Ankle safety boots

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- plastic toe cap, Dyna-Flex® insole
- reflective elements
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C

Size: 37 - 49

Upper: split nubuck leather

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2011 S3 SRC HRO

Box: 10 pairs

Unit: 1 pair



LARGE SIZES

S3





CXS UNIVERSE SOLAR S1PS, 2136 025 808 XX

Safety sandal

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- plastic toe cap, Dyna-Flex® insole
- reflective elements
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, slip-resistant, puncture resistant
- ESD properties

Size: 37 - 48

Upper: split nubuck leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S1PS FO SR

Box: 10 pairs

Unit: 1 pair



S1PS



CXS UNIVERSE COMET 02, 2124 014 808 XX

Work shoe

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- reflective elements
- lining: breathable, abrasion resistant
- Outsole: antistatic, oil resistant, slip-resistant

Size: 37 - 48

Upper: split nubuck leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2022 02 FO SR

Box: 10 pairs

Unit: 1 pair



02



hydrophobic split nubuck leather



CXS UNIVERSE COMET S3S, 2128 088 808 XX

Safety shoe

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- plastic toe cap, Dyna-Flex® insole
- reflective elements
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, slip-resistant, puncture resistant

Size: 37 - 48

Upper: split nubuck leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S3S FO SR

Box: 10 pairs

Unit: 1 pair



S3S



lacing detail



CXS UNIVERSE METEOR 02, 2114 020 808 XX

Ankle work boots

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- reflective elements
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, slip-resistant

Size: 37 - 48

Upper: split nubuck leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2022 02 FO SR

Box: 10 pairs

Unit: 1 pair



02



hydrophobic split nubuck leather



CXS UNIVERSE METEOR S3S, 2118 131 808 XX

Ankle safety boots

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- plastic toe cap, Dyna-Flex® insole
- reflective elements
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, slip-resistant, puncture resistant

Size: 35 - 50

Upper: split nubuck leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S3S FO SR

Box: 10 pairs

Unit: 1 pair

WIDE RANGE
OF SIZES
NEW SIZES



S3S



TPU heel protection



CXS UNIVERSE SOLID S3, 2118 079 808 XX

Ankle safety boots

- upper: 1,8 - 2 mm quality cow grain leather
- collar: pig leather
- tongue: cow leather
- reflective elements
- composite toe cap, Dyna-Flex® insole
- reinforced PU overcap
- TPU heel protection
- lining: breathable and abrasion resistant mesh
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C

Size: 38 - 49

Upper: cow grain and pig leather

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2011 S3 SRC HRO

Box: 10 pairs

Unit: 1 pair

LARGE SIZES



S3



reflective elements



CXS UNIVERSE ROCKET S3, 2340 027 808 XX

Insulated mid-calf safety boots

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather, outer TPU heel protection
- completely metal free footwear
- plastic toe cap, Dyna-Flex® insole
- Thinsulate insulation (grammage 200g)
- reflective elements
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, slip-resistant, puncture resistant

Size: 38 - 49

Upper: split nubuck leather

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2011 S3 SRC CI HRO

Box: 10 pairs

Unit: 1 pair

LARGE SIZES
WINTER



3M
Thinsulate
INSULATION

S3



Thinsulate insulation (grammage 200g)



CXS UNIVERSE SATELLITE S3S, 2118 157 808 XX

Insulated ankle safety boots

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- plastic toe cap, Dyna-Flex® insole
- Thinsulate insulation (grammage 200g)
- reflective elements
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, slip-resistant, puncture resistant

Size: 36 - 49

Upper: split nubuck leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S3S FO SR CI

Box: 10 pairs

Unit: 1 pair

LARGE SIZES
WINTER



3M
Thinsulate
INSULATION

S3S



TEXLINE



CXS TEXLINE 4ENVI GREEN 01, 2123 059 810 XX

Work shoe

- made from recycled materials (each pair of shoes contains material from 20 PET bottles)
- completely metal free footwear
- GreenUp® upper made of 100% recycled polyester, washable up to 30 °C
- reinforced heel with microfibre lining
- reflective elements
- breathable 100% recycled fibre mesh lining
- outsole: slip-resistant, antistatic, oil resistant

Size: 36 - 48

Upper: GreenUp® recycled polyester

Lining: mesh made of recycled thread

Outsole: PU/PU

Standard: EN ISO 20347:2022 01 FO SR

Box: 10 pairs

Unit: 1 pair



01



upper made from GreenUp® fabric



CXS TEXLINE 4ENVI BLUE S1PS, 2123 059 810 XX

Safety shoe

- made from recycled materials (each pair of shoes contains material from 20 PET bottles)
- completely metal free footwear
- GreenUp® upper made of 100% recycled polyester, washable up to 30 °C
- plastic toe cap and textile anti-penetration insole (60% recycled polyester)
- reinforced heel with microfibre lining
- reflective elements
- breathable 100% recycled fibre mesh lining
- Outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 36 - 48

Upper: GreenUp® recycled polyester

Lining: mesh made of recycled thread

Outsole: PU/PU

Standard: EN ISO 20345:2022 S1PS FO SR

Box: 10 pairs


Unit: 1 pair



S1PS



detail from the back



CXS TEXTLINE BURU 01, 2123 059 810 XX

Work shoe

- completely metal free footwear
- upper: 2,0 mm mesh polyester, washable up to 30°C
- reinforced heel with microfibre lining
- reflective elements
- breathable non-woven lining
- outsole: slip-resistant, antistatic, oil resistant
- ESD properties

Size: 36 - 48

Upper: polyester

Lining: textile

Outsole: PU

Standard: EN ISO 20347:2022 01 FO SR

Box: 10 pairs

Unit: 1 pair



01



CXS TEXTLINE FLORES S1PL, 2126 116 810 XX

Safety shoe

- completely metal free footwear
- upper: 2,0 mm mesh polyester, washable up to 30°C
- plastic toe cap and textile anti-penetration insole
- reinforced heel with microfibre lining
- reflective elements
- breathable non-woven lining
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant
- ESD properties

Size: 36 - 48

Upper: polyester

Lining: textile

Outsole: PU

Standard: EN ISO 20345:2022 S1PL FO SR

Box: 10 pairs

Unit: 1 pair



S1PL



TEXLINE

CXS TEXLINE SUMBA S1PL, 2126 117 817 XX

Safety shoe

- completely metal free footwear
- upper: 2,0 mm mesh polyester, washable up to 30°C
- plastic toe cap and textile anti-penetration insole
- reinforced heel with microfibre lining
- reflective elements
- breathable non-woven lining
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 36 - 48

Upper: polyester

Lining: textile

Outsole: PU

Standard: EN ISO 20345:2022 S1PL FO SR

Box: 10 pairs

Unit: 1 pair



S1PL



CXS TEXLINE BOSUT 01, 2123 049 810 XX

Work shoe

- completely metal free footwear
- upper: 1,4 - 1,6 mm perforated microfibre combined with breathable textile
- side vents for better breathability
- reinforced PU overcap
- reinforced heel with microfibre lining
- reflective elements
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 37 - 48

Upper: combination of microfibre and textile

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2012 01 FO SRC

Box: 10 pairs

Unit: 1 pair



01



CXS TEXLINE SAVA S1P, 2126 089 810 XX

Safety shoe

- completely metal free footwear, reflective elements
- upper: 1,4 - 1,6 mm perforated microfibre combined with breathable textile
- side vents for better breathability
- reinforced PU overcap
- plastic toe cap and textile anti-penetration insole
- reinforced heel with microfibre lining
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 37 - 48

Upper: combination of microfibre and textile

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2011 S1P SRC

Box: 10 pairs

Unit: 1 pair



S1P



CXS TEXTLINE VUKA S1P, 2126 090 808 XX

Safety shoe

- completely metal free footwear, reflective elements
- upper: 1,4 - 1,6 mm perforated microfibre combined with breathable textile
- side vents for better breathability
- reinforced heel with microfibre lining a reinforced PU overcap
- plastic toe cap and textile anti-penetration insole
- reinforced heel with microfibre lining
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 37 - 48

Upper: combination of microfibre and textile

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2011 S1P SRC

Box: 10 pairs

Unit: 1 pair



S1P



CXS TEXTLINE LOPUD S1PS, 2126 098 806 XX

Safety shoe

- special fastening system
- upper: 1,8 - 2,0 mm polyester
- reinforced microfibre overcap
- composite toe cap, Dyna-Flex® insole
- inner PU heel reinforcement
- reflective elements
- lining: breathable, abrasion resistant textile
- outsole: antistatic, oil resistant, slip-resistant, puncture resistant

Size: 35 - 48

Upper: textile

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S1PS FO SR

Box: 10 pairs

Unit: 1 pair



S1PS



CXS TEXTLINE RAVA 01, 2123 044 810 XX

Work shoe

- completely metal free footwear
- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- inner PU heel reinforcement
- reflective elements
- firm, lightweight, and breathable interior
- Lining: 3D breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant
- ESD properties

Size: 35 - 48

Upper: polyester

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2012 01 FO SRC

Box: 10 pairs

Unit: 1 pair



01



TEXLINE

steel toe cap



CXS TEXLINE DOLIN S1, 2125 107 805 XX

Safety shoe

- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- steel toe cap
- inner PU heel reinforcement
- reflective elements
- firm, lightweight, and breathable interior
- lining: 3D breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 34 - 48

Upper: polyester

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S1 FO SR

Box: 10 pairs

Unit: 1 pair

WIDE RANGE
OF SIZES



S1



steel toe cap



CXS TEXLINE SIT S1, 2125 106 810 XX

Safety shoe

- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- steel toe cap
- inner PU heel reinforcement
- reflective elements
- firm, lightweight, and breathable interior
- lining: 3D breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 50

Upper: polyester

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S1 FO SR

Box: 10 pairs

Unit: 1 pair

WIDE RANGE
OF SIZES



S1



reinforced microfibre overcap



CXS TEXTLINE MURTER S1PS, 2116 046 810 XX

Ankle safety boots

- completely metal free footwear
- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- composite toe cap, Dyna-Flex® insole
- inner PU heel reinforcement
- reflective elements
- lining: 3D breathable, abrasion resistant textile
- outsole: antistatic, oil resistant, slip-resistant, puncture resistant

Size: 35 - 48

Upper: polyester

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S1PS FO SR

Box: 10 pairs

Unit: 1 pair



S1PS



CXS TEXTLINE SILBA S1PS, 2126 060 806 XX

Safety shoe

- completely metal free footwear
- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- composite toe cap, Dyna-Flex® insole
- inner PU heel reinforcement
- reflective elements
- lining: 3D breathable, abrasion resistant textile
- outsole: antistatic, oil resistant, slip-resistant, puncture resistant
- ESD properties

Size: 35 - 50

Upper: polyester

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S1PS FO SR

Box: 10 pairs

Unit: 1 pair

WIDE RANGE OF SIZES



S1PS



TEXLINE

CXS TEXLINE MOLAT S1P, 2126 049 806 XX

Safety shoe

- completely metal free footwear, perforated
- Upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- fiberglass toe cap, Dyna-Flex® insole
- inner PU heel reinforcement
- reflective elements
- lining: 3D breathable, abrasion resistant textile
- outsole: antistatic, oil resistant, slip-resistant, puncture resistant
- ESD properties

Size: 34 - 50

Upper: polyester

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2011 S1P SRC

Box: 10 pairs

Unit: 1 pair



S1P



CXS TEXLINE OLIB S1P, 2126 049 808 XX

Safety shoe

- completely metal free footwear, perforated
- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- fiberglass toe cap, Dyna-Flex® insole
- inner PU heel reinforcement
- reflective elements
- lining: 3D breathable, abrasion resistant textile
- outsole: antistatic, oil resistant, slip-resistant, puncture resistant
- ESD properties

Size: 34 - 50

Upper: polyester

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2011 S1P SRC

Box: 10 pairs

Unit: 1 pair



S1P



CXS TEXLINE KORNAT 01, 2123 032 806 XX

Work shoe

- completely metal free footwear
- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- inner PU heel reinforcement
- reflective elements
- firm, lightweight, and breathable interior
- lining: 3D breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 48

Upper: polyester

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2012 01 FO SRC

Box: 10 pairs

Unit: 1 pair



01



CXS TEXTLINE VIS S1, 2125 076 806 XX

Safety shoe

- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- steel toe cap
- inner PU heel reinforcement
- reflective elements
- firm, lightweight, and breathable interior
- lining: 3D breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 50

Upper: polyester

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S1 FO SR

Box: 10 pairs

Unit: 1 pair

WIDE RANGE
OF SIZES



S1



CXS TEXTLINE CRES S1, 2125 076 803 XX

Safety shoe

- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- steel toe cap
- inner PU heel reinforcement
- reflective elements
- firm, lightweight, and breathable interior
- lining: 3D breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 48

Upper: polyester

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S1 FO SR

Box: 10 pairs

Unit: 1 pair



S1



CXS TEXTLINE RAB S1, 2125 076 808 XX

Safety shoe

- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- steel toe cap
- inner PU heel reinforcement
- reflective elements
- firm, lightweight, and breathable interior
- lining: 3D breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 48

Upper: polyester

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S1 FO SR

Box: 10 pairs

Unit: 1 pair



S1



outsole specially designed for ladder use



CXS LAND HITRA LG 02, 2123 071 806 XX

Work shoe

- LG = Ladder Grip – special sole designed for working on ladders
- water-resistant
- completely metal free footwear
- upper: lightweight and breathable knit with TPU components
- heel reinforced with rubber
- reflective elements
- breathable lining made of polyester mesh and microfiber
- outsole: PU / rubber, oil-resistant, slip-resistant, antistatic, energy absorption in the heel
- comfortable HI-POLY insole

Size: 38 - 48

Upper: polyester, TPU and rubber components

Lining: textile

Outsole: PU / rubber

Standard: EN ISO 20347:2022+A1:2024 02 LG SR SC

Box: 10 pairs

Unit: 1 pair



02



CXS LAND BADU 01, 2123 060 710 XX

Work shoe

- ultralight
- completely metal free footwear
- Upper: lightweight and breathable knit with KPU components
- reflective elements
- breathable polyester lining
- Outsole: EVA/rubber, slip-resistant, antistatic, oil resistant
- ESD properties

Size: 36 - 48

Upper: polyester

Lining: textile

Outsole: EVA / rubber

Standard: EN ISO 20347:2022 01 FO SR

Box: 10 pairs


Unit: 1 pair



01



reflective detail at the back



CXS LAND SAIBAI S1PS, 2126 122 710 XX

Safety shoe

- ultralight
- completely metal free footwear
- upper: lightweight and breathable knit with KPU components
- lightweight nano protective carbon fibre toe cap, anti-foam insole made of non-woven nano fabric
- reflective elements
- breathable polyester lining
- outsole: EVA/rubber, slip-resistant, antistatic, oil resistant
- ESD properties

Size: 36 - 48

Upper: polyester

Lining: textile

Outsole: EVA / rubber

Standard: EN ISO 20345:2022 S1PS FO SR

Box: 10 pairs

Unit: 1 pair



S1PS



ultralight material



CXS LAND FALCON S1PS, 2126 123 705 XX

Safety shoe

- ultralight
- completely metal free footwear
- Upper: lightweight and breathable knit with KPU components
- lightweight nano protective carbon fibre toe cap, anti-foam insole made of non-woven nano fabric
- reflective elements
- breathable polyester lining
- outsole: EVA/rubber, slip-resistant, antistatic, oil resistant

Size: 36 - 48

Upper: polyester

Lining: textile

Outsole: EVA / rubber

Standard: EN ISO 20345:2022 S1PS FO SR

Box: 10 pairs

Unit: 1 pair




S1PS



LAND

overcap reinforced with durable structured PVC



CXS LAND FALSTER S1P, 2126 108 808 XX

Safety shoe

- ultralight
- completely metal free footwear, reflective elements
- upper: 1,8mm polyester combined with TPU components, outer heel and overcap reinforced with durable structured PVC
- fiberglass toe cap and textile anti-penetration insole
- lining: breathable, abrasion resistant textile
- inner heel part reinforced with synthetic PU
- comfortable anatomical removable PU insole
- outsole: EVA/rubber, slip-resistant, antistatic, oil resistant, resistant to punctures and contact heat up to 300°C

Size: 37 - 48

Upper: polyester, PVC and TPU components

Lining: textile

Outsole: EVA / rubber

Standard: EN ISO 20345:2011 S1P SRC HRO

Box: 10 pairs

Unit: 1 pair



S1P



CXS LAND FYN S3S, 2128 144 800 XX

Safety shoe

- Upper: 1,8 - 2 mm hydrophobic cow grain leather, outer TPU toe and heel reinforcement
- abrasion resistant toe cap according to SC (Scuff cap)
- plastic toe cap and textile anti-penetration insole
- reflective elements
- lining: breathable fabric with good absorption properties
- inner PU heel reinforcement
- comfortable removable insert made of knitted fabric, PU and soft ETPU with cushioning effect
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C

Size: 38 - 48

Upper: cow grain leather, TPU components

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2022 S3S HRO FO SC SR

Box: 10 pairs

Unit: 1 pair



S3S



CXS LAND SENJA S3S, 2118 204 800 XX

Ankle safety boots

- upper: 1,8 - 2 mm hydrophobic cow grain leather, outer TPU toe and heel reinforcement
- abrasion resistant toe cap according to SC (Scuff cap)
- plastic toe cap and textile anti-penetration insole
- reflective elements
- lining: breathable fabric with good absorption properties
- inner PU heel reinforcement
- comfortable removable insert made of knitted fabric, PU and soft ETPU with cushioning effect
- outsole: antistatic, oil resistant, slip-resistant, puncture resistant and heat resistant up to 300°C

Size: 38 - 48

Upper: cow grain leather, TPU components

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2022 S3S HRO FO SC SR

Box: 10 pairs

Unit: 1 pair



S3S



CXS LAND EIVISSA S1, 2125 046 806 XX

Safety shoe

- upper: 1,4 - 1,6 mm cow suede leather combined with breathable fabric
- steel toe cap
- reinforced front part made of durable rubber material
- reflective elements
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 48

Upper: combined

Lining: textile

Outsole: rubber

Standard: EN ISO 20345:2022 S1 FO SR HRO

Box: 10 pairs

Unit: 1 pair



S1



CXS LAND CABRERA S1, 2135 065 806 XX

Safety sandal

- upper: 1,4 - 1,6 mm cow suede leather combined with breathable fabric
- steel toe cap
- reinforced front part made of durable rubber material
- reflective elements
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 48

Upper: combined

Lining: textile

Outsole: rubber

Standard: EN ISO 20345:2022 S1 FO SR HRO

Box: 10 pairs

Unit: 1 pair



S1



ROCK



CXS ROCK DIORIT 02, 2114 045 805 XX

Ankle work boots

- upper: 1,6 - 1,8 mm hydrophobic, smooth nubuck leather
- abrasion resistant toe cap according to SC (Scuff cap)
- PVC reflective strip
- PU components
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C

Size: 37 - 48

Upper: nubuck leather

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20347:2022 02 FO SC SR HRO

Box: 10 pairs

Unit: 1 pair



02



hydrophobic, smooth nubuck leather



CXS ROCK DIORIT S3, 2118 229 805 XX

Ankle safety boots

- upper: 1,6 - 1,8 mm hydrophobic, smooth nubuck leather
- steel toe cap, steel insole
- abrasion resistant toe cap according to SC (Scuff cap)
- PVC reflective strip
- PU components
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C

Size: 37 - 48

Upper: nubuck leather

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2022 S3 FO SC SR HRO

Box: 10 pairs

Unit: 1 pair



S3





CXS ROCK APLIT S3, 2128 172 805 XX

Safety shoe

- upper: hydrophobic, smooth nubuck leather
- steel toe cap, steel insole
- abrasion resistant toe cap according to SC (Scuff cap)
- PVC reflective strip
- PU components
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C

Size: 37 - 48

Upper: nubuck leather, polyurethane

Lining: textile

Outsole: PU / rubber

Standard: EN ISO 20345:2022 S3 FO SC SR HRO

Box: 10 pairs

Unit: 1 pair



S3



steel toe cap



CXS ROCK PEPRIT S3, 2118 185 800 XX

Insulated ankle safety boots

- upper: 1,6 - 1,8 mm hydrophobic, smooth nubuck leather
- steel toe cap, steel insole
- reinforced PVC overcap
- Thinsulate insulation (grammage 200g)
- PVC reflective strip
- PU components
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C

Size: 37 - 48

Upper: nubuck leather

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2022 S3 FO SC CI SR HRO

Box: 10 pairs

Unit: 1 pair



3M
Thinsulate
INSULATION

S3



ROCK

CXS ROCK PEPRIT 02, 2114 034 800 XX

Insulated ankle work boots

- upper: 1,6 - 1,8 mm hydrophobic, smooth nubuck leather
- reinforced PVC overcap
- Thinsulate insulation (grammage 200g)
- PVC reflective strip
- PU components
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C

Size: 37 - 48

Upper: nubuck leather

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20347:2022 02 FO SC CI SR HRO

Box: 10 pairs

Unit: 1 pair



3M
Thinsulate
INSULATION

02



CXS ROCK GRANITE S3S, 2118 004 800 XX

Ankle safety boots

- upper: 1,6 - 1,8 mm cow, smooth, hydrophobic leather
- completely metal free footwear
- reflective elements
- plastic toe cap, textile anti-penetration insole
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C

Size: 36 - 50

Upper: cow smooth leather

Lining: textile

Outsole: PU / rubber

Standard: EN ISO 20345:2022 S3S FO SR HRO

Box: 10 pairs

Unit: 1 pair



S3S



CXS ROCK ORE S3S, 2128 002 800 XX

Safety shoe

- upper: 1,6 - 1,8 mm cow, smooth, hydrophobic leather
- completely metal free footwear
- reflective elements
- plastic toe cap, textile anti-penetration insole
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C

Size: 36 - 50

Upper: cow smooth leather

Lining: textile

Outsole: PU / rubber

Standard: EN ISO 20345:2022 S3S FO SR HRO

Box: 10 pairs

Unit: 1 pair



S3S



CXS ROCK PHYLLITE 01, 2133 030 700 XX

Work sandal

- upper: 1,6 - 1,8 mm cow, suede, perforated leather
- completely metal free footwear
- velcro fastening with PVC reflective strips
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C

Size: 37 - 48

Upper: suede leather

Lining: textile

Outsole: PU / rubber

Standard: EN ISO 20347:2022 01 FO SR HRO

Box: 10 pairs

Unit: 1 pair



01



CXS ROCK PHYLLITE S1PS, 2136 013 700 XX

Safety sandal

- upper: 1,6 - 1,8 mm cow, suede, perforated leather
- completely metal free footwear
- velcro fastening with PVC reflective strips
- plastic toe cap, textile anti-penetration insole
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C

Size: 37 - 48

Upper: suede leather

Lining: textile

Outsole: PU / rubber

Standard: EN ISO 20345:2022 S1PS FO SR HRO

Box: 10 pairs

Unit: 1 pair



S1PS



CXS ROCK SLATE S1PS, 2126 032 700 XX

Safety shoe

- upper: 1,6 - 1,8 mm cow suede leather
- completely metal free footwear
- plastic toe cap, textile anti-penetration insole
- PVC reflective strip
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C

Size: 37 - 48

Upper: suede leather

Lining: textile

Outsole: PU / rubber

Standard: EN ISO 20345:2022 S1PS FO SR HRO

Box: 10 pairs

Unit: 1 pair



S1PS



CXS PROFIT PRIZE 01, 2123 046 810 XX

Work shoe

- upper: 1,4 - 1,6 mm suede leather combined with 1,6 - 1,8 mm smooth split leather with PU coating
- padded textile collar
- reflective elements
- removable comfortable insole
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant

Size: 37 - 48

Upper: suede and grain leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2012 01 FO SRC

Box: 10 pairs

Unit: 1 pair



01



CXS PROFIT GAIN S1P, 2126 083 810 XX

Safety shoe

- upper: 1,4 - 1,6 mm suede leather combined with 1,6 - 1,8 mm smooth split leather with PU coating
- padded textile collar
- steel toe cap and insole
- reflective elements
- removable comfortable insole
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 37 - 48

Upper: suede and grain leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2011 S1P SRC

Box: 10 pairs

Unit: 1 pair



S1P



CXS PROFIT WIN 01, 2113 030 810 XX

Ankle work boots

- upper: 1,4 - 1,6 mm suede leather combined with 1,6 - 1,8 mm smooth split leather with PU coating
- padded textile collar
- reflective elements
- removable comfortable insole
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant

Size: 37 - 48

Upper: suede and grain leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2012 01 FO SRC

Box: 10 pairs

Unit: 1 pair



01



CXS PROFIT TOP S1P, 2116 051 810 XX

Ankle safety boots

- upper: 1,4 - 1,6 mm suede leather combined with 1,6 - 1,8 mm smooth split leather with PU coating
- padded textile collar
- steel toe cap and insole
- reflective elements
- removable comfortable insole
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 37 - 48

Upper: suede and grain leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2011 S1P SRC

Box: 10 pairs

Unit: 1 pair

FINAL SALE



S1P



CXS DOG SETTER S3, 2128 119 411 XX

Safety shoe

- upper: 1,6 - 1,8 mm quality nubuck hydrophobic split leather
- steel toe cap, steel insole
- reflective elements
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 37 - 48

Upper: split nubuck leather

Lining: textile

Outsole: PU / TPU

Standard: EN ISO 20345:2011 S3 SRC

Box: 10 pairs

Unit: 1 pair



S3



CXS DOG BOXER 02, 2114 028 411 XX

Ankle work boots

- upper: 1,6 - 1,8 mm quality nubuck hydrophobic split leather
- reflective elements
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant

Size: 37 - 48

Upper: split nubuck leather

Lining: textile

Outsole: PU / TPU

Standard: EN ISO 20347:2012 02 FO SRC

Box: 10 pairs

Unit: 1 pair



02



DOG

CXS DOG BOXER S3, 2118 176 411 XX

Ankle safety boots

- upper: 1,6 - 1,8 mm quality nubuck hydrophobic split leather
- steel toe cap, steel insole
- reflective elements
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 37 - 48

Upper: split nubuck leather

Lining: textile

Outsole: PU / TPU

Standard: EN ISO 20345:2011 S3 SRC

Box: 10 pairs

Unit: 1 pair



S3



CXS DOG MALAMUTE 02, 2114 033 411 XX

Insulated ankle work boots

- upper: 1,6 - 1,8 mm quality nubuck hydrophobic split leather
- Thinsulate insulation (grammage 200g)
- reflective elements
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant

Size: 37 - 48

Upper: split nubuck leather

Lining: textile

Outsole: PU / TPU

Standard: EN ISO 20347:2012 02 FO CI SRC

Box: 10 pairs

Unit: 1 pair



3M Thinsulate
INSULATION

02



CXS DOG MALAMUTE S3, 2118 184 411 XX

Insulated ankle safety boots

- upper: 1,6 - 1,8 mm quality nubuck hydrophobic split leather
- steel toe cap, steel insole
- Thinsulate insulation (grammage 200g)
- reflective elements
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 37 - 48

Upper: split nubuck leather

Lining: textile

Outsole: PU / TPU

Standard: EN ISO 20345:2011 S3 CI SRC

Box: 10 pairs

Unit: 1 pair



3M Thinsulate
INSULATION

S3



CXS DOG DOBRMAN 01, 2123 043 706 XX

Work shoe

- upper: 1,4 - 1,6 mm suede leather combined with breathable Cambridge textile
- PU reflective elements
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant

Size: 37 - 48

Upper: combined

Lining: textile

Outsole: PU / TPU

Standard: EN ISO 20347:2012 01 FO SRC

Box: 10 pairs

Unit: 1 pair



01



CXS DOG DOBRMAN S1, 2125 103 706 XX

Safety shoe

- upper: 1,4 - 1,6 mm suede leather combined with breathable Cambridge textile
- steel toe cap
- PU reflective elements
- lining: breathable, abrasion resistant
- outsole: slip-resistant, antistatic, oil resistant

Size: 37 - 48

Upper: combined

Lining: textile

Outsole: PU / TPU

Standard: EN ISO 20345:2011 S1 FO SRC

Box: 10 pairs

Unit: 1 pair



S1



CXS MICHELIN OGLO 02, 2124 017 710 XX

Work shoe

- upper: 2,2mm hydrophobic polyester, the outer heel is reinforced with hydrophobic structured microfiber
- reflective elements
- removable insole made of memory foam
- lining: breathable textile
- outsole: PU/rubber MICHELIN, oil resistant, antistatic, slip-resistant, heat resistant up to 300°C

Size: 37 - 47

Upper: hydrophobic polyester, microfiber

Lining: textile

Outsole: PU / rubber MICHELIN

Standard: EN ISO 20347:2012 02 FO HRO SRC

Box: 10 pairs

Unit: 1 pair

FINAL SALE



SOLES
BY



02



CXS MICHELIN SARNO S3, 2128 134 710 XX

Safety shoe

- upper: 2,2mm hydrophobic polyester, the outer heel is reinforced with hydrophobic structured microfiber
- fiberglass toe cap and textile anti-penetration insole
- reflective elements
- removable insole made of memory foam
- lining: breathable textile
- outsole: PU/rubber MICHELIN, oil resistant, antistatic, slip-resistant, puncture resistant and heat resistant up to 300°C

Size: 37 - 47

Upper: hydrophobic polyester, microfiber

Lining: textile

Outsole: PU / rubber MICHELIN

Standard: EN ISO 20345:2011 S3 HRO SRC

Box: 10 pairs

Unit: 1 pair



SOLES
BY



S3



CXS MICHELIN BRENTA 02, 2114 037 710 XX

Ankle work boots

- upper: 2,2mm hydrophobic polyester, the outer heel is reinforced with hydrophobic structured microfiber
- reflective elements
- removable insole made of memory foam
- lining: breathable textile
- outsole: PU/rubber MICHELIN, oil resistant, antistatic, slip-resistant, puncture resistant and heat resistant up to 300°C

Size: 37 - 47

Upper: hydrophobic polyester, microfiber

Lining: textile

Outsole: PU / rubber MICHELIN

Standard: EN ISO 20347:2012 02 FO HRO SRC

Box: 10 pairs

Unit: 1 pair



SOLES
BY



02



CXS MICHELIN SCRIVIA S3, 2118 194 710 XX

Ankle safety boots

- upper: 2,2mm hydrophobic polyester, the outer heel is reinforced with hydrophobic structured microfiber
- fiberglass toe cap and textile anti-penetration insole
- reflective elements
- removable insole made of memory foam
- lining: breathable textile
- outsole: PU/rubber MICHELIN, oil resistant, antistatic, slip-resistant, puncture resistant and heat resistant up to 300°C

Size: 37 - 47

Upper: hydrophobic polyester, microfiber

Lining: textile

Outsole: PU / rubber MICHELIN

Standard: EN ISO 20345:2011 S3 HRO SRC

Box: 10 pairs

Unit: 1 pair



SOLES
BY



S3



SAFETY STEEL

CXS SAFETY STEEL IRON S1, 2135 001 800 XX

Safety sandal

- upper: 1,8 - 1,9 mm grain perforated leather
- steel toe cap
- reflective elements
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 36 - 48

Upper: grain leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2011 S1 SRC

Box: 10 pairs

Unit: 1 pair



S1



CXS SAFETY STEEL MANGAN S3, 2118 001 800 XX

Ankle safety boots

- upper: 1,8 - 1,9 mm hydrophobic grain leather
- steel toe cap, steel insole
- PVC reflective strip
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 37 - 48

Upper: grain leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2011 S3 SRC

Box: 10 pairs

Unit: 1 pair



S3



CXS SAFETY STEEL NICKEL S3, 2310 001 800 XX

Insulated ankle safety boots

- upper: 1,8 - 2 mm hydrophobic grain leather
- PVC reflective strip
- steel toe cap, steel insole
- lining: synthetic fur
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 38 - 48

Upper: grain leather

Lining: synthetic fur

Outsole: PU/PU

Standard: EN ISO 20345:2011 S3 SRC

Box: 10 pairs

Unit: 1 pair



S3



velcro fastening with reflective strip



CXS STONE NEFRIT 01, 2133 003 800 XX

Work sandal

- upper: 1,6 - 1,8 mm cow split embossed, perforated leather
- velcro fastening with reflective strip
- lining: breathable textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 50

Upper: cow split leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2022 01 FO SR

Box: 10 pairs

Unit: 1 pair




LARGE SIZES

01



cow split embossed, perforated leather



CXS STONE NEFRIT S1, 2135 004 800 XX

Safety sandal

- upper: 1,6 - 1,8 mm cow split embossed, perforated leather
- steel toe cap
- velcro fastening with reflective strip
- lining: breathable textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 50

Upper: cow split leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S1 FO SR

Box: 10 pairs

Unit: 1 pair




LARGE SIZES

S1



reflective elements



CX5 STONE BERYL 02, 2123 002 800 XX

Work shoe

- upper: 1,6 - 1,8 mm cow, hydrophobic split embossed leather
- reflective elements
- lining: breathable textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 50

Upper: cow split leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2022 02 FO SR

Box: 10 pairs

Unit: 1 pair

LARGE SIZES



02



steel toe cap, steel insole



CX5 STONE PYRIT S3, 2128 003 800 XX

Safety shoe

- upper: 1,6 - 1,8 mm cow, hydrophobic split embossed leather
- steel toe cap, steel insole
- reflective elements
- lining: breathable textile
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 35 - 50

Upper: cow split leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S3 FO SR

Box: 10 pairs

Unit: 1 pair

LARGE SIZES



S3



STONE

CXS STONE PYRIT S2, 2127 001 800 XX

Safety shoe

- upper: 1,6 - 1,8 mm cow, hydrophobic split embossed leather
- steel toe cap
- reflective elements
- lining: breathable textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 48

Upper: cow split leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S2 FO SR

Box: 10 pairs

Unit: 1 pair



S2



CXS STONE APATIT 02, 2113 002 800 XX

Ankle work boots

- upper: 1,6 - 1,8 mm cow, hydrophobic split embossed leather
- reflective elements
- lining: breathable textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 50

Upper: cow split leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2022 02 FO SR

Box: 10 pairs

Unit: 1 pair



LARGE SIZES

02



CXS STONE MARBLE S2, 2117 001 800 XX

Ankle safety boots

- upper: 1,6 - 1,8 mm cow, hydrophobic split embossed leather
- steel toe cap
- reflective elements
- lining: breathable textile
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 48

Upper: cow split leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S2 FO SR

Box: 10 pairs

Unit: 1 pair



S2



CXS STONE MARBLE S3, 2118 005 800 XX

Ankle safety boots

- upper: 1,6 - 1,8 mm cow, hydrophobic split embossed leather
- steel toe cap, steel insole
- reflective elements
- lining: breathable textile
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 35 - 50

Upper: cow split leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S3 FO SR

Box: 10 pairs

Unit: 1 pair

LARGE SIZES



S3



CXS STONE APATIT WINTER 02, 2310 003 800 XX

Insulated ankle work boots

- upper: 1,6 - 1,8 mm cow, hydrophobic split embossed leather
- reflective elements
- lining: textile, insulated by artificial fur
- outsole: slip-resistant, antistatic, oil resistant

Size: 35 - 50

Upper: cow split leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2022 02 FO CI SR

Box: 10 pairs

Unit: 1 pair

LARGE SIZES
WINTER



02



CXS STONE APATIT WINTER S3, 2118 096 800 XX

Insulated ankle safety boots

- upper: 1,6 - 1,8 mm cow, hydrophobic split embossed leather
- steel toe cap, steel insole
- reflective elements
- lining: textile, insulated by artificial fur
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 35 - 50

Upper: cow split leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S3 FO CI SR

Box: 10 pairs

Unit: 1 pair

LARGE SIZES
WINTER



S3



insulated lining



CXS STONE TOPAZ WINTER S3, 2340 002 800 XX

Insulated mid-calf safety boots

- upper: 1,6 - 1,8 mm cow, hydrophobic split embossed leather
- steel toe cap, steel insole
- reflective strip
- lining: textile, insulated by artificial fur
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant

Size: 37 - 50

Upper: cow split leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2022 S3 FO CI SR

Box: 10 pairs

Unit: 1 pair

LARGE SIZES
WINTER



S3



CXS ROAD ELSTON S3S, 2118 212 600 XX

Ankle safety boots

- upper: 1,8 - 2,0 mm hydrophobic cowhide grain leather with pull up effect (changing shade of the leather over time)
- reinforced TPR overcap
- composite toe cap and insole
- lining: breathable, abrasion-resistant polyester fabric
- outsole: PU/rubber, slip-resistant, antistatic, oil-resistant, resistant to puncture and contact heat up to 300°C

Size: 39 - 48

Upper: Crazy horse leather

Lining: textile

Outsole: PU/rubber

Standard: EN ISO 20345:2022 S3S FO SR HRO

Box: 10 pairs

Unit: 1 pair



S3S



ROAD

CXS ROAD MADISON, 2122 001 600 XX

Work shoe

- upper: 1,6 - 1,8 mm Crazy horse leather
- unique Goodyear welted construction (stitched outsole)
- lining: breathable and abrasion resistant polyester textile
- outsole: slip-resistant, oil resistant

Size: 37 - 48

Upper: Crazy horse leather

Lining: textile

Outsole: rubber

Standard: EN ISO 20347:2012 FO E SRC

Box: 10 pairs

Unit: 1 pair



CXS ROAD LOVEL, 2122 001 800 XX

Work shoe

- upper: 1,6 - 1,8 mm full grain leather
- unique Goodyear welted construction (stitched outsole)
- lining: breathable and abrasion resistant polyester textile
- outsole: slip-resistant, oil resistant

Size: 38 - 48

Upper: grain leather

Lining: textile

Outsole: rubber

Standard: EN ISO 20347:2012 FO E SRC

Box: 10 pairs

Unit: 1 pair



CXS ROAD BELMONT, 2122 001 612 XX

Work shoe

- upper: 1,6 - 1,8 mm nubuck leather
- unique Goodyear welted construction (stitched outsole)
- lining: breathable and abrasion resistant polyester textile
- outsole: slip-resistant, oil resistant

Size: 38 - 48

Upper: nubuck leather

Lining: textile

Outsole: rubber

Standard: EN ISO 20347:2012 FO E SRC

Box: 10 pairs

Unit: 1 pair



stitched outsole



CXS ROAD AVERS, 2112 001 612 XX

Ankle work boots

- upper: 1,6 - 1,8 mm nubuck leather
- unique Goodyear welted construction (stitched outsole)
- lining: breathable and abrasion resistant polyester textile
- outsole: slip-resistant, oil resistant

Size: 38 - 48

Upper: nubuck leather

Lining: textile

Outsole: rubber

Standard: EN ISO 20347:2012 FO E SRC

Box: 10 pairs

Unit: 1 pair



stitched outsole



CXS ROAD GRAND, 2112 001 600 XX

Ankle work boots

- upper: 1,6 - 1,8 mm Crazy horse leather
- unique Goodyear welted construction (stitched outsole)
- lining: breathable and abrasion resistant polyester textile
- outsole: slip-resistant, oil resistant

Size: 37 - 48

Upper: Crazy horse leather

Lining: textile

Outsole: rubber

Standard: EN ISO 20347:2012 FO E SRC

Box: 10 pairs

Unit: 1 pair



insulated lining



CXS ROAD GRAND WINTER, 2310 004 600 XX

Insulated ankle work boots

- upper: 1,6 - 1,8 mm Crazy horse leather
- lining: Breathable, abrasion-resistant polyester fabric insulated with faux fur
- outsole: slip-resistant, oil resistant

Size: 37 - 48

Upper: Crazy horse leather

Lining: synthetic fur

Outsole: rubber

Standard: EN ISO 20347:2012 FO E CI SRA

Box: 10 pairs

Unit: 1 pair



insulated lining



CXS ROAD INDUSTRY, 2310 005 800 XX

Insulated ankle work boots

- upper: 1,6 - 1,8 mm nubuck leather
- lining: Breathable, abrasion-resistant polyester fabric insulated with faux fur
- outsole: slip-resistant, oil resistant

Size: 37 - 48

Upper: nubuck leather

Lining: synthetic fur

Outsole: rubber

Standard: EN ISO 20347:2012 FO E CI SRA

Box: 10 pairs

Unit: 1 pair



CXS WORK KALE S1, 2115 033 600 XX

Ankle safety boots

- upper: 2 - 2,2 mm cow suede leather
- steel toe cap
- covered elastic band for quick slip-on
- lining: 1,2 - 1,4 mm cow suede leather
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C

Size: 39 - 48

Upper: cow suede leather

Lining: cow suede leather

Outsole: PU/rubber

Standard: EN ISO 20345:2022 S1 FO HRO SR

Box: 10 pairs

Unit: 1 pair



S1



CXS WORK KALE 01, 2112 005 600 XX

Ankle work boots

- upper: 2 - 2,2 mm cow suede leather
- covered elastic band for quick slip-on
- lining: 1,2 - 1,4 mm cow suede leather
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C

Size: 39 - 48

Upper: cow suede leather

Lining: cow suede leather

Outsole: PU/rubber

Standard: EN ISO 20347:2022 O1 FO HRO SR

Box: 10 pairs

Unit: 1 pair



O1



CXS WORK DRAGO S1, 2115 027 800 XX

Ankle safety boots

- upper: 1,8 - 2 mm cow split embossed leather
- steel toe cap
- covered elastic band for quick slip-on
- lining: 1,2 - 1,4 mm cow suede leather
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C

Size: 39 - 48

Upper: cow embossed leather

Lining: cow suede leather

Outsole: PU/rubber

Standard: EN ISO 20345:2022 S1 FO HRO SR

Box: 10 pairs

Unit: 1 pair



S1



WHITE AND WORK FOOTWEAR

CXS CORK LISA, 2540 004 100 XX

Work clog

- cow suede leather upper with PU coating
- cow suede leather perforated insole
- outsole with gusset

Size: 35 - 41

Upper: leather/PU

Outsole: EVA

Standard: EN ISO 20347/A1:2007 SRA E

Box: 10 pairs

Unit: 1 pair

WOMEN



CXS CORK MEGI, 2530 003 100 XX

Work sandal

- cow suede leather upper with PU coating
- cow suede leather perforated insole
- heel band
- outsole with gusset

Size: 35 - 41

Upper: leather/PU

Outsole: EVA

Standard: EN ISO 20347/A1:2007 SRA E

Box: 10 pairs

Unit: 1 pair

WOMEN



CXS CORK ZETA, 2540 003 600 XX

Work clog

- cow suede leather perforated insole
- two instep bands

Size: 41 - 46

Upper: leather

Outsole: EVA

Standard: EN ISO 20347/A1:2007 SRA E

Box: 10 pairs

Unit: 1 pair



CXS CORK ZETA, 2540 002 600 XX

Work clog

- cow suede leather perforated insole
- two instep bands

Size: 35 - 41

Upper: leather

Outsole: EVA

Standard: EN ISO 20347/A1:2007 SRA E

Box: 10 pairs

Unit: 1 pair

WOMEN



WHITE AND WORK FOOTWEAR

CXS WHITE BEA, 2540 042 100 XX

Work clog

- upper: 2mm microfibre
- insole: pig leather padded with comfortable sponge
- outsole: slip-resistant, antistatic
- two adjustable front bands with buckles

Size: 35 - 47

Upper: microfibre

Insole: pig leather

Outsole: EVA

Standard: EN ISO 20347:2012 OB E A SRC

Box: 10 pairs

Unit: 1 pair



OB



CXS WHITE PAOLA, 2530 094 100 XX

Work sandal

- upper: 2mm microfibre
- insole: pig leather padded with comfortable sponge
- outsole: slip-resistant, antistatic
- two adjustable front bands with buckles
- heel band

Size: 35 - 47

Upper: microfibre

Insole: pig leather

Outsole: EVA

Standard: EN ISO 20347:2012 OB E A SRC

Box: 10 pairs

Unit: 1 pair



OB



CXS WHITE MIKA, 2530 006 100 XX

Work sandal

- upper: bovine perforated leather
- velcro fastening, adjustable heel strap
- lining: polyester
- comfortable insole made of bovine leather
- outsole: slip-resistant, antistatic

Size: 35 - 46

Upper: bovine leather

Lining: polyester

Outsole: PU

Standard: EN ISO 20347:2012 OB E A SRC

Box: 10 pairs

Unit: 1 pair



OB



CXS WHITE MISA, 2530 005 100 XX

Work sandal

- upper: bovine perforated leather
- adjustable heel strap
- lining: polyester
- comfortable insole made of bovine leather
- outsole: slip-resistant, antistatic

Size: 35 - 41

Upper: bovine leather

Lining: polyester

Outsole: PU

Standard: EN ISO 20347:2012 OB E A SRC

Box: 10 pairs

Unit: 1 pair



OB



CXS WHITE LIME, 2530 007 100 XX

Casual sandal

- upper: bovine perforated leather
- adjustable heel strap
- lining: polyester
- adjustable heel strap
- outsole: PU



Size: 35 - 42

Upper: bovine leather

Lining: polyester

Outsole: PU

Box: 10 pairs

Unit: 1 pair



CXS WHITE PINE 01, 2133 034 100 XX

Work sandal

- upper: 1,8 - 2,0mm perforated microfibre
- 2 bands with velcro fastening
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, oil resistant, antistatic
- ESD properties



Size: 36 - 48

Upper: microfibre

Lining: textile

Outsole: PU

Standard: EN ISO 20347:2022 01 FO SR

Box: 10 pairs

Unit: 1 pair



01



CXS WHITE PINE S1, 2135 057 100 XX

Safety sandal

- upper: 1,8 - 2,0mm perforated microfibre
- steel toe cap
- 2 bands with velcro fastening
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, oil resistant, antistatic
- ESD properties



Size: 36 - 48

Upper: microfibre

Lining: textile

Outsole: PU

Standard: EN ISO 20345:2022 S1 FO SR

Box: 10 pairs

Unit: 1 pair



S1



CXS WHITE LINDEN 01, 2123 020 100 XX

Work shoe

- upper: 1,8 - 2,0mm perforated microfibre
- lining: breathable, abrasion resistant textile
- outsole: slip-resistant, oil resistant, antistatic
- ESD properties



Size: 36 - 48

Upper: microfibre

Lining: textile

Outsole: PU

Standard: EN ISO 20347:2022 01 FO SR

Box: 10 pairs

Unit: 1 pair



01



ISLAND



heat resistant outsole up to 300°C



CXS ISLAND SABA S1PS, 2126 134 810 XX

Safety shoe

- perforated textile upper
- special fastening system
- structured TPU overcap, abrasion-resistant according to SC (Scaff Cap)
- plastic toe cap and textile anti-penetration insole
- reflective elements
- textile lining
- comfortable anatomical removable insole
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C
- ESD properties

Size: 37 - 48

Upper: polyester

Lining: textile

Outsole: EVA/rubber

Standard: EN ISO 20347:2022+A1:2024 S1PS FO SR SC HRO

Box: 10 pairs

Unit: 1 pair

NEW



S1PS



special fastening system



CXS ISLAND NEVIS 01, 2123 067 806 XX

Work shoe

- perforated textile upper
- special fastening system
- structured TPU overcap, abrasion-resistant according to SC (Scuff Cap)
- reflective elements
- textile lining
- comfortable anatomical removable insole
- outsole: slip-resistant, antistatic, oil resistant, heat resistant up to 300°C
- ESD properties

Size: 37 - 48

Upper: polyester

Lining: textile

Outsole: EVA/rubber

Standard: EN ISO 20347:2022+A1:2024 01 FO SR SC HRO

Box: 10 pairs

Unit: 1 pair

NEW



01



CXS ISLAND LIPARI S3, 2128 133 806 XX

Safety shoe

- special fastening system
- upper: hydrophobic fabric (mesh 400g/m²) combined with PVC accessories, microfiber collar
- outer heel and overcap reinforced with durable TPU
- laminate toe cap and textile antipenetrating insole
- reflective elements
- lining: breathable, abrasion resistant
- inner heel part reinforced with microfiber
- outsole: slip-resistant, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C

Size: 37 - 48

Upper: hydrophobic mesh, PVC and TPU components

Lining: textile

Outsole: phylon/rubber

Standard: EN ISO 20345:2011 S3 SRC HRO

Box: 10 pairs

Unit: 1 pair

FINAL SALE



NEW

*We are preparing an updated version compliant with the EN ISO 20345:2022 + A1:2024, S3S HI CI SC FO SR HRO standard, code 2128 178 806 XX.

S3





CXS ISLAND SYROS 01, 2123 039 805 XX

Work shoe

- completely metal free footwear
- upper: combination of KPU and breathable 1,5mm polyester
- reinforced microfibre overcap
- reflective elements
- lining: breathable textile
- outsole: slip-resistant, oil resistant, antistatic
- ESD properties

Size: 35 - 50

Upper: combined

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2012 01 FO SRC

Box: 10 pairs

Unit: 1 pair

LARGE SIZES



01



upper: combination of KPU and breathable 1,5mm polyester



CXS ISLAND PAROS S1P, 2126 067 805 XX

Safety shoe

- completely metal free footwear
- upper: combination of KPU and breathable 1,5mm polyester
- reinforced microfibre overcap
- reflective elements
- composite toe cap and insole Dyna-Flex®
- lining: breathable textile
- outsole: slip-resistant, oil resistant, antistatic, puncture resistant
- ESD properties

Size: 35 - 50

Upper: combined

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2011 S1P SRC

Box: 10 pairs

Unit: 1 pair

LARGE SIZES



S1P





CXS ISLAND MILOS 01, 2123 058 806 XX

Work shoe

- completely metal free footwear
- upper: combination of KPU and breathable 1,5mm polyester
- reinforced microfibre overcap
- reflective elements
- lining: breathable textile
- outsole: slip-resistant, oil resistant, antistatic

Size: 35 - 48

Upper: combined

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2022 01 FO SR

Box: 10 pairs

Unit: 1 pair



01



CXS ISLAND MILOS 51P, 2126 068 806 XX

Safety shoe

- completely metal free footwear
- upper: combination of KPU and breathable 1,5mm polyester
- reinforced microfibre overcap
- reflective elements
- composite toe cap and insole Dyna-Flex®
- lining: breathable textile
- outsole: slip-resistant, oil resistant, antistatic, puncture resistant

Size: 35 - 48

Upper: combined

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20345:2011 S1P SRC

Box: 10 pairs

Unit: 1 pair



S1P



NEW

CXS REG

The lightweight and breathable REG sandal is an ideal choice for summer trips and active leisure. The upper is made from polyester mesh combined with durable PU material, ensuring both airflow and strength. Thanks to the adjustable heel strap and drawstring closure on the instep, the sandal fits the foot perfectly. The soft EVA and rubber outsole absorbs shocks and provides a comfortable step, even on longer walks. The removable EVA insole adds extra comfort with every step.

NEW

CXS PURESTEP

Introducing our new model of barefoot shoes that combines functionality, comfort, and modern design – the ideal choice for natural everyday movement. Available in both men's and women's versions!

The upper is made from breathable 3mm polyester with PVC reinforcements, ensuring optimal airflow while providing resistance to external elements. A practical quick-lacing system with an elastic drawcord allows you to slip the shoes on and off in just seconds. The front of the shoe is protected by a reinforced toe cap made of durable rubber, extending the shoe's lifespan and protecting your toes from impact.

Inside, you'll find a comfortable removable EVA insole that ensures all-day comfort. The wide, flexible barefoot rubber outsole respects the natural shape of the foot, allows free toe movement, and promotes proper posture. Additionally, the outsole enhances stability and balance by actively responding to the ground, supporting improved proprioception.

These barefoot shoes naturally encourage healthier walking and are extremely versatile – perfect for leisure, sports, and everyday wear.

Ortholite®

Anatomical OrthoLite insoles adapt to the shape of the foot, offering antibacterial and breathable properties. They ensure excellent wearing comfort and help prevent the growth of unwanted bacteria and odors.

Ortholite®
comfort foam insoles



ISLAND



CXS ISLAND GRENADA, 2220 058 XXX XX

Casual shoe

- upper: breathable textile
- outsole: EVA

Size: 36 - 48

Upper: polyester, nylon, rubber components

Outsole: EVA

Box: 10 pairs

Unit: 1 pair

NEW



CXS ISLAND BARBADOS, 2220 048 XXX XX

Ankle work boots

- upper: 2 mm thick polyester knit
- outsole: lightweight and comfortable phylon material
- slip resistance on dry and wet surfaces

Size: 36 - 48 (colour 310: 36 - 42)

Upper: textile

Lining: textile

Outsole: phylon

Box: 10 pairs

Unit: 1 pair



upper: breathable fabric and suede leather



CXS ISLAND JAVA, 2220 001 600 XX

Casual shoe

- upper: suede leather and durable Oxford fabric
- reflective elements
- lining: textile and breathable
- outsole: combination of comfortable phylon and durable rubber

Size: 38 - 46

Upper: combined

Lining: textile


Outsole: phylon-rubber

Box: 10 pairs

Unit: 1 pair



upper: suede leather and durable Oxford fabric



CXS ISLAND GILI, 2220 008 706 XX

Casual shoe

- upper: suede leather and durable Oxford fabric
- reflective elements
- lining: textile and breathable
- outsole: combination of comfortable phylon and durable rubber

Size: 38 - 46

Upper: combined

Lining: textile

Outsole: phylon-rubber

Box: 10 pairs

Unit: 1 pair



PRESTIGE

upper made of Italian leather



PRESTIGE M56810, 2112 010 800 XX

Work and sport ankle boots

- upper made of Italian leather with special foil for easy maintenance and long service life
- soft cotton terry lining
- collar made of foam pads
- reflective logo on the heel
- outsole: slip-resistant, fuel resistant, energy-absorbing in the heel

Size: 37 - 48

Upper: leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2012 E FO SRA

Box: 10 pairs

Unit: 1 pair



soft Italian suede upper



PRESTIGE AIR M20030-85, 2129 025 718 XX

Work and sport shoe

- soft Italian suede upper (hairy cowhide with hydrophobic treatment)
- soft cotton terry lining
- outsole: slip-resistant, oil resistant, energy-absorbing in the heel

Size: 37 - 48

Upper: leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2012 E FO SRA

Box: 10 pairs

Unit: 1 pair



PRESTIGE, 2122 002 100 XX

Work and sport shoe

- upper: natural leather
- lining: textile
- outsole: slip-resistant

Size: 35 - 48

Upper: leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2012 E FO SRA

Box: 10 pairs

Unit: 1 pair



PRESTIGE, 2122 002 800 XX

Work and sport shoe

- upper: natural leather
- lining: textile
- outsole: slip-resistant

Size: 35 - 48

Upper: leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2012 E FO SRA

Box: 10 pairs

Unit: 1 pair



PRESTIGE SPORT, 2220 007 800 XX

Work and sport shoe

- upper: natural leather
- lining: textile
- outsole: slip-resistant

Size: 35 - 48

Upper: leather

Lining: textile

Outsole: PU/PU

Standard: EN ISO 20347:2012 E FO SRA

Box: 10 pairs

Unit: 1 pair





SINCE 1940



outsole: Vibram® Impulse



BESTARD 2115 KRYPTON MID, 2210 037 810 XX

Casual ankle boots

- upper: breathable textile water-repellent material HT PET + TPU components
- lining: GORE-TEX® Most breathable
- outsole: Vibram® Impulse
- removable anatomic Ortholite® insole

Size: 39 - 47

Upper: textile

Lining: textile

Outsole: Vibram® Impulse

Box: 10 pairs

Unit: 1 pair

NEW



Ortholite®
comfort foam insoles



lacing detail



BESTARD 3350 GRAVITY MID, 2210 036 700 XX

Trekking ankle boots

- upper: water resistant suede leather, breathable CORDURA®, synthetic rubber
- GORETEX Surround® membrane
- outsole: Vibram Vento (EVA part) + Vibram Megagrip (rubber part)
- removable anatomic Ortholite® insole

Size: 39 - 47

Upper: cow suede leather, Cordura, rubber

Lining: textile

Outsole: VIBRAM® Vento + Vibram Megagrip

Box: 10 pairs

Unit: 1 pair

NEW



CORDURA®
F A B R I C

Ortholite®
comfort foam insoles



outsole
vento



BESTARD

breathable textile water-repellent material



BESTARD 2105 KRYPTON, 2220 053 810 XX

Casual shoe

- upper: breathable textile water-repellent material HT PET + TPU components
- lining: GORE-TEX® Most breathable
- outsole: Vibram® Impulse + PU
- removable anatomic Ortholite® insole

Size: 39 - 47

Upper: textile

Lining: textile

Outsole: Vibram® Impulse

Box: 10 pairs

Unit: 1 pair



Ortholite®
comfort foam insoles



prolonged lacing system



RANDO II, 2129 017 800 XX

Trekking shoe

- upper: waterproof split leather with synthetic rubber
- lining: GORE-TEX® Most breathable
- outsole: Vibram® Tubava + EVA
- prolonged lacing system

Size: 39 - 47

Upper: leather

Lining: textile

Outsole: Vibram® Tubava + EVA

Box: 10 pairs

Unit: 1 pair



GO-TEX



CXS GO-TEX LHOCE, 2210 030 600 XX

Casual ankle boots

- upper: 1,5mm grain leather
- reflective elements
- reinforced rubber overcap and heel protection
- mesh collar
- lining: textile, combined with waterproof membrane CX-SHIELD with TPU film
- removable anatomic Ortholite® insole

Size: 37 - 48

Upper: grain leather

Lining: textile

Outsole: EVA/rubber

Box: 10 pairs

Unit: 1 pair



Ortholite®
comfort foam insoles



waterproof membrane CX-SHIELD



CXS GO-TEX MAKALU, 2210 031 600 XX

Casual ankle boots

- upper: 1,5mm grain leather
- reflective accessory
- reinforced rubber overcap and heel protection
- mesh collar
- lining: textile, combined with waterproof membrane CX-SHIELD with TPU film
- removable anatomic Ortholite® insole

Size: 37 - 48

Upper: grain leather

Lining: combined

Outsole: EVA/rubber

Box: 10 pairs

Unit: 1 pair



Ortholite®
comfort foam insoles



GO-TEX

CXS GO-TEX NUPCE, 2220 049 700 XX

Casual shoe

- upper: 1,5mm grain leather
- reflective accessory
- reinforced rubber overcap
- mesh collar
- lining: textile, combined with waterproof membrane CX-SHIELD with TPU film
- removable anatomic Ortholite® insole

Size: 37 - 48

Upper: grain leather

Lining: textile

Outsole: EVA/rubber

Box: 10 pairs

Unit: 1 pair



Ortholite®
comfort foam insoles



CXS GO-TEX MOUNT COOK, 2122 003 600 XX

Casual shoe

- upper: 2,2 mm nubuck leather
- reflective elements
- waterproof membrane GO-TEX
- lining: sheepskin, textile

Size: 37 - 48

Upper: nubuck leather

Lining: textile

Outsole: phylon-rubber

Box: 10 pairs

Unit: 1 pair



CXS GO-TEX MONT BLANC, 2112 006 600 XX

Casual ankle boots

- upper: 2,2 mm nubuck leather
- reflective strip
- waterproof membrane GO-TEX
- lining: sheepskin, textile

Size: 37 - 48

Upper: nubuck leather

Lining: textile

Outsole: phylon-rubber

Box: 10 pairs

Unit: 1 pair





CXS SPORT, 2220 047 XXX XX

Casual shoe

- upper: softshell, reinforced TPU overcap and heel protection
- reinforced heel with microfibre lining
- reflective elements
- lining: textile mesh
- comfortable anatomical removable insole
- outsole: phylon/rubber

Size: 36 - 48

Upper: softshell, TPU components

Lining: textile

Outsole: phylon/rubber

Box: 10 pairs

Unit: 1 pair



CXS SPORT, 2210 035 810 XX

Casual ankle boots

- upper: softshell, reinforced TPU overcap and heel protection
- reflective elements
- waterproof membrane CX-SHIELD
- lining: textile mesh
- comfortable anatomical removable insole
- outsole: phylon/rubber

Size: 36 - 48

Upper: softshell, TPU components

Lining: mesh

Outsole: phylon/rubber


Box: 10 pairs

Unit: 1 pair



BAREFOOT

reinforced toe cap offers protection against impacts



CXS PURESTEP, 2250 056 710 XX

Barefoot slip-on shoe

- breathable upper
- quick on and off
- reinforced toe cap offers protection against impacts
- stretch strap tightening
- soft and flexible outsole with non-slip profile

Size: 36 - 47

Upper: textile knit, PVC accessories

Outsole: rubber

Box: 10 pairs

Unit: 1 pair



reinforced toe cap offers protection against impacts



CXS PURESTEP, 2250 056 310 XX

Women's barefoot slip-on shoe

- breathable upper
- quick on and off
- reinforced toe cap offers protection against impacts
- stretch strap tightening
- soft and flexible outsole with non-slip profile

Size: 36 - 42

Upper: textile knit, PVC accessories

Outsole: rubber

Box: 10 pairs

Unit: 1 pair



vents in the outsole wick away water and moisture



CXS SEAMAN, 2250 022 810 XX

Barefoot slip-on shoe

- breathable and quick-drying upper
- quick on and off
- stretch strap tightening with reflective elements
- soft and flexible outsole with non-slip profile
- vents in the outsole wick away water and moisture

Size: 36 - 47

Upper: 65% polyester 35 % elastane,
rubber components

Outsole: rubber

Box: 10 pairs

Unit: 1 pair



breathable and quick-drying upper



CXS SEAMAN, 2250 022 431 XX

Women's barefoot slip-on shoe

- breathable and quick-drying upper
- quick on and off
- stretch strap tightening
- soft and flexible outsole with non-slip profile
- vents in the outsole wick away water and moisture

Size: 36 - 42

Upper: 66% polyester 35 % elastane,
rubber components

Outsole: rubber

Box: 10 pairs

Unit: 1 pair



SANDALS



CXS SAHARA, 2230 002 XXX XX

Leisure sandal

- upper: suede leather with textile components
- side vents for better breathability
- stretch strap tightening
- reflective elements

Size: 36 - 46

Upper: leather

Lining: textile

Outsole: phylon-rubber

Box: 10 pairs

Unit: 1 pair



side vents for better breathability



CXS SAHARA, 2230 002 600 XX

Leisure sandal

- upper: suede leather with textile components
- side vents for better breathability
- stretch strap tightening
- reflective elements

Size: 36 - 46

Upper: leather

Lining: textile

Outsole: phylon-rubber

Box: 10 pairs

Unit: 1 pair





CXS REG, 2230 015 XXX XX

Leisure outdoor sandal

- upper: breathable polyester mesh combined with durable PU material
- side vents with mesh for improved air circulation
- better fit thanks to adjustable heel strap and drawstring closure on the instep
- reflective elements
- outsole: soft and comfortable EVA / rubber
- removable EVA insole

Size: 36 - 48

Upper: combined

Lining: textile

Outsole: EVA / rubber

Box: 10 pairs

Unit: 1 pair

NEW



806



532

SLIDES

CXS TREND, 2250 023 XXX XX

Casual clogs

- lightweight and comfortable thanks to EVA material
- easy maintenance
- perforations on the upper for optimal breathability
- variable heel strap
- slip resistance on dry and wet surfaces

NEW

Size:

Pink (301) - 36 - 41
White (109) - 36 - 48
Black marble (821) - 36 - 48
Khaki (532) - 41 - 48
Blue (401) - 41 - 48
Gray (710) - 41 - 48

Material: EVA

Box: 36 pairs

Unit: 1 pair



CXS BALOS, 2250 020 810 XX

Casual slides

Size: 36 - 48
Upper: PVC
Outsole: PVC
Box: 20 pairs
Unit: 1 pair



CXS GULF, 2250 005 808 XX

Casual slides

· slip resistance on dry
and wet surfaces

Size: 36 - 46
Upper: PVC
Outsole: EVA
Box: 30 pairs
Unit: 1 pair



CXS FROG, 2250 001 400 XX

Casual flip-flops

· slip resistance on dry
and wet surfaces

Size: 35 - 48 (without 36,40,44)
Upper: PVC
Outsole: PE
Box: 30 pairs
Unit: 1 pair



BOOTS

CXS PALLAS S5, 2464 038 511 XX

Rubber safety boots

- steel toe cap and insole
- energy absorption of heel region
- outsole: slip-resistant, antistatic, oil resistant

Size: 38 - 48

Upper: PU

Outsole: PU

Standard: EN ISO 20345:2011 S5 SRC HI CI FO

Box: 5 pairs

Unit: 1 pair



S5



CXS PLUTO, 2490 036 500 XX

Rubber work boots

- ultralight
- year-round
- removable insulation
- lightweight work boot E CI SRC
- the insert is washable up to 40°C

Size: 39 - 47

Upper: EVA

Outsole: EVA

Standard: EN ISO 20347:2022 E CI SRC

Box: 5 pairs

Unit: 1 pair



CXS PLUTO, 2900 109 700 XX

Removable insulation

- removable insulation for CXS PLUTO boots
- washable up to 40°C

Size: 39 - 47

Material: non-woven fabric - 100% polyester

Grammage: 350 g/m2

Box: 50 pairs

Unit: 1 pair



CXS URAN, 2461 001 800 XX

Rubber work boots

· outsole: slip-resistant, antistatic, oil resistant

Size: 37 - 48

Upper: PVC

Outsole: PVC

Standard: EN ISO 20347:2012 OB SRA

Box: 10 pairs

Unit: 1 pair



OB



CXS ERIS, 2471 002 100 XX

Rubber work boots

· outsole: slip-resistant, antistatic, oil resistant

Size: 37 - 46

Upper: PVC

Outsole: PVC

Standard: EN ISO 20347:2012 OB SRA

Box: 10 pairs

Unit: 1 pair



OB



CXS VENUS 04, 2462 023 800 XX

Rubber work boots

· energy absorption of heel region

· outsole: slip-resistant, antistatic, oil resistant

Size: 39 - 48

Upper: PVC

Lining: polyamide knit

Outsole: PVC

Standard: EN ISO 20347:2022 04 FO SR

Box: 5 pairs

Unit: 1 pair



04



BOOTS

CXS MERKUR, 2471 001 800 XX

Rubber work boots

· outsole: slip-resistant, antistatic, oil resistant

Size: 37 - 47

Upper: PVC

Outsole: PVC

Standard: EN ISO 20347:2012 OB SRA

Box: 10 pairs

Unit: 1 pair



OB



CXS ATEN, 2471 003 500 XX

Rubber work boots

· outsole: slip-resistant, antistatic, oil resistant

Size: 37 - 41

Upper: PVC

Outsole: PVC

Standard: EN ISO 20347:2012 OB SRA

Box: 10 pairs

Unit: 1 pair



OB



CXS APOLLO, 2461 003 500 XX

Rubber work boots

· outsole: slip-resistant, antistatic, oil resistant

Size: 41 - 48

Upper: PVC

Outsole: PVC

Standard: EN ISO 20347:2012 OB SRA

Box: 10 pairs

Unit: 1 pair



OB



CXS NEPTUN S4, 2463 002 800 XX

Rubber safety boots

- composite toe cap
- energy absorption of heel region
- outsole: slip-resistant, antistatic, oil resistant
- reflective elements

Size: 38 - 48

Upper: PVC

Outsole: PVC

Standard: EN ISO 20345:2011 S4 SRC

Box: 10 pairs

Unit: 1 pair



S4



CXS FROSTA, 2461 028 800 XX

Rubber work boots

- insulated with 300g artificial fur
- outsole: slip-resistant

Size: 38 - 46

Upper: modified PVC with nitrile rubber

Limec: 80g waterproof nylon

Outsole: PVC

Standard: EN ISO 20347:2022 OB CI SR

Box: 10 pairs

Unit: 1 pair



OB



CXS BRUNO, 2461 005 800 XX

Rubber work boots

- upper: combined thermoplastic rubber and textile material
- lining: textile
- outsole: thermoplastic rubber
- thermal felt insert in the whole boot

Size: 39 - 48

Upper: thermoplastic rubber and textile material

Lining: textile

Outsole: thermoplastic rubber

Standard: EN ISO 20347:2012 OB SRA E

Box: 5 pairs

Unit: 1 pair



OB



WINTER

CXS WINTER SNOW, 2340 006 999 XX

Insulated mid-calf casual boots

- upper: water resistant nylon fabric with PU components
- reflective elements
- lining: warmed nyllex fabric
- Thinsulate insole
- outsole: TPR

Size: 41 - 46

Upper: combined

Lining: nyllex fabric with Thinsulate insole

Outsole: TPR

Box: 5 pairs

Unit: 1 pair



3M
Thinsulate
INSULATION

CXS WINTER LADY, 2340 004 800 XX

Mid-calf casual boots

- upper: textile with PU
- reflective elements
- lining: textile
- outsole: rubber

Size: 36 - 42

Upper: combined

Lining: textile

Outsole: rubber

Box: 5 pairs

Unit: 1 pair



CXS WINTER FROST, 2340 005 800 XX

Mid-calf casual boots

- upper: hydrophobic textile
- reflective elements
- lining: textile
- outsole: TPR

Size: 41 - 47

Upper: combined

Lining: textile

Outsole: TPR

Box: 5 pairs

Unit: 1 pair



ACCESSORIES



CXS CITYMAN, 2900 113 800 XX

Antislippers

- an outdoor tool providing stability and security in the field, where there is a risk of slipping
- designed for walking on snowy or icy pavements in cities
- one pair packed in a textile bag

Size: M: 36 - 41 (2900 113 800 93)
L: 41 - 45 (2900 113 800 94)
XL: 45 - 48 (2900 113 800 95)

Material: natural rubber, ABS, nickel-plated metal

Box: 100 pairs

Unit: 1 pair



CXS ICEMAN, 2900 105 800 XX

Antislippers

- an outdoor tool providing stability and security in the field, where there is a risk of slipping
- designed for walk on snow and ice
- one pair packed in a textile bag

Size: M: 36 - 40 (2900 105 800 93)
L: 41 - 44 (2900 105 800 94)
XL: 45 - 48 (2900 105 800 95)

Material: thermoplastic elastomer (TPE), stainless steel 201

Box: 50 pairs

Unit: 1 pair



ACCESSORIES



VISITOR INTEGRAL

Safety overshoe

- toe cap made from aluminium - titanium alloy
- steel insole
- outsole: antistatic, oil resistant, slip-resistant, puncture resistant

Size:

S: 34 - 37 (2900 092 800 92)

M: 38 - 41 (2900 092 800 93)

L: 42 - 44 (2900 092 800 94)

XL: 45 - 47 (2900 092 800 95)

Outsole: rubber

Standard: EN ISO 20345:2011,
EN 61340-4-3:2001,
EN 61340-5-1:2016

Box: 8 pairs (size S and M)
6 pairs (size L and XL)

Unit: 1 pair



VISITOR

Safety overshoe

- toe cap made from aluminium - titanium alloy

Size:

S: 34 - 38 (2900 008 800 92)

M: 39 - 43 (2900 008 800 93)

L: 44 - 48 (2900 008 800 94)

Outsole: rubber

Standard: EN ISO 20345:2011

Box: 16 pairs (size S),
14 pairs (size M),
10 pairs (size L)

Unit: 1 pair



CXS SHOEHORN, 2900 122 800 00

Metal shoehorn

NEW

Length: 76,5 cm

Box: 50 pcs

Unit: 1 pc



CXS LAHTI, 2900 120 800 46

Heated insoles

- when connected to a power source via a USB connector, they heat up to a temperature of 40 - 50 °C
- we recommend pairing with the CXS power bank 6121 039 000 00
- trim-to-fit

Size: 35 - 46


Material: flexible EVA fiber

Heating temperature: 40 - 50 °C

Box: 200 pairs

Unit: 1 pair

HEATED
NEW



CXS GELFOOT, 2900 102 800 XX 00

Shoe insoles

- antistatic
- soft gel reinforcement in the front and TPR in the heel
- friction reducing mesh fabric on top
- protect the foot impact with the ground
- help to reduce stress on the joints and ligaments in the foot
- fits in most shoes with removable insoles

Size: 35 - 40 (2900-102-800-40)

41 - 45 (2900-102-800-45)

46 - 50 (2900-102-800-50)

Box: 100 pairs

Unit: 1 pair

LARGE SIZES



ACCESSORIES

CARBON, 2900 003 000 XX

Shoe insoles

- upper: green fabric
- insole: latex foam
- active carbon thickness 3,3 mm
- excellent deodorizing, breathable and perspiration absorbing
- trim-to-fit

Size: 36 - 46 (2900 003 000 46)
47 - 50 (2900 003 000 50)

Box: 200 pairs

Unit: 1 pair

LARGE SIZES



SHOE INSOLES, 2900 004 000 XX

Shoe insoles

Size: 37 - 50 without 40, 44
Box: 100 pairs
Unit: 1 pair

LARGE SIZES



WINTER SHOE INSOLES, 2900 081 000 XX

Shoe insoles


- Insulated shoe insole with aluminum foil
- trim-to-fit

Size: 36 - 46 (2900 081 000 00)
47 - 50 (2900 081 000 50)

Box: 200 pairs

Unit: 1 pair

LARGE SIZES
WINTER



ACTIVE GEL, 2900 058 700 XX

Shoe insoles

- active gel absorbing shock
- prevents burning feet
- trim-to-fit

Size: 35 - 40 (2900 058 700 41)
41 - 45 (2900 058 700 45)
46 - 50 (2900 058 700 50)

Box: 50 pairs

Unit: 1 pair


LARGE SIZES
FINAL SALE



REFLECTIVE SHOELACES, 2900 100 800 00

Shoelaces - rounded
- blister

Length: 130 cm
Material: 100 % polyester
Colour: black
Box: 740 pairs
Pack: 5 pairs
Unit: 1 pair



SHOELACES, 2900 007 000 00

Shoelaces - flat

Length: 110 cm
Material: 100 % polyester
Colour: black
Box: 1000 pairs
Pack: 5 pairs
Unit: 1 pair



SHOELACES, 2900 006 600 00

Shoelaces - rounded

Length: 130 cm
Material: 100 % polyester
Colour: brown
Box: 1000 pairs
Pack: 5 pairs
Unit: 1 pair



SHOELACES, 2900 006 612 00

Shoelaces - rounded

Length: 130 cm
Material: 100 % polyester
Colour: sand
Box: 1000 pairs
Pack: 5 pairs
Unit: 1 pair



SHOELACES, 2900 111 800 00

Shoelaces - rounded

Length: 150 cm
Material: 100 % polyester
Colour: black
Box: 1000 pairs
Pack: 5 pairs
Unit: 1 pair



SHOELACES, 2900 044 800 00

Shoelaces - rounded

Length: 130 cm
Material: 100 % polyester
Colour: black
Box: 1000 pairs
Pack: 5 pairs
Unit: 1 pair



SHOELACES, 2900 045 800 00

Shoelaces - rounded

Length: 90 cm
Material: 100 % polyester
Colour: black
Box: 1000 pairs
Pack: 5 pairs
Unit: 1 pair





XT 500 GTX | ESD

EN ISO 20345 S3 | Art. 79700

GORE-TEX EXTRAGUARD | XP® metal free puncture-resistance | alu-tec® aluminium cap | 36 - 48



DUOSOFT 765

EN ISO 20349-2:2017 WG HI HRO P SRC | Art. 8300

welding boot | Waterproof leather | Penetration resistance | DUOSOFT® sole technology | 37 - 49



SL 645 XP | ESD

EN ISO 20345 S3 SRC | Art. 57700

XP® metal free puncture-resistance | alu-tec® aluminium cap | Waterproof leather | aktiv-X lining | 36 - 49



SL 525 XP | ESD

EN ISO 20345 S3 SRC | Art. 64300



RUNNER 145 | ESD
EN ISO 20345 S1P SRC | Art. 27400



RUNNER 155 | ESD
EN ISO 20345 S1P SRC | Art. 39100



RUNNER 45 | ESD
EN ISO 20345 S1P SRC | Art. 85000

XP[®] metal free puncture-resistance | aktiv-X lining | steel cap | SPORTY sole technology | 36 - 38



FLASH 1600 | ESD
EN ISO 20345 S1 SRC | Art. 91700



FLASH 3305 | ESD
EN ISO 20345 S1P SRC | Art. 72700



FLASH 2605 | ESD
EN ISO 20345 S1P SRC | Art. 44100

Mesh-upper | aktiv-X lining | alu-tec[®] aluminium cap | MPU[®] INNOFLEX System | 36 - 49



GLOVES

GLOVE SIZE MEASUREMENT	363
STANDARDS	364
CHEMICAL RESISTANCE OF GLOVES	368
INDEX	370
LEATHER AND COMBINATION	374
MECHANICAL	379
TEXTILE	383
COATED GLOVES	
PU	386
NITRILE	388
LATEX	391
PVC	395
DISPOSABLE	396
WELDING	398
HEAT-RESISTANT	400
CUT-RESISTANT	401
ANTI-VIBRATION	404
SPECIALTY	405
ESD	406
WINTER	407
ANSELL GLOVES	414
MAPA GLOVES	417



HOW TO SET THE CORRECT CODE?

Product code - you can select the desired size available with the product by putting the code after the double-digit **XX**.

CXS PRODUCT, 1234 567 890 XX

Sizes: 07 - 11
Palm: goat or sheep grain leather
Back: synthetic knit
Cuff: elastic
Standard: EN ISO 21420, EN 388 / 2112X
Box: 240 pairs
Pack: 12 pairs

SIZE	5	6	7	8	9	10	11	12
CODE	05	06	07	08	09	10	11	12

SIZE CHART


CODE	SIZE	SIZE	HAND CIRCUMFERENCE	HAND LENGHT
05	5	XXS	127 mm	< 160 mm
06	6	XS	152 mm	160 mm
07	7	S	178 mm	171 mm
08	8	M	203 mm	182 mm
09	9	L	229 mm	192 mm
10	10	XL	254 mm	204 mm
11	11	2XL	279 mm	215 mm
12	12	3XL	304 mm	226 mm

Each size of our CXS knitted gloves has its own color-coded cuff at the wrist, making it easy to identify the glove size at a glance.



GLOVE SIZE MEASUREMENT

Are you wearing the right size? Measure your hand! Place the edge of your index finger along the dashed line as shown in the diagram. Your glove size is indicated to the right of your hand.



THE CHANGES ARE PRIMARILY FOCUSED ON PROTECTING THE HEALTH OF THE USER/WORKER.

Existing safety and health requirements:

The pH level of gloves must be between 3.5 and 9.5. The chromium content in gloves containing leather must be below 3 mg/kg. All metal components that may come into prolonged contact with the skin must have a nickel release rate lower than 0.5 µg/cm² per week.


New mandatory health and safety requirements:

Azo dyes must not be detected in any leather or textile materials. For gloves containing PU (polyurethane), the DMF (dimethylformamide) content must not exceed 1000 mg/kg. Polycyclic aromatic hydrocarbons (PAHs) must not exceed 1 mg/kg in rubber and plastic materials.

Another key requirement is glove marking. This is addressed by the hourglass pictogram, which also indicates the expiry date (use-by date) of the gloves:



EN 388 – PROTECTION AGAINST MECHANICAL RISKS



Note: The letter X indicates that the test was not performed or is not applicable.

PERFORMANCE LEVELS

TEST	LEVEL 1	LEVEL 2	LEVEL 3	LEVEL 4	LEVEL 5
Abrasion resistance (cycles)	100	500	2000	8000	-
Cut resistance - Couptest (index)	1,2	2,5	5,0	10,0	20,0
Tear resistance (Newton)	10	25	50	75	-
Puncture resistance (Newton)	20	60	100	150	-

TEST	LEVEL A	LEVEL B	LEVEL C	LEVEL D	LEVEL E	LEVEL F
Cut resistance according to EN ISO 13997 (Newton)	2	5	10	15	22	30

Impact protection according to EN 13594	SUCCEEDED (P) or FAILED (no label)
---	------------------------------------

PROTECTION AGAINST COLD



a - Protection against convective cold (X - 4)

b - Protection against contact cold (X - 4)

c - Water permeability (X - 1)

PROTECTION AGAINST HEAT AND FLAME



a - Resistance to ignition (X - 4)

b - Resistance to contact heat (X - 4)

c - Resistance to convective heat (X - 4)

d - Resistance to radiant heat (X - 4)

e - Resistance to small splashes of molten metal (X - 4)

f - Resistance to large amounts of molten metal (X - 4)

* if limited flame spread is not declared



PROTECTIVE GLOVES FOR WELDERS



a - Resistance to ignition (X - 4)

b - Resistance to contact heat (X - 4)

c - Resistance to convective heat (X - 4)

d - Resistance to radiant heat (X - 4)

e - Resistance to small splashes of molten metal (X - 4)

f - Resistance to large amounts of molten metal (X - 4)

Welding gloves are divided into two types:

TYPE A - low dexterity, the glove has higher class requirements according to EN 388 and EN 407

TYPE B - high dexterity, the glove has lower class requirements according to EN 388 and EN 407

PROTECTIVE GLOVES AGAINST MICRO-ORGANISMS

The gloves must pass a penetration test in accordance with EN 341-2:2015. If the glove passes the ISO 16604:2004 test (method B) it can be declared as virus protective.

EN ISO 374-5



For gloves offering protection against bacteria and fungi.

EN ISO 374-5



VIRUS

For gloves protecting against bacteria fungi and viruses.

PROTECTIVE GLOVES AGAINST CHEMICALS

Based on three test methods:

- Penetration test in accordance with EN 374-2:2014
- Permeation test in accordance with EN 16523-1:2015, which replaces EN 374-3
- Degradation test in accordance with EN 374-4:2013

ONE PICTOGRAM AND THREE TYPES OF GLOVES

GLOVE TYPE	REQUIREMENT	MARKING
TYPE A	Penetration resistance (EN 374-2) Penetration time > 30 min. for at least 6 chemicals in the new list (EN 16523-1)	 EN ISO 374-1 / TYPE A
TYPE B	Penetration resistance (EN 374-2) Penetration time > 30 min. for at least 3 chemicals in the new list (EN 16523-1)	 EN ISO 374-1 / TYPE B
TYPE C	Penetration resistance (EN 374-2) Penetration time > 10 min. for at least 1 chemical in the new list (EN 16523-1)	 EN ISO 374-1 / TYPE C

CODE	CHEMICAL	CAS	CLASS
A	METHANOL	67-56-1	PRIMARY ALCOHOL
B	ACETONE	67-64-1	KETONE
C	ACETONITRILE	75-05-8	NITRILE COMPOUND
D	DICHLOROMETHANE	75-09-2	CHLORINATED HYDROCARBON
E	CARBON DISULPHIDE	75-15-0	SULPHUR CONTAINING ORGANIC COMPOUND
F	TOLUENE	108-88-3	AROMATIC HYDROCARBON
G	DIETHYLAMINE	109-89-7	AMINE
H	TETRAHYDROFURAN	109-99-9	HETEROCYCLIC AND ETHER COMPOUND
I	ETHYL ACETATE	141-78-6	ESTER
J	N-HEPTANE	142-82-5	SATURATED HYDROCARBON
K	SODIUM HYDROXIDE 40%	1310-73-2	INORGANIC BASE
L	SULPHURIC ACID 96%	7664-93-9	INORGANIC MINERAL ACID, OXIDIZING
M	NITRIC ACID 65%	7697-37-2	INORGANIC MINERAL ACID, OXIDIZING
N	ACETIC ACID 99%	64-19-7	ORGANIC ACID
O	AMMONIUM HYDROXIDE 25%	1336-21-6	ORGANIC BASE
P	HYDROGEN PEROXIDE 30%	7722-84-1	PEROXIDE
S	HYDROFLUORIC ACID 40%	7664-39-3	INORGANIC MINERAL ACID
T	FORMALDEHYDE 37%	50-00-0	ALDEHYDE

STANDARD ICONS



MECHANICAL RISKS



SPECIFIC CHEMICAL RESISTANCE



HEAT PROTECTION WITHOUT FLAME



MICROORGANISMS



THERMAL HAZARDS, FLAME WELDING



VIBRATIONS AND SHOCKS



RADIOACTIVE CONTAMINATION



COLD



WORK UNDER VOLTAGE



RESISTANCE TO ELECTROSTATIC DISCHARGE



SUITABLE FOR SHORT-TERM FOOD CONTACT



PROTECTION AGAINST STATIC ELECTRICITY



PICTOGRAMS



Heavy-duty



Medium-duty



Light-duty



Large amount of water and oil



Small amount of water and oil



Dry conditions and everyday dirt



Glove Category



Blister-packed



Washable



Winter version



Reflective elements



Women's version



ESD protection



Made in EU



Cotton



Leather



Touchscreen-compatible

CHEMICAL RESISTANCE OF GLOVES

SUBSTANCE	LATEX	NEOPRENE	NITRILE	PVC
ACETONE	=	=	-	=
AMYL ALCOHOL	=	+	+	=
ANILINE	=	++	-	=
BENZALDEHYDE	-	=	=	-
BENZENE	-	-	=	-
AUTOMOTIVE GASOLINE	-	+	++	=
BENZYL ALCOHOL	=	+	=	+
N-BUTANOL	+	++	++	++
BUTOXYETHANOL	+	++	++	=
BUTYL ACETATE	-	+	+	-
CHLOROACETONE	++	++	-	-
AMMONIUM CHLORIDE	++	++	++	++
CALCIUM CHLORIDE	++	++	++	++
SODIUM HYPOCHLORITE	++	++	++	++
CALCIUM HYPOCHLORITE	++	++	++	++
CHLOROFORM	-	-	=	-
CONCENTRATED AMMONIA	++	++	+	++
CYCLOHEXANE	-	++	++	=
CYCLOHEXANOL	++	++	++	++
CYCLOHEXANONE	+	=	-	-
DIACETONE ALCOHOL	++	++	+	-
DIBUTYL PHTHALATE	=	++	++	-
1,2-DICHLOROETHANE	-	=	=	-
DIETHANOLAMINE	++	++	++	++
ETHANOL	+	++	++	++
2-ETHOXYETHANOL	=	++	++	+
ETHYLAMINE	-	+	-	-
ETHYLENE GLYCOL	++	++	++	++
PHENOL (CARBOLIC ACID)	=	+	+	+
FORMALDEHYDE 30%	++	++	++	++
FURFURAL (FURFURALDEHYDE)	+	++	-	-
GLYCERIN	++	++	++	++
GLYCOLS	++	++	++	++
HEXANE	-	+	++	=
CONCENTRATED POTASSIUM HYDROXIDE	++	++	+	++
SODIUM HYDROXIDE	++	++	+	++
CALCIUM HYDROXIDE	++	++	++	++
ISOBUTANOL (ISOBUTYL ALCOHOL)	+	++	++	++
KEROSENE	-	+	++	+
HYDROCHLORIC ACID 30% AND 5%	++	++	++	++
CHROMIC ACID	=	++	=	+
CITRIC ACID	++	++	++	++
NITRIC ACID 20%	+	++	+	++
HYDROFLUORIC ACID 30%	+	+	+	++
PHOSPHORIC ACID 75%	++	++	++	++

SUBSTANCE	LATEX	NEOPRENE	NITRILE	PVC
LACTIC ACID 85% _o	+	++	+	++
FORMIC ACID 90% _o	+	++	=	++
ACETIC ACID 50% _o	++	++	=	++
GLACIAL ACETIC ACID	+	++	=	=
OLEIC ACID	+	++	++	+
BATTERY SULFURIC ACID	++	++	++	++
CONCENTRATED SULFURIC ACID	=	+	=	+
OXALIC ACID	++	++	++	++
CONCENTRATED SODIUM HYDROXIDE	++	++	+	++
AQUA REGIA	-	+	=	=
POTASSIUM PERMANGANATE	++	++	++	++
2-METHOXYETHANOL	=	++	++	+
METHYLAMINE	+	++	++	++
METHANOL	=	+	++	+
METHYLENE CHLORIDE	-	=	=	-
MONOCHLOROBENZENE	-	=	=	-
MONOETHANOLAMINE	++	++	++	++
DIESEL FUEL	-	=	++	=
NITROBENZENE	-	=	-	-
NITROPROPANE	=	=	-	-
OCTANOL	++	++	++	++
PERCHLOROETHYLENE	-	=	++	=
HYDROGEN PEROXIDE	=	++	++	++
PETROLEUM ETHER	-	=	++	=
THINNER	-	+	++	+
PETROLEUM PRODUCTS	-	=	+	=
STYRENE	-	=	=	-
TURPENTINE OIL	-	=	++	=
CARBON TETRACHLORIDE	-	=	+	=
TETRAHYDROFURAN (THF)	=	=	-	-
TOLUENE	-	=	+	=
HEATING OILS	-	=	++	+
TRICHLOROETHYLENE	-	=	=	-
TRIETHANOLAMINE 85% _o	++	++	++	++
XYLENE	-	=	+	=



EXPLANATIONS

++ high chemical stress or full contact with chemicals

+ medium chemical stress and easy contact with chemicals

= simple protection, when it is necessary to replace the gloves after they have been stained with a given substance

- gloves are not suitable for contact with the substance in question

The resistance parameters of the materials are only indicative. It is always necessary that the gloves comply with EN ISO 374-1:2016 and have been tested for the substance in question. For more information, please contact your nearest store or your sales representative.

INDEX

LEATHER AND COMBINATION



CXS HIVI

page 374



CXS BONO

page 374



CXS TALE

page 374



CXS TECHNIK HV

page 374



CXS TECHNIK A

page 375



CXS TECHNIK

page 375



CXS TECHNIK PLUS

page 375



CXS TECHNIK ECO

page 376



CXS DINGO

page 376



CXS DINGO A

page 376



CXS FALCO

page 376



CXS ZORO

page 377



CXS KALA

page 377



TEMA

page 377



TEMA

page 378



CXS BUDY

page 378



CXS ASTAR

page 378



CXS FARO

page 378

FINAL SALE

MECHANICAL



CXS MAGNES

page 379



CXS FURNY

page 379



CXS BENSON

page 380



CXS PUNO

page 380



CXS CARAZ

page 381



CXS YEMA

page 381



CXS GE-KON

page 382



CXS SHARK

page 382



CXS PICEA

page 382

WOMEN

TEXTILE



CXS TEWI

page 383



CXS FAWA

page 383



CXS IPO

page 383



CXS SAWA

page 384



CXS FLASH

page 384



page
384

CXS KASA



page
384

CXS NOE



page
385

CXS DOLI



page
385

CXS MAWA



page
385

CXS FALO



page
385

CXS GABO

**COATED
IN PU**



page
386

CXS TURI



page
386

CXS BRITA TOUCH



page
386

CXS BRITA DOTS



page
387

CXS LEIVA

WOMEN



page
387

CXS SOLO



page
387

CXS BRITA WHITE



page
387

CXS BRITA BLACK

**COATED
IN NITRILE**



page
388

CXS 4ENVI REVOLVE

NEW



page
388

CXS ICA



page
388

CXS ALVAROS



page
389

CXS FIDO

WOMEN



page
389

CXS ABRAX



page
389

CXS CERRO



page
389

CXS NAPA



page
390

CXS MISTI



page
390

CXS JOKI



page
390

CXS ARET



page
390

CXS PELA

**COATED
IN LATEX**



page
391

CXS 4ENVI NEO-GEN

NEW



page
391

CXS HYBRA-TECH RESOLUTE

NEW



page
392

CXS MERU



page
392

CXS CHENA

WOMEN



page
392

CXS WAYNA



page
393

CXS OLAS



page
393

CXS ROXY



INDEX



page
393

CXS COLCA



page
394

CXS BLANCHE



page
394

CXS DETA



page
394

CXS NINA

COATED IN PVC



page
395

CXS FISO



page
395

CXS KADO



page
395

CXS SELA

DISPOSABLE GLOVES



page
396

CXS STERN BLACK



page
396

CXS STERN



page
397

CXS BERT



page
397

CXS MOSE



page
398

CXS PATON RED



page
398

CXS LORNE



page
398

CXS AMON



page
399

CXS PATON BLUE

WELDING GLOVES



page
399

CXS HURI



page
399

CXS SYRO

HEAT-RESISTANT



page
400

CXS VARMO



page
400

MEFISTO DM



page
400

MEFISTO MS DM

CUT-RESISTANT



page
401

CXS CUT-DEFEND ARMEX

NEW



page
401

CXS CUT-DEFEND RESILEX

NEW



page
402

CXS CUT-DEFEND IMPA

NEW



page
402

CXS CITA



page
403

CXS CITA II



page
403

CXS RITA



page
403

CXS CIRU 45

ANTI-VIBRATION



page
404

CXS LEDA

NEW



page
404

CXS LEDATEK



page
404

CXS AMET

SPECIALTY



page
405

CXS TEKPLAST



page
405

DIELECTRIC GLOVES
500 V



page
405

DIELECTRIC GLOVES
1000 V

ESD



page
406

CXS KALIRI

NEW



LEATHER AND COMBINATION

CXS HIVI, 3210 081 152 XX

Leather and fabric gloves

- Yellow-orange fabric on the back and cuff
- reflective element
- metal eyelet for carabiner
- blister-packed

Sizes: 09, 10,5

Palm: high quality goat grain leather

Back: cotton and polyester

Cuff: stiff

Standard: EN ISO 21420, EN 388/2222X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY

CAT.
2



CXS BONO, 3100 006 000 XX

Full leather gloves

- gloves with elastic at the wrist

NEW SIZES

Sizes: 08 - 12

Material: goat grain leather

Cuff: loose

Standard: EN ISO 21420, EN 388/2122X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



CAT.
2

CXS TALE, 3210 012 000 XX

Leather and fabric gloves

- gloves with knitted cuff

Sizes: 07 - 12

Palm: goat or sheep grain leather

Back: cotton knit

Cuff: elastic

Standard: EN ISO 21420, EN 388 / 2112X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



CAT.
2

CXS TECHNIK HV, 3210 086 034 XX

Leather and fabric gloves

- gloves with elastic back
- elastic cuff with velcro

Sizes: 07 - 11

Palm: goat or sheep grain leather

Back: synthetic knit

Cuff: elastic

Standard: EN ISO 21420, EN 388 / 2112X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



CAT.
2

CXS TECHNIK A, 3210 086 401 XX

Leather and fabric gloves

- high quality gloves with elastic back
- elastic cuff with velcro

Sizes: 07 - 11

Palm: goat or sheep grain leather (high quality)

Back: cotton knit

Cuff: elastic

Standard: EN ISO 21420, EN 388 / 2112X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



CAT.
2

CXS TECHNIK, 3210 010 251 XX

Leather and fabric gloves

- gloves with elastic back
- elastic cuff with velcro
- fourchette inserts enhance grip comfort and finger mobility
- blister-packed under code 3210 048 000 00

Sizes: 07 - 12

Palm: goat or sheep grain leather

Back: cotton knit

Cuff: elastic

Standard: EN 21420, EN 388 / 2112X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



CAT.
2

CXS TECHNIK PLUS, 3210 009 801 XX

Leather and fabric gloves

- gloves with elastic back
- elastic at the wrist

Sizes: 07 - 12

Palm: goat or sheep grain leather

Back: synthetic knit

Cuff: loose

Standard: EN ISO 21420,
EN 388 / 2112X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair

NEW SIZES



elastic at the wrist



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



CAT.
2

LEATHER AND COMBINATION

CXS TECHNIK ECO, 3210 011 801 XX

Leather and fabric gloves

- gloves with a back made of black cotton knit
- elastic at the wrist

Sizes: 08 - 10

Palm: goat or sheep grain leather

Back: cotton knit

Cuff: loose

Standard: EN ISO 21420, EN 388 / 2112X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



CAT.
2

CXS DINGO, 3210 001 000 XX

Leather and fabric gloves

- lining in the palm and fingers

Sizes: 09 - 12

Palm: cow split leather

Back: heavy cotton fabric

Cuff: stiff

Standard: EN ISO 21420, EN 388 / 2133X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

NEW SIZES



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY



CAT.
2

CXS DINGO A, 3210 002 000 XX

Leather and fabric gloves

- lining in the palm and fingers

Sizes: 10, 11

Palm: high quality cow split leather

Back: heavy cotton fabric

Cuff: stiff

Standard: EN ISO 21420, EN 388 / 2133X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

NEW SIZES



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY



CAT.
2

CXS FALCO, 3210 004 000 10

Leather and fabric gloves

- lining in the palm and fingers
- double-stitched palm
- protection against contact heat up to 100 °C

Size: 10

Palm: cow split leather

Back: heavy cotton fabric

Cuff: stiff

Standard: EN ISO 21420, EN 388 / 2234B,
EN 407 / XIXXXX

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY



CAT.
2

CXS ZORO, 3210 007 000 XX

Leather and fabric gloves
· lining in the palm

Sizes: 09, 10, 12
Palm: cow split leather
Back: cotton fabric
Cuff: bonded
Standard: EN ISO 21420, EN 388 / 3143X
Box: 120 pairs
Pack: 12 pairs
Unit: 1 pair



CXS KALA, 3100 001 000 10

Full leather gloves
· cuff length 7 cm

Size: 10
Material: cow split leather
Cuff: sewn
Standard: EN 420, EN 388 / 2132X
Box: 60 pairs
Pack: 12 pairs
Unit: 1 pair



TEMA, 3640 002 000 10

Leather and fabric gloves
· palm padding to reduce vibration transmission
· right index fingertip without padding for increased sensitivity when operating machinery

Size: 10
Palm: cow grain leather
Back: synthetic fabric
Cuff: knitted
Standard: EN ISO 21420, EN 388 / 2132X
Box: 50 pairs
Pack: 10 pairs
Unit: 1 pair



vibration-dampening padding



LEATHER AND COMBINATION

TEMA, 3640 001 000 10

Full leather gloves

- palm padding to reduce vibration transmission
- right index fingertip without padding for increased sensitivity when operating machinery

Size: 10

Material: cow split leather

Cuff: synthetic leather

Standard: EN ISO 21420, EN 388 / 2132X

Box: 50 pairs

Pack: 10 pairs

Unit: 1 pair



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY



CAT.
2

CXS BUDY, 3210 008 000 XX

Leather and fabric gloves

- lining in the palm
- high comfort and durability

Sizes: 09 - 11

Palm: pig grain leather

Back: cotton fabric

Cuff: stiff

Standard: EN ISO 21420, EN 388 / 3122X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

NEW SIZES



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



CAT.
2

CXS ASTAR, 3100 003 000 XX

Full leather gloves

- elastic at the wrist

Sizes: 09, 10

Palm: pig grain leather

Back: pig split leather

Cuff: loose

Standard: EN ISO 21420, EN 388 / 4111X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



CAT.
2

CXS FARO, 3210 101 802 10

Leather and fabric gloves

- breathable mesh back
- palm padding to reduce vibration transmission
- adjustable elastic cuff with velcro
- blister-packed

Size: 10

Palm: goat grain leather

Back: polyester

Cuff: elastic

Standard: EN ISO 21420, EN 388 / 2123X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

FINAL SALE



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



CAT.
2

MECHANICAL

CXS MAGNES, 3220 030 803 XX

Mechanical gloves

- practical magnet for collecting nails and other metal components
- magnet with a diameter of 2.5 cm
- reflective elements
- velcro closure
- blister-packed

Sizes: 09, 10

Palm: nylon / PU

Back: polyester

Cuff: polyester

Standard: EN ISO 21420,
EN 388 / 2121X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

practical magnet for collecting nails



CXS FURNY, 3220 029 803 XX

Mechanical gloves

- elastic at the wrist
- Fourchette-style glove design
- blister-packed

Sizes: 09, 10

Palm: synthetic leather

Back: polyester

Cuff: loose


Standard: EN ISO 21420,
EN 388 / 2121X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair

elastic at the wrist



CXS BENSON, 3220 025 160 XX

Mechanical gloves

- silicone grip elements on the fingers
- reflective element
- velcro closure
- touchscreen compatible
- blister-packed

Sizes: 9, 10

Palm: microfibre: nylon with PU

Back: breathable spandex

Cuff: neoprene


Standard: EN ISO 21420,
EN 388 / 2121X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

silicone grip elements



EN 388



2121X



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



BUSTER

CAT.
2



CXS PUNO, 3220 016 210 XX

Mechanical gloves

- velcro closure
- reflective piping
- foam padding in the palm
- blister-packed

Sizes: 09, 10

Palm: microfibre: nylon with PU

Back: breathable spandex, neoprene

Cuff: neoprene

Standard: EN ISO 21420,
EN 388 / 2132X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

reflective piping



EN 388



2132X



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



BUSTER

CAT.
2



CXS CARAZ, 3220 017 710 XX

Mechanical gloves

- silicone grip elements on the fingers
- velcro closure
- blister-packed

Sizes: 09, 10

Palm: microfibre: nylon with PU

Back: breathable spandex, neoprene

Cuff: neoprene

Standard: EN ISO 21420,
EN 388 / 3131X


Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



silicone grip elements



CAT.
2



CXS YEMA, 3220 015 160 XX

Mechanical gloves

- elastic at the wrist
- TPR applications on the fingers
- foam padding in the palm
- blister-packed

Sizes: 08 - 10

Palm: microfibre: polyester with PU

Back: breathable spandex, neoprene

Cuff: loose

Standard: EN ISO 21420, EN 388 / 2121X

Box: 60 pairs


Pack: 12 pairs

Unit: 1 pair

NEW SIZES



foam padding in the palm



CAT.
2

CXS GE-KON, 3220 002 800 XX

Mechanical gloves

- velcro closure
- foam padding in the palm
- PVC with anti-slip finish on the palm
- blister-packed

Sizes: 09, 10

Palm: synthetic leather, polyester with PVC

Back: breathable polyester, neoprene

Cuff: neoprene

Standard: EN 21420, EN 388 / 2121X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

anti-slip finish



EN 388
2121X

DRY CONDITIONS
AND EVERYDAY DIRT

MEDIUM-DUTY

BLISTER

CAT.
2

CXS SHARK, 3220 003 260 XX

Mechanical gloves

- velcro closure
- foam padding in the palm
- touchscreen compatible
- blister-packed

Sizes: 09 - 11

Palm: viscose, silicon printing

Back: stretch elastane, neoprene

Cuff: elastic

Standard: EN 420, EN 388 / 2131X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

NEW SIZES



EN 388
2131X

DRY CONDITIONS
AND EVERYDAY DIRT

TOUCHSCREEN
COMPATIBLE

MEDIUM-DUTY

BLISTER

CAT.
2

CXS PICEA, 3220 001 301 XX

Mechanical women's gloves

- PVC print
- elastic at the wrist
- blister-packed

Sizes: 07, 08

Palm: synthetic leather (polyester/PU)

Back: polyester/PU foam

Cuff: loose

Standard: EN 21420, EN 388 / 2121X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

WOMEN



EN 388
2121X

DRY CONDITIONS
AND EVERYDAY DIRT

BLISTER

MEDIUM-DUTY

CAT.
2

WOMEN

CXS TEWI, 3310 034 100 XX

Textile gloves

- seamless knit
- PVC dots on the palm and fingers
- suitable for short-term contact with dry food

Sizes: 06 - 11

Material: 95 % cotton 5 % elastane

Cuff: elastic

Standard: EN ISO 21420

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



PVC dots



DRY CONDITIONS
AND EVERYDAY DIRT



LIGHT-DUTY

CAT.
1



CXS FAWA, 3310 005 100 XX

Textile gloves

- bleached knit
- fourchette-style glove design

Sizes: 06 - 12

Material: 100 % cotton

Cuff: loose

Standard: EN ISO 21420

Box: 600 pairs

Pack: 12 pairs

Unit: 1 pair



DRY CONDITIONS
AND EVERYDAY DIRT



LIGHT-DUTY



100%

CAT.
1



CXS IPO, 3310 004 163 00

Textile gloves

- natural fiber knit

Sizes: UNI

Material: 65 % cotton 35 % polyester

Cuff: elastic

Standard: EN ISO 21420

Box: 600 pairs

Pack: 12 pairs

Unit: 1 pair



DRY CONDITIONS
AND EVERYDAY DIRT



LIGHT-DUTY

CAT.
1

CXS SAWA, 3330 001 100 XX

Textile gloves

· seamless knit

Sizes: 06 - 10

Material: 100 % nylon

Cuff: elastic

Standard: EN ISO 21420, EN 388 / 213XX

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



DRY CONDITIONS
AND EVERYDAY DIRT



LIGHT-DUTY

**CAT.
2**

CXS FLASH, 3340 003 100 XX

Textile gloves

· natural fiber knit

Sizes: 06, 08, 10

Material: cotton/polyester

Cuff: elastic

Standard: EN ISO 21420

Box: 300 pairs

Pack: 12 pairs

Unit: 1 pair



DRY CONDITIONS
AND EVERYDAY DIRT



LIGHT-DUTY

**CAT.
1**

CXS KASA, 3340 004 100 XX

Textile gloves

· bleached knit

Sizes: 06, 08, 10

Material: cotton/polyester

Cuff: elastic

Standard: EN ISO 21420

Box: 300 pairs

Pack: 12 pairs

Unit: 1 pair



DRY CONDITIONS
AND EVERYDAY DIRT



LIGHT-DUTY

**CAT.
1**

CXS NOE, 3340 002 600 XX

Textile gloves

· dark brown jersey fabric

Sizes: 09, 10

Material: 55 % cotton 45 % polyester

Cuff: elastic

Standard: EN ISO 21420

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



DRY CONDITIONS
AND EVERYDAY DIRT



LIGHT-DUTY

**CAT.
1**

CXS DOLI, 3310 007 100 11

Textile gloves

- cotton lining
- raw canvas

Sizes: 11

Material: 100 % cotton

Cuff: loose, sewn

Standard: EN ISO 21420

Box: 120 pairs

Pack: 6 pairs

Unit: 1 pair



CXS MAWA, 3310 002 100 XX

Textile gloves

- PVC dots on the palm and fingers
- bleached knit
- elastic at the wrist
- fourchette-style glove design

Sizes: 06 - 12

Material: 100 % cotton

Cuff: loose

Standard: EN ISO 21420

Box: 600 pairs

Pack: 12 pairs

Unit: 1 pair



CXS FALO, 3340 001 105 XX

Textile gloves

- PVC dots on the palm and fingers
- bleached knit

Sizes: 08, 10

Material: cotton/polyester

Cuff: elastic

Standard: EN ISO 21420

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



CXS GABO, 3310 001 163 10

Textile gloves

- PVC dots on the palm and fingers
- natural cotton knit

Size: 10

Material: 100 % cotton

Cuff: elastic

Standard: EN ISO 21420

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



CXS TURI, 3440 061 000 XX

Palm-dipped gloves

- seamless knit
- ultrathin and breathable
- palm and fingers coated

Sizes: 06 - 11

Material: 100 %/o nylon

Coating: polyurethane

Standard: EN ISO 21420,
EN 388 / 3121X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair

palm and fingers coated



EN 388



3121X



DRY CONDITIONS
AND EVERYDAY DIRT



LIGHT-DUTY

CAT.
2

CXS BRITA TOUCH, 3440 049 166 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- copper fibre for touch screens on fingertip
- thumb, forefinger and middle finger
- washable
- blister-packed

Sizes: 07 - 10

Material: 100 %/o polyester

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 2121X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



2121X



DRY CONDITIONS
AND EVERYDAY DIRT



LIGHT-DUTY



CAT.
2

CXS BRITA DOTS, 3440 050 400 XX

Palm-dipped gloves

- PVC dots on the palm and fingers
- seamless knit
- palm and fingers coated

Sizes: 06-07, 08-09, 10-11

Material: 100 %/o polyester

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 3131X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



3131X



DRY CONDITIONS
AND EVERYDAY DIRT



LIGHT-DUTY

CAT.
2

CXS LEIVA, 3440 051 999 XX

Palm-dipped women's gloves

- seamless knit
- palm and fingers coated
- blister-packed

Sizes: 07, 08

Material: 100 % polyester

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 3131X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair

WOMEN



CXS SOLO, 3440 002 100 XX

Fingertip-dipped gloves

- seamless knit
- coated fingertips

Sizes: 06 - 10

Material: 100 % polyester

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 113XX

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



CXS BRITA WHITE, 3440 001 100 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- blister-packed under code 3440 008 100 00

Sizes: 05 - 11

Material: 100 % polyester

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 4131X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



CXS BRITA BLACK, 3440 001 800 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- blister-packed under code 3440 008 800 00

Sizes: 05 - 11

Material: 100 % polyester

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 4131X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



COATED IN NITRILE

CXS 4ENVI REVOLVEVEX, 3410 174 110 XX

Palm-dipped gloves

- seamless knit made from recycled materials
- each glove repurposes 2.6 PET bottles
- palm and fingers coated
- touchscreen compatible
- silicone-free
- washable
- blister-packed

Sizes: 06 - 11

Material: polyester (50% recycled) / elastane

Coating: foam nitrile

Standard: EN ISO 21420, EN 388 / 3121X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

palm and fingers coated



EN 388



3121X



LARGE AMOUNT OF WATER AND OIL



LIGHT-DUTY



MEDIUM-DUTY



HEAVY-DUTY



BLISTER

CAT. 2

EN 407



X1XXXX

EN 388



4131X



LARGE AMOUNT OF WATER AND OIL



MEDIUM-DUTY



HEAVY-DUTY



BLISTER



HEAVY-DUTY



HEAVY-DUTY



HEAVY-DUTY



HEAVY-DUTY



HEAVY-DUTY



HEAVY-DUTY

CXS ICA, 3410 099 810 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- protection against contact heat up to 100 °C
- touchscreen compatible
- blister-packed

Sizes: 07 - 11

Material: nylon and elastane (Spandex)

Coating: nitrile foam with water based polyurethane with sandy finish

Standard: EN ISO 21420, EN 388 / 4131X, EN 407 / X1XXXX

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



EN 407



X1XXXX

EN 388



4131X



LARGE AMOUNT OF WATER AND OIL



MEDIUM-DUTY



HEAVY-DUTY



BLISTER



HEAVY-DUTY



HEAVY-DUTY



HEAVY-DUTY



HEAVY-DUTY



HEAVY-DUTY



HEAVY-DUTY

CXS ALVAROS, 3410 002 260 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- touchscreen compatible
- blister-packed under code 3410 057 260 00

Sizes: 06 - 11

Material: 100 % polyester

Coating: nitrile with sandy finish

Standard: EN ISO 21420, EN 388 / 3121X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



3121X



LARGE AMOUNT OF WATER AND OIL



MEDIUM-DUTY



HEAVY-DUTY



HEAVY-DUTY



HEAVY-DUTY

CXS FIDO, 3410 004 999 XX

Palm-dipped women's gloves

- seamless knit
- palm and fingers coated
- touchscreen compatible
- blister-packed

Sizes: 07, 08

Material: 100 % polyester

Coating: smooth nitrile

Standard: EN ISO 21420, EN 388 / 3121X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



LARGE AMOUNT OF WATER AND OIL



BLISTER



LIGHT-DUTY



CAT. 2



CXS ABRAK, 3410 001 109 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- touchscreen compatible
- blister-packed under code 3410 064 000 00

Sizes: 06 - 12

Material: 100 % polyester

Coating: nitrile foam

Standard: EN ISO 21420, EN 388 / 4121X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



LARGE AMOUNT OF WATER AND OIL



BLISTER



LIGHT-DUTY



CAT. 2



CXS CERRO, 3410 086 410 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- touchscreen compatible

Sizes: 06 - 11

Material: 100 % polyester

Coating: smooth nitrile

Standard: EN ISO 21420, EN 388 / 3122X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



LARGE AMOUNT OF WATER AND OIL



BLISTER



LIGHT-DUTY



CAT. 2



CXS NAPA, 3410 003 710 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- microfoam breathable finish
- nitrile dots
- touchscreen compatible

Sizes: 07 - 10

Material: nylon / elastane (Spandex)

Coating: nitrile foam

Standard: EN ISO 21420, EN 388 / 4131X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



LARGE AMOUNT OF WATER AND OIL



BLISTER



LIGHT-DUTY



CAT. 2



COATED IN NITRILE

CXS MISTI, 3410 087 209 XX

3/4-dipped gloves

- PVC dots
- seamless knit
- 3/4 coated
- touchscreen compatible

Sizes: 08 - 10

Material: 100 % polyester

Coating: nitrile with breathable finish

Standard: EN ISO 21420, EN 388 / 3121X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



3121X



LARGE AMOUNT OF WATER AND OIL



MEDIUM-DUTY



CAT. 2

CXS JOKI, 3410 005 400 XX

3/4-dipped gloves

- 3/4 coated
- knitted cuff

Sizes: 07 - 10

Material: interlock 100 % cotton

Coating: nitril

Standard: EN ISO 21420, EN 388 / 4111X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



4111X



LARGE AMOUNT OF WATER AND OIL



MEDIUM-DUTY



CAT. 2

CXS ARET, 3410 006 400 10

Fully dipped gloves

- fully coated
- knitted cuff

Size: 10

Material: jersey 100 % cotton

Coating: nitrile

Standard: EN ISO 21420, EN 388 / 4122X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



4122X



LARGE AMOUNT OF WATER AND OIL



HEAVY-DUTY



CAT. 2

CXS PELA, 3410 007 400 10

Fully dipped gloves

- fully coated
- cotton interlock
- stiff cuff

Size: 10

Material: jersey 100 % cotton

Coating: nitrile

Standard: EN ISO 21420, EN 388 / 4122X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



4122X



LARGE AMOUNT OF WATER AND OIL



HEAVY-DUTY



CAT. 2

COATED IN LATEX

CXS 4ENVI NEO-GEN, 3420 124 708 XX

Palm-dipped gloves

- seamless knit made from recycled materials
- each glove repurposes 0.65 PET bottles
- palm and fingers coated
- protection against contact heat up to 100 °C
- blister-packed

Sizes: 06 - 11

Material: viscose (bamboo fiber) /

polyester (recycled) / nylon / elastane

Coating: foam latex

Standard: EN ISO 21420, EN 388 / 2121X

EN 407 / X1XXXX

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

foam latex



EN 407



EN 388



2121X



LARGE AMOUNT OF WATER AND OIL



LIGHT-DUTY



CAT. 2

4ENVI



CXS HYBRA-TECH RESOLUTE, 3520 050 000 00

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- protection against contact heat up to 100 °C
- silicone-free
- washable
- blister-packed

Sizes: 06 - 11

Material: nylon microfiber

Coating: Soft-Pro latex with sandy finish

Standard: EN ISO 21420, EN 388 / 2131X

EN 407 / X1XXXX

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



EN 407



EN 388



2131X



LARGE AMOUNT OF WATER AND OIL



MEDIUM-DUTY



CAT. 2



COATED IN LATEX

CXS MERU, 3420 115 000 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- anti-slip grip

Sizes: 07 - 12

Material: polyester

Coating: crinkle latex

Standard: EN ISO 21420, EN 388 / 2131X
EN 407 / X1XXXX

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair

anti-slip grip



EN 407



X1XXXX

EN 388



2131X



LARGE AMOUNT OF
WATER AND OIL



MEDIUM-DUTY

CAT.
2

CXS CHENA, 3420 114 451 XX

3/4-dipped women's gloves

- seamless knit
- 3/4 coated
- anti-slip grip
- blister-packed

Sizes: 07, 08

Material: 100 % polyester

Coating: latex foam, waved finish

Standard: EN ISO 21420, EN 388 / 2121X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

WOMEN



EN 388



2121X



LARGE AMOUNT OF
WATER AND OIL



BLISTER



LIGHT-DUTY

CAT.
2



CXS WAYNA, 3520 036 160 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- blister-packed

Sizes: 07 - 11

Material: 100% soft polyester

Coating: latex with sandy finish

Standard: EN ISO 21420, EN 388 / 2121X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



2121X



LARGE AMOUNT OF
WATER AND OIL



OEKO
TEX®



LIGHT-DUTY



BLISTER

CAT.
2

CXS OLAS, 3420 032 510 XX

3/4-dipped gloves

- seamless knit
- 3/4 coated

Sizes: 06-07, 08-09, 10-11

Material: polyester + elastane (Spandex)

Coating: latex foam

Standard: EN ISO 21420,
EN 388 / 2131X


Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



seamless knit



LARGE AMOUNT OF
WATER AND OIL



MEDIUM-DUTY

CAT.
2

CXS ROXY, 3420 001 157 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- anti-slip grip
- protection against contact heat up to 100 °C

Sizes: 07 - 11

Material: 65 % polyester 35 % cotton

Coating: crinkle latex

Standard: EN ISO 21420, EN 388 / 3133X,
EN 407 / X1XXXX

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



LARGE AMOUNT OF
WATER AND OIL



HEAVY-DUTY

CAT.
2

CXS COLCA, 3420 026 706 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- anti-slip grip
- protection against contact heat up to 100 °C

Sizes: 08 - 11

Material: 60 % cotton 40 % polyester

Coating: smooth latex

Standard: EN ISO 21420, EN 388 / 2121X,
EN 407 / X1XXXX

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



LARGE AMOUNT OF
WATER AND OIL



MEDIUM-DUTY

CAT.
2

COATED IN LATEX

CXS BLANCHE, 3420 003 102 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- anti-slip grip

Sizes: 09 - 10

Material: 65 % polyester 35 % cotton

Coating: latex with textured surface


Standard: EN ISO 21420, EN 388 / 3142X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

anti-slip grip



LARGE AMOUNT OF
WATER AND OIL



HEAVY-DUTY

CAT.
2

CXS DETA, 3420 005 101 10

3/4-dipped gloves

- 3/4 coated
- knitted cuff
- anti-slip grip

Size: 10

Material: 50 % cotton 50 % polyester

Coating: crinkle latex

Standard: EN ISO 21420

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



LARGE AMOUNT OF
WATER AND OIL



LIGHT-DUTY

CAT.
1

CXS NINA, 3520 001 150 XX

Fully dipped gloves

- gloves with cotton flock lining
- embossed surface on the fingers and palm
- thickness 0,23 mm
- length 31 cm
- packed in pairs in a bag

Sizes: 07 - 10

Material: latex

Standard: EN ISO 21420

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



LARGE AMOUNT OF
WATER AND OIL



LIGHT-DUTY

CAT.
1

COATED IN PVC

CXS FISO, 3430 024 400 10

Fully dipped gloves

- textured palm and fingers
- length: 40 cm

Size: 10

Material: 100 % cotton

Coating: PVC

Standard: EN ISO 21420, EN 388 / 4131X


Box: 36 pairs

Pack: 12 pairs

Unit: 1 pair



textured palm and fingers



CXS KADO, 3430 001 250 10

Fully dipped gloves

- length 27 cm
- high quality PVC coating

Size: 10

Material: jersey 100 % cotton

Coating: PVC

Standard: EN ISO 21420, EN 388 / 4121X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



CXS SELA, 3430 002 250 10

Fully dipped gloves

- length 35 cm

Size: 10

Material: 100 % cotton

Coating: PVC

Standard: EN ISO 21420, EN 388 / 4121X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



DISPOSABLE

CXS STERN BLACK, 3510 001 800 XX

Disposable nitrile gloves

- powder free
- M 4.0 g
- high sensitivity for precise work
- suitable for short-term contact with food
- textured fingertips
- touchscreen compatible

Sizes: 07 - 10

Material: nitrile

Standard: EN ISO 21420

EN ISO 374-1/Typ B

EN ISO 374-5, EN 1186

Box: 10 packs

Pack: 100 pieces

Unit: 1 pack



EN ISO 374-1/TYP B



EN ISO 374-5



VIRUS



LARGE AMOUNT OF WATER AND OIL



LIGHT-DUTY



CAT. 3

CXS STERN, 3510 001 400 XX

Disposable nitrile gloves

- powder free
- M 4.0 g
- high sensitivity for precise work
- suitable for short-term contact with food
- textured fingertips
- touchscreen compatible

Sizes: 07 - 10

Material: nitrilw

Standard: EN ISO 21420

EN ISO 374-1/Typ B

EN ISO 374-5, EN 1186

Box: 10 packs

Pack: 100 pieces

Unit: 1 pack



EN ISO 374-1/TYP B



EN ISO 374-5



VIRUS



LARGE AMOUNT OF WATER AND OIL



LIGHT-DUTY



CAT. 3

CXS BERT, 3520 002 100 XX

Disposable latex gloves

- slightly powdered
- M 5.0 g
- high sensitivity for precise work
- medical device class I
- touchscreen compatible

Sizes: 07 - 10

Material: latex

Standard: EN ISO 21420, EN 455-1/2/3

Box: 10 packs

Pack: 100 pieces

Unit: 1 pack



LARGE AMOUNT OF
WATER AND OIL



LIGHT-DUTY



CAT.
1

CXS MOSE, 3530 001 113 XX

Disposable vinyl gloves

- slightly powdered
- silicon free, thiuram mix free
- M 4.5 g
- medical device class I
- touchscreen compatible

Sizes: 08 - 10

Material: vinyl

Standard: EN ISO 21420, EN 455-1/2/3

Box: 10 packs

Pack: 100 pieces

Unit: 1 pack



LARGE AMOUNT OF
WATER AND OIL



LIGHT-DUTY



CAT.
1

CXS PATON RED, 3610 055 250 XX

Welding gloves

- leather
- cotton lining in the palm and back
- sewn with kevlar threads
- glove length 35 cm
- cuff length 14 cm

Sizes: 10, 11

Palm: cow split leather

Back: cow split leather

Standard: EN ISO 21420, EN 388 / 3133X
EN 12477/A, EN 407 / 413X3X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



covered seams



EN 12477/A



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY



CAT.
2

CXS LORNE, 3610 056 709 XX

Welding gloves

- leather, without lining
- sewn with kevlar threads
- glove length 34 - 37 cm
- cuff length 14 - 14,5 cm
- suitable for TIG welding

Sizes: 09 - 11

Palm: goat grain leather

Back: goat grain leather

Cuff: cow split leather

Standard: EN ISO 21420, EN 388 / 2112X
EN 12477 / B, EN 407 / 412X3X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



EN 12477/B



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



MEDIUM-DUTY



CAT.
2

CXS AMON, 3610 007 200 11

Welding gloves

- leather
- cotton lining in the palm and back
- sewn with kevlar threads, reinforced palm
- glove length 41 cm
- cuff length 19,5 cm

Sizes: 11

Palm: cow split leather

Back: cow split leather

Standard: EN ISO 21420, EN 388 / 3243X
EN 12477 / A / 413X4X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



EN 12477 A



EN 388



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY



CAT.
2

CXS PATON BLUE, 3610 002 600 11

Welding gloves

- leather
- seams covered with yellow leather, sewn with kevlar threads
- cotton lining in palm
- reinforced palm
- glove length 35 cm
- cuff length 14,5 cm

Sizes: 11

Palm: cow split leather

Back: cow split leather

Standard: EN ISO 21420, EN 388 / 4143X

EN 12477 / A,B / 413X4X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

seams covered with yellow leather



EN 12477 A,B



413X4X

EN 388



4143X



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY



CAT.
2



CXS HURI, 3610 003 000 10

Welding gloves

- leather
- stiff cuff
- glove length 40 cm
- cuff length 19,5 cm

Size: 10

Palm: goat grain leather

Back: cow split leather

Standard: EN ISO 21420, EN 388 / 2122X

12477 A,B / 412X3X

Box: 72 pairs

Pack: 12 pairs

Unit: 1 pair



12477 A,B



412X3X

EN 388



2122X



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY



CAT.
2

CXS SYRO, 3610 005 000 11

Welding gloves

- leather
- glove length 35 cm
- cuff length 14 cm

Sizes: 11

Palm: cow split leather

Back: cow split leather

Standard: EN ISO 21420, EN 388 / 4143X

EN 12477 / B / 41X4X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



EN 12477 B



41X4X

EN 388



4143X



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY



CAT.
2

HEAT-RESISTANT

CXS VARMO, 3620 073 000 10

Heat resistant gloves

- double-layer
- glove length: 33 cm
- protection against contact heat up to 250 °C

Size: 10

Material: 75% Kevlar 25% Nomex

Lining: 100 % cotton

Standard: EN ISO 21420, EN 388 / 1344C
EN 407 / 423XXX

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

material blend for protection
against contact heat



EN 407



423XXX

EN 388



1344C



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY

CAT.
2

MEFISTO DM, 3620 001 716 11

Heat resistant gloves

- glove length: 42 cm
- sewn with Kevlar thread
- two-layer insert - cotton and wool

Sizes: 11

Palm: aramid cloth

Back: aluminized aramid cloth

Standard: EN 420, EN 388, 2X4XX
EN 407 / 4244X4

Unit: 1 pair



EN 407



4244X4

EN 388



2X4XX



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY



CAT.
3

MEFISTO MS DM, 3620 003 716 11

Heat resistant gloves

- glove length: 35 cm
- sewn with Kevlar thread
- two-layer insert - cotton and wool

Sizes: 11

Palm: aramid cloth

Back: aluminized aramid cloth

Standard: EN 420, EN 388, 2X4XX
EN 407 / 4244X4

Unit: 1 pair



EN 407



4244X4

EN 388



2X4XX



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY



CAT.
3

CUT-RESISTANT

CXS CUT-DEFEND ARMEX, 3630 240 805 XX

Cut resistant gloves

- antistatic and ESD
- seamless knit fabric, free of glass or steel fibers
- palm and fingers coated
- cut resistance level F
- internal resistance - result: $R_v < 1,0 \times 10^8 \Omega$
- touchscreen compatible
- silicone-free
- washable

Sizes: 06 - 11

Material: knit - nylon, elastane, tungsten, polyester

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 4X43F
EN 16350

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

reinforcement between the thumb and index finger



EN 16350



EN 388



4X43F



SMALL AMOUNT OF WATER AND OIL



MEDIUM-DUTY



CAT. 2



CXS CUT-DEFEND RESILEX, 3630 249 805 XX

Cut resistant gloves

- antistatic and ESD
- seamless knit fabric, free of glass or steel fibers
- palm and fingers coated
- cut resistance level C
- internal resistance - result: $R_v < 1,0 \times 10^8 \Omega$
- touchscreen compatible
- silicone-free
- blister-packed

Sizes: 06 - 11

Material: knit - graphyn, nylon, carbon fiber/elastane

Coating: water-based nitrile

+ polyurethane with sandy finish


Standard: EN ISO 21420, EN 388 / 3442C
EN 16350

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

elastic cuff



EN 16350



EN 388



3442C



SMALL AMOUNT OF WATER AND OIL



MEDIUM-DUTY



CAT. 2



CUT-RESISTANT

CXS CUT-DEFEND IMPA, 3630 225 700 XX

Cut resistant gloves

- knitted, seamless
- palm and fingers coated
- cut resistance level D
- impact protection level P
- silicone-free
- blister-packed

Sizes: 09, 10

Material: knit HPPE - glass fiber / polyester / elastane, TRP knuckle protection

Coating: sandy nitrile

Standard: EN ISO 21420, EN 388 / 4X43DP

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

NEW

EN 388
4X43DP

impact protection pads



OEKO
TEX®

CAT.
2

CXS CITA, 3630 001 700 XX

Cut resistant gloves

- knitted, seamless
- palm and fingers coated
- cut resistance level 3
- TDM tested at level C

Sizes: 06 - 12

Material: 400D UHMWPE, 140D nylon, elastane (100D Spandex), polyester

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 4343C

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

EN 388
4343C

palm and fingers coated



OEKO
TEX®

CAT.
2

CXS CITA II, 3630 002 700 XX

Cut resistant gloves

- knitted, seamless
- palm and fingers coated
- cut resistance level D

Sizes: 07 - 12

Material: 400D UHMWPE, polyester, nylon, fiberglass, 140D elastane (100D Spandex)

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 4X43D

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

elastic cuff



EN 388



CAT. 2



CXS RITA, 3630 020 000 XX

Cut resistant gloves

- knitted, seamless
- fully coated
- high durability and lifetime service
- cut resistance level D

Sizes: 09, 10

Material: fibre UHMWPE

Coating: smooth nitrile, nitrile with sandy finish

Standard: EN ISO 21420, EN 388 / 4X43D

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



CAT. 2

CXS CIRU 45, 3630 110 038 45

Cut resistant sleeve

- with thumbhole
- cut resistance level F
- protection against contact heat up to 100 °C

Length: 45 cm

Material: 55% aramid (para aramid)

25% modacryl 20% glass fibre

Standard: EN ISO 21420, EN 388 / 2X44F, EN 407 / XIXXXX

Box: 200 pieces

Unit: 1 piece



EN 388



CAT. 2

ANTI-VIBRATION

CXS LEDA, 3640 034 000 10

Antivibration gloves

- padding to decrease impact of vibration in palm and fingers

Size: 10

Palm: cow grain leather

Back: cow split leather

Cuff: cow split leather

Standard: EN ISO 21420

EN 388 / 3334X

EN ISO 10819

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



EN ISO 10819



EN 388



3334X

foam padding in the palm and fingers



DRY CONDITIONS
AND EVERYDAY DIRT



HEAVY-DUTY



CAT.
2

CXS LEDATEK, 3640 035 000 10

Antivibration gloves

- padding to decrease impact of vibration in palm and fingers
- blister-packed

Size: 10

Palm: cow grain leather

Back: 100% polyester, cow grain leather

Cuff: polyester / elastane

Standard: EN ISO 21420, EN 388 / 3334X

EN ISO 10819

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



EN ISO 10819



EN 388



2112X



DRY CONDITIONS
AND EVERYDAY DIRT



BLISTER

HEAVY-DUTY



CAT.
2

CXS AMET, 3640 021 800 10

Antivibration gloves

- anti-vibration pads
- blister-packed

Size: 10

Material: 95 % nylon 5 % cotton

Coating: foam latex

Cuff: elastic

Standard: EN ISO 21420, EN 388 / 4142B

EN ISO 10819

Box: 60 pairs

Pack: 6 pairs

Unit: 1 pair



EN ISO 10819



EN 388



4142B



SMALL AMOUNT OF
WATER AND OIL



HEAVY-DUTY



BLISTER

CAT.
2

CXS TEKPLAST, 3660 001 150 10

Acid resistant gloves

- fully coated
- chemical resistance according to technical sheet
- glove length 35 cm

Size: 10

Material: 100 % cotton

Coating: PVC


Standard: EN ISO 21420,
EN 388 / 3111X
EN 374-1 / Typ A / AKLMPT

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

fully coated



EN ISO 374-1 TYPE A



EN 388



3111X



LARGE AMOUNT OF
WATER AND OIL



HEAVY-DUTY



100%

CAT.
3

DIELECTRIC GLOVES 500 V, 3650 001 250 11

Dielectric gloves

- protection against contact voltage up to 500 V
- length 36 cm
- recommended duration of use is
24 months from date of production

Size: 11

Material: latex

Lining: cotton

Standard: EN ISO 21420, EN 60903

Unit: 1 pair



EN 60903



CAT.
3

DIELECTRIC GLOVES 1000 V, 3650 002 250 11

Dielectric gloves

- protection against contact voltage up to 500 V
- length 36 cm
- recommended duration of use is
24 months from date of production

Size: 11

Material: latex

Lining: cotton

Standard: EN ISO 21420, EN 60903

Unit: 1 pair



EN 60903



CAT.
3

CXS KALIRI, 3670 182 000 XX

Antistatic and ESD gloves

- seamless knit
- internal resistance - result: $R_v < 1,0 \times 10^8 \Omega$
- PVC dots on the palm and fingers

Sizes: 06 - 11

Material: polyester, carbon fibre

Standard: EN ISO 21420, EN 388 / XX3XX
EN 16350

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



CAT.
2



CXS LIPEZ, 3670 180 000 XX

Antistatic and ESD gloves

- seamless knit
- internal resistance - result: $R_v < 1,0 \times 10^8 \Omega$

Sizes: 06 - 11

Material: polyester, carbon fibre

Standard: EN ISO 21420, EN 388 / 114XX
EN 16350

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



OEKO
TEX®



CAT.
2

CXS ADGARA, 3670 034 714 XX

Antistatic and ESD gloves

- seamless knit
- palm and fingers coated
- internal resistance - result: $R_v < 1,0 \times 10^8 \Omega$

Sizes: 05 - 12

Material: polyester, carbon fibre

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 3131X
EN 16350

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



OEKO
TEX®



CAT.
2

CXS SILOLI, 3670 035 714 XX

Antistatic and ESD gloves

- seamless knit
- coated fingertips
- internal resistance - result: $R_v < 1,0 \times 10^8 \Omega$

Sizes: 05 - 12

Material: polyester, carbon fibre

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 1131X
EN 16350

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



OEKO
TEX®



CAT.
2

WINTER

CXS BONO W, 3700 104 000 XX

Full leather winter gloves

- gloves with elastic at the wrist
- plush lining

Sizes: 09 - 11

Material: goat grain leather

Cuff: loose


Standard: EN ISO 21420,
EN 388 / 2112X
EN 511 / X1X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

plush lining



CXS METIS W, 3700 098 800 XX

Mechanical winter gloves

- padding in the palm
- extended cuff with elastic at the wrist
- touchscreen compatible
- reflective detail
- blister-packed

Sizes: 09 - 11

Palm: polyurethane

Back: polyester, polyurethane

Lining: fleece, 3M Thinsulate lining

Standard: EN ISO 21420, EN 388 / 2232X
EN 511 / X2X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

padding in the palm



3M
Thinsulate
INSULATION



CXS FURNY W, 3700 096 803 XX

Mechanical winter gloves

- plush lining
- elastic at the wrist
- Fourchette-style glove design
- blister-packed

Sizes: 09 - 11

Palm: synthetic leather

Back: polyester

Cuff: loose

Standard: EN ISO 21420
EN 388 / 2121X
EN 511 / X1X


Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



material detail



CXS CHIVAY, 3700 095 209 XX

Full leather winter gloves

- elastic at the wrist
- plush lining
- Fourchette-style glove design
- blister-packed

Sizes: 09, 11

Palm: goat split leather

Back: goat split leather

Cuff: loose

Standard: EN ISO 21420, EN 388 / 3112X
EN 511 / X1X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair



CXS DINGO WINTER, 3700 001 000 XX

Leather and fabric winter gloves

- plush lining

Sizes: 10, 11

Palm: cow split leather

Back: heavy cotton fabric

Cuff: stiff

Standard: EN 420, EN 388 / 2243X
EN 511 / X3X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



CXS ZORO WINTER, 3700 006 000 XX

Leather and fabric winter gloves
· plush lining

WINTER
NEW SIZES

Sizes: 09 - 11
Palm: pig split leather
Back: cotton/polyester cloth
Cuff: bonded
Standard: EN 21420, EN 388 / 3122X
EN 511 / X2X, EN 407 / XIXXXX
Box: 60 pairs
Pack: 12 pairs
Unit: 1 pair



CXS URBI, 3700 007 000 XX

Full leather winter gloves
· plush lining
· elastic at the wrist

WINTER
NEW SIZES

Sizes: 09 - 11
Palm: pig grain leather
Back: pig split leather
Cuff: loose
Standard: EN ISO 21420, EN 388 / 3222X
EN 511 / X3X
Box: 60 pairs
Pack: 12 pairs
Unit: 1 pair



CXS TECHNIK WINTER, 3700 009 801 XX

Leather and fabric winter gloves
· gloves with elastic back
· elastic at the wrist
· fleece lining

WINTER

Sizes: 08 - 11
Palm: goat or sheep grain leather
Back: knit - polyester/elastane
Cuff: loose
Standard: EN ISO 21420,
EN 388 / 2112X
EN 511 / XI1
Box: 120 pairs
Pack: 12 pairs
Unit: 1 pair



fleece lining



3M
Thinsulate
INSULATION

CXS YUNGAY, 3700 091 209 XX

Fully dipped winter gloves

- polyester/elastane knit
- double latex coating
- palm and fingers with sandy finish
- protection against contact heat up to 100 °C

Sizes: 08 - 10

Material: polyester/elastane, acrylic

Cuff: elastic

Coating: latex

Standard: EN 420, EN 388 / 2322X,

EN 511 / X2X, EN 407 / X1XXXX

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



palm and fingers with sandy finish



EN 407



X1XXXX

EN 511



X2X

EN 388



2322X



SMALL AMOUNT OF WATER AND OIL



HEAVY-DUTY

CAT. 2



CXS INDUSTRY ROXY WINTER, 3700 077 210 10

Palm-dipped winter gloves

- seamless looped polyester
- palm and fingers coated
- slip-resistant surface
- protection against contact heat up to 100 °C

Size: 10

Material: 100 % polyester

Cuff: elastic

Coating: latex

Standard: EN ISO 21420, EN 388 / 2142X,

EN 511 / X1X, EN 407 / X1XXXX

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



EN 407



X1XXXX

EN 511



X1X

EN 388



2142X



SMALL AMOUNT OF WATER AND OIL



HEAVY-DUTY

CAT. 2



CXS ROXY WINTER, 3700 010 160 XX

Palm-dipped winter gloves

- seamless acrylic
- palm and fingers coated
- slip-resistant surface
- fluorescent substrate
- protection against contact heat up to 250 °C

Sizes: 07 - 12

Material: brushed acryl knit

Cuff: elastic

Coating: latex foam

Standard: EN ISO 21420, EN 388 / 2231X,

EN 511 / X2X, EN 407 / X2XXXX

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



EN 407



X2XXXX

EN 511



X2X

EN 388



2231X



SMALL AMOUNT OF WATER AND OIL



HEAVY-DUTY

CAT. 2



CXS ROXY BLUE WINTER, 3700 023 400 10

3/4-dipped winter gloves

- seamless acrylic
- slip-resistant surface
- 3/4 coated
- protection against contact heat up to 100 °C

Size: 10

Material: brushed acryl knit

Cuff: elastic

Coating: latex foam

Standard: EN ISO 21420, EN 388 / 2232X

EN 511 / X2X, EN 407 / X1XXXX

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

WINTER



material detail



EN 407



X1XXXX

EN 511



X2X

EN 388



2232X



SMALL AMOUNT OF
WATER AND OIL



HEAVY-DUTY

CAT.
2



CXS ROXY DOUBLE WINTER, 3700 011 510 10

3/4-dipped winter gloves

- seamless acrylic
- slip-resistant surface
- 3/4 coated
- protection against contact heat up to 100 °C

Size: 10

Material: brushed acryl knit

Cuff: elastic

Coating: foam nitrile

Standard: EN ISO 21420, EN 388 / 3131X,

EN 511 / XIX, EN 407 / X1XXXX

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

WINTER



EN 407



X1XXXX

EN 511



X1X

EN 388



3131X



SMALL AMOUNT OF
WATER AND OIL



HEAVY-DUTY

CAT.
2



CXS ZARO WINTER, 3700 012 250 11

Fully dipped winter gloves

- slip-resistant surface
- length 35 cm

Sizes: 11

Material: brushed cotton

Coating: PVC

Standard: EN ISO 21420, EN 388 / 3121X,

EN 511 / X1X

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

WINTER



EN 511



X1X

EN 388



3121X



SMALL AMOUNT OF
WATER AND OIL



HEAVY-DUTY

CAT.
2



CXS EIRIN, 3700 106 800 XX

Casual winter gloves

- antislip dots
- back side interwoven with reflective thread
- loose cuff with elastic at the wrist
- touchscreen compatible
- blister-packed

Sizes: 07 - 10

Palm: polyester / elastane

Back: acrylic

Lining: fleece


Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



antislip dots



CXS SKERYN, 3700 108 800 XX

Unisex winter gloves

- touchscreen compatible
- blister-packed

Sizes: 08 - 10

Material: acrylic

Lining: fleece

Box: 200 pairs

Pack: 10 pairs

Unit: 1 pair



touchscreen compatible



CXS LODUR, 3700 099 800 XX

Casual winter gloves

- silicone grip prints on palm and fingers
- loose sewn cuff
- reflective logo
- touchscreen compatible
- blister-packed

Sizes: 08 - 10

Material: 97 % polyester
3 % elastane

Lining: fleece

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair

silicone grip prints



CXS NORNY, 3700 097 800 XX

Casual winter gloves

- antislip dots
- waterproof treatment
- extended cuff with elastic at the wrist
- touchscreen compatible
- blister-packed

Sizes: 08 - 10

Material: 90 % polyester 10 % elastane

Lining: fleece, 3M Thinsulate lining

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



3M
Thinsulate
INSULATION

CXS FREY, 3700 074 800 XX

Casual winter gloves

- stretch fleece gloves
- reflective printing
- antislip dots
- touchscreen compatible
- blister-packed

Sizes: 08 - 10

Material: 95 % polyester 5 % elastane

Lining: fleece

Box: 60 pairs

Pack: 12 pairs

Unit: 1 pair



EDGE 48-140, 3670 021 700 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated
- antistatic and ESD

Sizes: 07 - 10 on request

Material: 100 % polyester

Coating: polyurethane


Standard: EN ISO 21420, EN 388 / 3121A
EN 16350, EN 1149-1/2/3

Box: 144 pairs

Pack: 12 pairs

Unit: 1 pair

material detail



EN 16350
EN 1149-1/2/3



EN 388



3121A



CAT.
2



HYFLEX 48-100, 3440 003 100 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated

Sizes: 07 - 10

Material: 100 % polyester

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 4131A

Box: 144 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



4131A

CAT.
2

HYFLEX 48-101, 3440 004 800 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated

Sizes: 06 - 10

Material: 100 % polyester

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 4131A

Box: 144 pairs

Pack: 12 pairs

Unit: 1 pair



EN 388



4131A

CAT.
2

HYFLEX 48-105, 3440 005 100 XX

Fingertip-dipped gloves

- seamless knit
- coated fingertips

Sizes: 06 - 10

Material: 100 % polyester

Coating: polyurethane

Standard: EN ISO 21420, EN 388 / 003XA

Box: 144 pairs

Pack: 12 pairs

Unit: 1 pair



**CAT.
2**

HYFLEX 11-800, 3410 011 109 XX

Palm-dipped gloves

- seamless knit
- palm and fingers coated

Sizes: 08 - 10

Material: 100 % nylon

Coating: foam nitrile

Standard: EN ISO 21420, EN 388 / 3131A
EN 407 / XIXXXX

Box: 144 pairs

Pack: 12 pairs

Unit: 1 pair



**CAT.
2**



ACTIVARMR HYLITE 47-400, 3410 012 105 XX

3/4-dipped gloves

- knit - interlock
- 3/4 coated

Sizes: 08 - 10, 07 on request

Material: 100 % cotton

Coating: smooth nitrile

Standard: EN ISO 21420, EN 388 / 3111A

Box: 144 pairs

Pack: 12 pairs

Unit: 1 pair



**CAT.
2**

ACTIVARMR HYCRON 27-805, 3410 009 400 XX

Fully dipped gloves

- jersey lining
- stiff safety cuff
- fully coated

Size: 10

Material: 100 % cotton

Coating: smooth nitrile

Standard: EN ISO 21420, EN 388 / 4121B

Box: 144 pairs

Pack: 12 pairs

Unit: 1 pair



**CAT.
2**

ALPHATEC SOL-VEX 37-695, 3410 015 500 XX

Acid resistant gloves

- inverted diamond-patterned surface
- approved for food contact
- length 38 cm

Sizes: 08 - 11 on request

Material: brushed cotton

Coating: nitril

Standard: EN ISO 21420,
EN 388 / 4101A,
EN 374

Box: 72 pairs

Pack: 12 pairs

Unit: 1 pair



CAT.
3

ALPHATEC SOL-VEX 37-676, 3660 003 500 XX

Acid resistant gloves

- inverted diamond-patterned surface
- approved for food contact
- length 33 cm

Sizes: 07 - 10, on request 11

Material: brushed cotton

Coating: nitrile

Standard: EN ISO 21420, EN 388 / 4101X,
EN 374, ISO 18889 G2

Box: 144 pairs

Pack: 12 pairs

Unit: 1 pair



CAT.
3

ALPHATEC 87-900, 3660 004 502 XX

Acid resistant gloves

- inverted diamond-patterned surface
- length 33 cm

Sizes: 08 - 10, on request 07, 11

Material: brushed cotton

Coating: latex and neoprene

Standard: EN ISO 21420, EN 388 / 2110A,
EN 374, EN 421

Box: 144 pairs

Pack: 12 pairs

Unit: 1 pair



CAT.
3

ALPHATEC 87-190, 3420 004 150 XX

Latex gloves

- grip design - fishscale
- length 30,5 cm
- thickness 0,35 mm

Sizes: 07 - 10

Material: brushed cotton

Coating: latex

Standard: EN ISO 21420,
EN 388 / 1000X
EN 374

Box: 144 pairs

Pack: 12 pairs

Unit: 1 pair



CAT.
3

KRYTECH 692, 3690 052 000 00

Cut-resistant gloves

- cut protection level B
- palms and fingers coated with foam nitrile
- length 22 - 27cm

Sizes: 07 - 11

Material: seamless textile knit

Coating: foam nitrile

Standard: EN ISO 21420, EN 388 / 3X42B

Box: 48 pairs

Pack: 12 pairs

Unit: 1 pair



material detail



CAT.
2

ULTRANE 681, 3410 163 466 XX

Palm-dipped gloves

- palms and fingers coated with foam nitrile
- touchscreen compatible
- length 22 - 27cm

Sizes: 07 - 11

Material: seamless textile knit

Coating: foam nitrile

Standard: EN ISO 21420
EN 388 / 4X21A

Box: 48 pairs

Pack: 12 pairs

Unit: 1 pair



CAT.
2

ALTO 415, 3450 001 800 XX

Fully dipped gloves

- gloves with cotton flock lining
- embossed on the fingers and palm
- length 32 cm
- thickness 0,60 mm

Sizes: 08 - 10, on request 07, 11

Coating: blended latex - neoprene

Standard: EN 420, EN 388 / 1011X,
EN 374-1 B / KMT, EN 421

Box: 100 pairs

Pack: 10 pairs

Unit: 1 pair



CAT.
3



KRYTECH 579, 3630 004 109 XX

Cut-resistant gloves

- cut protection level 3
- palms and fingers coated with polyurethane
- length 22 - 27cm

Sizes: 07 - 10

Material: seamless knit from HDPE fiber

Cuff: polyurethane

Standard: EN 420, EN 388 / 4342B

Box: 96 pairs


Pack: 12 pairs

Unit: 1 pair



EN 388
4342B

material detail



CAT.
2

ULTRANITRIL 495, 3660 007 400 XX

Acid resistant gloves

- gloves with cotton flock lining
- embossed texture on fingers and palm
- length 32 cm
- thickness 0,38 mm

Sizes: 07 - 09, 06 and 10 on request

Material: nitrile

Standard: EN 420, EN 388 / 3101X, EN 374

Box: 100 pairs

Pack: 10 pairs

Unit: 1 pair



EN 374-1 A
AJKOPT

EN 374-5

EN 388
3101X



CAT.
3

VITAL 115, 3660 008 300 XX

Acid resistant gloves

- gloves with cotton flock lining
- embossed texture on fingers and palm
- length 30,5 cm
- thickness 0,35 mm

Sizes: 06 - 09

Material: latex

Standard: EN ISO 21420, EN 388,
EN 374, EN 421

Box: 100 pairs

Pack: 10 pairs

Unit: 1 pair



EN 374-1 B
KPT

EN ISO 374-5
VIRUS

EN 388
0010X

EN 421

CAT.
3



NEW

KRYTECH 574

21-gauge cut protection glove with **excellent grip** in oil, enhanced **dexterity**, and **comfort**



GRIP & PROOF
TECHNOLOGY



Cut protection
Level C



Grip
GRIP & PROOF
TECHNOLOGY coating for **premium grip**
in oily environments



Dexterity
21-gauge that allows superior dexterity
and comfort



Touchscreen
Touch-sensitive on **all fingers**



Sizes available	6 7 8 9 10 11
Packaging	1 masterbag of 12 pairs 48 pairs by carton





PROTECTIVE EQUIPMENT

INDEX	422
EYE PROTECTION	
SPECTACLES	428
WELDING SPECTACLES	435
HOODS	436
HEAD PROTECTION	
COMBINED HEAD PROTECTION	440
HELMETS AND ACCESSORIES	446
HEARING PROTECTION	
EAR PLUGS	452
EAR MUFFS	457
RESPIRATORY PROTECTION	
PARTICULATE RESPIRATORS	462
MASKS AND FILTERS	466



INDEX

Spectacles



CXS KANAK

NEW

page
428

page
428

page
429



CXS OPSIS TIEVA



CXS FOSSA

page
429



CXS IRBIS

page
429



CXS OPSIS ALAVO

page
430



CXS LYNX

page
430



CXS ROY

page
430



CXS KID

page
430



CXS SPARK

page
431



CXS VISITOR

page
431



CXS PANTHERA

page
431



CXS SPECTACLE BAG

page
431



CXS SPECTACLE CLOTH

page
431



CXS SPECTACLE STRING

page
432



CXS MARGAY

page
432



3M SOLUS CCS

page
432



3M SOLUS FIT 200

page
432



3M SOLUS FIT 400

page
433



CXS OPSIS FORS

page
433



CXS OPSIS SKARA

page
433



CXS OPSIS BRYNAS

page
433



CXS OPSIS BRYNAS AC

page
434



CXS VENTI



page
434

CXS VITO



page
434

3M 2890 A



page
434

OKULA B-B 19



page
435

OKULA B-E 7

Welding spectacles and hoods



page
435

OKULA B-V 24



page
389

GLASS FOR GOGGLES



page
435

GLASS FOR GOGGLES



page
436

PROTECO P850 RM-C

NEW



page
436


CXS WELDING HOOD

NEW



page
436

CXS CROSS FOR HOOD



page
437

GLASS FOR HOOD



page
437

GLASS FOR HOOD



page
437

SAFETY FOIL FOR HOOD

Combined head protection



page
440

CXS VISOR VM85



page
440

CXS VISOR VC85



page
441

CXS HEAD GEAR H870



page
441

CXS HEAD GEAR DP85



page
441

CXS HEAD GEAR H867



page
442

3M 6500-GU



page
442

3M SF-11



page
442

3M FH1



page
443

3M ADAPTER P3EV/2



page
443

3M V9C



page
446

OKULA Š-P 28



page
446

OKULA Š-P 29

Helmets and accessories



page
446

CXS STAVBAŘ



page
446

CXS SWEAT BAND



page
447

CXS CHIN STRAP



page
447

MSA CHIN STRAP



page
447

MSA V-GARD® 500



page
448

3M G3000



page
448

3M CHIN STRAP GH4

INDEX



page
448

HELMET PROHELM LASS



page
449

CHIN STRAP



page
449

CXS HYNEK INSOLE



page
449

CXS CRAN

Hearing protection



page
452

CXS CORTIX FEP-03



page
452

PACK 3 / 50 / 200 PAIRS




page
452

CXS CORTIX FEP-03C



page
452

CXS CORTIX EP-06TC



page
453

CXS CORTIX FEP-03C



page
453

CXS CORTIX DISPENSER



page
453

3M EAR SOFT NEON



page
454

3M EAR SOFT NEON



page
454

3M EAR SOFT NEON



page
454

3M EAR SOFT NEON



page
454

3M EAR CLASSIC



page
455

3M EAR CAPS CLASSIC



page
455

3M E-A-R CAPS



page
455

3M EAR CLASSIC



page
455

3M E-A-R CAPS



page
456

3M E-A-R SOFT



page
456

3M E-A-R REFILL BOTTLE



page
456

**3M DISPENSER
ONE TOUCH PRO**



page
457

CXS EP101



page
457

CXS EP106



page
457

CXS EP106



page
457

CXS EP109



page
458

CXS EP167



page
458

**3M PELTOR
H540A-411-SV**



page
458

**3M PELTOR
H510P3E-405-GU**



page
459

**3M PELTOR
H520P3E-410-GQ**



page
459

**3M PELTOR
H510A-401-GU**



page
459


**3M PELTOR
H520A-407-GQ**

Particulate respirators



page
462

CXS SPIRO

 page 462	 page 462	 page 462	 page 463	 page 463	 page 463
CX5 SPIRO	CX5 SPIRO	CX5 SPIRO	CX5 SPIRO	CX5 SPIRO	CX5 SPIRO
 page 463	 page 464	 page 464	 page 464	 page 464	 page 465
CX5 SPIRO	CX5 SPIRO	CX5 SPIRO	3M 9310+ AURA	3M 9312+ AURA	3M 9320+ AURA GEN3
 page 465	 page 465	 page 465	 page 466	 page 466	
3M 9322+ AURA GEN3	3M 9332+ AURA GEN3	3M 8833	3M 9914	CX5 DUST	
 page 466	 page 466	 page 466	 page 467	 page 467	
CX5 DUST	CX5 HALITUS FINAL SALE	3M 6200 / 3M 6300	3M 7502 / 3M 7503	3M 4251+	
 page 467	 page 467	 page 468	 page 468	 page 468	
3M 400	3M 6800 / 3M 6900	3M 6885	3M 603	3M 501	
 page 468	 page 468	 page 469	 page 469	 page 469	
3M 502	3M 105	3M 5911	3M 5925	3M 2125	
 page 469	 page 470	 page 470	 page 470	 page 470	
3M 6051	3M 6055	3M 6059	3M 6057	3M 6099	



PICTOGRAMS



a1 - Anti-Scratch



a2 - Anti-Fog



a3 - UV Protection



a4 - Adjustable ear-stem



a5 - Adjustable visor angle



a6 - Soft flexible ear-stem ends



Elastic band



Foam insert



Made in CS



Made in EU



Goods to order

EYE PROTECTION

Eye protection aids provide the protection against particles, liquids or fumes from chemicals. If you want your eyes to be safe, always choose the appropriate degree of protection provided. Our purpose is to provide an eye protection which is perfectly protects and allows the perfect vision. In addition, we recommend a select the appropriate mechanical pagength of the glasses according to our table:

MECHANICAL STRENGHT	
F	resistant to low energy impact (45 m/s)
B	resistant to middle energy impact (120 m/s)
A	resistant to high energy impact (190 m/s)

The mechanical pagength test is performed with a 6 mm diameter steel ball, weighing 0.86 g and corresponding speed (m/s) - this test method is performed in mechanical pagength A, B, F.

S The increased pagength test is performed with a steel ball of 22 mm diameter with a mini- mum weight of 43 g and a speed of 5.1 m / s - this test method is given by the letter S.

T The T symbol used in conjunction with F, B, or A indicates that the eye protector is designed against high speed particles at extreme temperatures (-5°C to + 55°C).

STANDARDS	
EN 166	personal eye protection - basic provisions
EN 169	filters for welding
EN 170	UV filters
EN 171	infrared filters
EN 172	solar filters for professional use
EN 1731	specifications for mesh materials products for eye and face protection
EN 379	filters for welding with switched light or dual light transmission

SAFETY SPECTACLES MARKING

..... Lens-sample: **2C1.2;2-1.2 OR 5-2.5** **C** **1** **F OR B** **T**

Filter protection numbers

Manufacturer identification

Optical class 1

Mechanical strenght of frame

(F - low energy impact, B - medium energy impact)

Protection against high speed particles at extreme temeratures



Frame-sample: **4110 013 113 00 EN166** **F OR B** **T** **3** **4** **CE**

Manufacturer and product identification

European norm

Frame mechanical strenght

(F - low energy impact, B - medium energy impact)

High speed particle protection at extreme temperatures
(-5°C to + 55°C)

Drop protection

Protection against coarse dust

Certification mark



SPECTACLES

201 orange mirror

CXS KANAK, 4110 335 XXX 00

Safety spectacles

- ultralight: 25 g
- UV protection 380 - 400
- dielectric design - no metal parts
- adjustable visor angle (5 positions)
- ergonomic nose bridge
- flexible temples with ventilation openings

Frame: polycarbonate / TPE

Lens: polycarbonate

Optical class: 1

Mechanical paglength: FT

Frame color: orange-white, blue-white, grey, black-yellow, black-red, black

Lens color: orange mirror, blue mirror, I/O, yellow, smoke, clear

Standards: EN 166, EN 170 - clear, yellow lens

Standards: EN 166, EN 172 - orange mirror, blue mirror, I/O, smoke lens

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece

NEW COLOUR



401 blue mirror



700 I/O



802 yellow



805 smoke



810 clear



CXS OPSIS TIEVA, 4110 264 XXX 00

Safety spectacles

- UV380 protection for clear lens
- UV400 protection for amber, I/O and smoke lens
- removable foam carrier

Frame: polycarbonate / PVC

Lens: polycarbonate

Optical class: 1

Mechanical paglength: FT

Frame color: grey - green

Lens color: clear, amber, I/O, smoke

Standards: EN 166, EN 170 - clear, amber lens

Standards: EN 166, EN 172 - I/O, smoke lens

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece

113 clear



150 yellow



720 I/O



620 smoke



CXS FOSSA, 4110 156 XXX 01

Safety spectacles

- UV380 protection for clear lens
- UV400 protection for smoke and mirror lens
- slim elastic temples
- variable inclination of temples

Frame: polycarbonate / TPR

Lens: polycarbonate

Optical class: 1

Mechanical pagength: F

Frame color: black-green

Lens color: clear, smoke, mirror

Standards: EN 166, EN 170 - clear lens

Standards: EN 166, EN 172 - smoke, mirror lens

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



CXS IRBIS, 4110 005 113 00

Safety spectacles

- UV400 protection
- 29 g weighing
- soft and nonslipping nose pad
- indirect ventilation between the lens and frame
- adjustment of temple length and inclination

Frame: polycarbonate / TPE

Lens: polycarbonate

Optical class: 1

Mechanical pagength: F

Frame color: black

Lens color: clear

Standards: EN 166, EN 170

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



CXS OPSIS ALAVO, 4110 208 XXX 00

Safety spectacles

- UV380 protection for clean lens
- UV400 protection for amber and smoke lens
- 24g weighing

Frame: polycarbonate

Lens: polycarbonate

Optical class: 1

Mechanical pagength: FT

Frame color: clear, yellow, smoke

Lens color: clear, yellow, smoke

Standards: EN 166, EN 170 - clear, amber lens

Standards: EN 166, EN 172 - smoke lens

Box: 144 pieces

Pack: 12 pieces

Unit: 1 piece



SPECTACLES

113 clear

CXS LYNX, 4110 XXX XXX 00

Safety spectacles

- UV380 protection for clean lens
- UV400 protection for amber and smoke lens
- 22 g weighing, no metal particles
- integrated brow guard

Frame: polycarbonate

Lens: polycarbonate

Optical class: 1

Mechanical pagength: F

Frame color: clear, yellow, smoke

Lens color: clear, yellow, smoke

Standards: EN 166, EN 170 - clear, amber lens

Standards: EN 166, EN 172 - smoke lens

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



720 smoke

150 yellow



CXS ROY, 4110 013 113 00

Safety spectacles

- UV380 protection for clean lens
- integrated side cover
- adjustable length and inclination of temples

Frame: nylon

Lens: polycarbonate

Optical class: 1

Mechanical pagength: FT

Frame color: black

Lens color: clear

Standards: EN 166, EN 170

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



CXS KID, 4110 014 150 00

Safety spectacles

- UV380 protection
- integrated side cover
- adjustable length and inclination of temples

Frame: nylon

Lens: polycarbonate

Optical class: 1

Mechanical pagength: FT

Frame color: black

Lens color: yellow

Standards: EN 166, EN 170

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



CXS SPARK, 4110 015 720 00

Safety spectacles

- UV380 protection
- integrated side cover
- adjustable length and inclination of temples

Frame: nylon

Lens: polycarbonate

Optical class: 1

Mechanical pagength: FT

Frame color: black

Lens color: smoke

Standards: EN 166, EN 172

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



CXS VISITOR, 4110 010 113 00

Safety spectacles

- UV380 protection, direct ventilation
- suitable over prescription glasses

Frame: polycarbonate

Lens: polycarbonate

Optical class: 1

Mechanical pagength: FT

Frame color: clear

Lens color: clear

Standards: EN 166, EN 170

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



CXS PANTHERA, 4190 040 720 01

Polarized spectacles

- UV400 protection
- minimizing unwanted reflections
- packed into CXs spectacle bag

Frame: nylon / polycarbonate / TPE

Lens: polycarbonate

Frame color: black-green

Lens color: polarized

Standards: EN ISO 12312-1

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



CXS SPECTACLE BAG, 4190 001 800 00

Spectacle bag

- draw-string
- size: 20 x 11 cm

Material: 100 % polyester

Box: 1200 pieces

Pack: 100 pieces

Unit: 1 piece



CXS SPECTACLE CLOTH, 4190 044 800 00

Spectacle cloth

- gently cleans spectacle lenses, ski and diving goggles, camera lenses, binocular lenses and displays
- size: 18 x 15 cm

Material: 100 % polyester, suede

Box: 2000 pieces

Pack: 50 pieces

Unit: 1 piece



CXS SPECTACLE STRING, 4190 002 800 00

Spectacle pageng

- round, textile

Material: 66 % nylon, 34 % polyester

Box: 1200 pieces

Pack: 100 pieces

Unit: 1 piece



SPECTACLES

CXS MARGAY, 4110 155 113 01

Safety spectacles

- UV380 protection
- softer material of temples over the ears
- elastic adjustable textile band
- neoprene foam pad

Frame: polycarbonate / TPE / EVA foam

Lens: polycarbonate

Optical class: 1

Mechanical paglength: FT

Frame color: black-green

Lens color: clear

Norma: EN 166, EN 170

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



3M SOLUS CCS, 4120 055 113 01

Safety spectacles

- rimless frame
- 3M™ Scotchgard™ anti-fog and anti-scratch coating
- CCS design to attach cord or corded earplugs
- lenses absorb 99,9% of UVA and UVB

Frame: polycarbonate

Lens: polycarbonate

Optical class: 1

Mechanical paglength: FT

Frame color: green

Lens color: clear

Standards: EN 166, EN 170

Pack: 20 pieces

Unit: 1 piece



3M SECURE FIT 200, 4120 XXX XXX 00

Safety spectacles

- rimless frame
- flexible temples
- pressure diffusion temple technology

Frame: polycarbonate

Lens: polycarbonate

Optical class: 1

Mechanical paglength: FT

Frame color: clear, smoke

Lens color: clear, smoke

Standards: EN 166, EN 170 - clear lens

Standards: EN 166, EN 172 - smoke lens

Pack: 20 pieces

Unit: 1 piece



4120 032 113 00



4120 033 720 00



3M SECURE FIT 400, 4110 XXX XXX 00

Safety spectacles

- rimless frame
- flexible temples
- pressure diffusion temple technology
- adjustable nosepiece

Frame: polycarbonate

Lens: polycarbonate

Optical class: 1

Mechanical paglength: FT

Frame color: black-green

Lens color: clear, smoke, yellow

Standards: EN 166, EN 170 - clear, amber lens

Standards: EN 166, EN 172 - smoke lens

Pack: 20 pieces

Unit: 1 piece



4110 146 720 00

4110 145 113 00

4110 147 150 00



CXS OPSIS FORS, 4110 287 810 00

Safety spectacles

- UV380 protection
- conform additional tests EN 166 for antiscratch (K) and antifog (N) features
- elastic adjustable textile band
- washable TPE insertion

Frame: polycarbonate / TPE

Lens: polycarbonate

Optical class: 1

Other features: KN

Mechanical pagength: FT

Standards: EN 166, EN 170

Box: 160 pieces

Pack: 16 pieces

Unit: 1 piece



CXS OPSIS SKARA, 4110 288 810 00

Safety goggles

- UV380 protection
- elastic adjustable textile band
- washable TPE insertion

Frame: polycarbonate / PP / TPE

Lens: polycarbonate

Optical class: 1

Mechanical pagength: B

Frame color: black-grey

Lens color: clear

Standards: EN 166, EN 170

Box: 68 pieces

Unit: 1 piece



CXS OPSIS BRYNAS, 4110 290 113 00

Safety goggles

- UV380 protection
- indirect ventilation
- suitable over prescription glasses
- elastic adjustable textile band

Frame: PVC

Lens: polycarbonate

Optical class: 1

Mechanical pagength: BT

Frame color: smoke

Lens color: clear

Standards: EN 166, EN 170

Box: 80 pieces

Unit: 1 piece



CXS OPSIS BRYNAS AC, 4110 289 113 00

Safety goggles

- UV360 protection
- indirect ventilation
- suitable over prescription glasses
- elastic adjustable textile band

Frame: PVC

Lens: acetate

Optical class: 1

Mechanical pagength: FT

Frame color: clear

Lens color: clear

Standards: EN 166, EN 170

Box: 80 pieces

Unit: 1 piece



SPECTACLES

CXS VENTI, 4110 012 113 00

Safety goggles

- UV380 protection
- indirect ventilation on the top
- elastic adjustable textile band

Frame: PVC

Lens: polycarbonate

Optical class: 1

Mechanical pagength: B

Frame color: transparent grey

Lens color: clear

Standards: EN 166, EN 170

Box: 120 pieces

Unit: 1 piece



CXS VITO, 4110 011 113 00

Safety goggles

- UV380 protection
- direct ventilation on the top and bottom
- elastic adjustable textile band

Frame: PVC

Lens: polycarbonate

Optical class: 1

Mechanical pagength: BT

Frame color: transparent grey

Lens color: clear

Standards: EN 166

Box: 120 pieces

Unit: 1 piece



3M 2890 A, 4110 018 113 00

Safety goggles

- indirect ventilation
- elastic adjustable textile band

Frame: PVC

Lens: acetate

Optical class: 1

Mechanical pagength: FT

Frame color: transparent grey

Lens color: clear

Standards: EN 166, EN 170

Pack: 10 pieces

Unit: 1 piece



OKULA B-B 19, 4110 023 113 00

Safety goggles

- UV protection
- direct ventilation
- elastic adjustable band

Lens: polycarbonate

Optical class: 1

Mechanical pagength: S

Frame color: grey

Lens color: clear

Standards: EN 166

Box: 40 pieces

Pack: 5 pieces

Unit: 1 piece



OKULA B-E 7, 4110 024 113 00

Safety goggles

- UV protection
- direct and indirect ventilation
- elastic adjustable band

Lens: polycarbonate

Optical class: 1

Mechanical pagength: 5

Frame color: green

Lens color: clear

Standards: EN 166

Box: 40 pieces

Pack: 5 pieces

Unit: 1 piece



OKULA B-V 24, 4120 002 000 05

Welding goggles

- indirect ventilation
- transparent visors
- swing section fitted with welding filters

Welding lens: welding filter SVAR

Clear lens: polycarbonate

Optical class: 1

Mechanical pagength: 5

Lens darkness: 5

Frame color: blue

Standards: EN 166, EN 169, EN 175

Box: 32 pieces

Pack: 4 piecey

Unit: 1 piece



GLASS FOR GOGGLES, 4190 004 113 00

Welding accessories

- flat with soft surface
- undistorted vision
- resistant to common liquids
- diameter: 50 mm, thickness: 2 mm

Material: glass

Optical class: 1

Mechanical pagength: 5

Lens color: clear

Standards: EN 166

Unit: 1 piece



GLASS FOR GOGGLES, 4190 003 000 05

Welding accessories

- flat green coloured glass
- resistant to common liquids
- diameter: 50 mm

Material: glass

Optical class: 1

Mechanical pagength: 5

Welding darkness: 5

Standards: EN 166, EN 167, EN 168, EN 169

Unit: 1 piece



WELDING HOODS

PROTECO P85ORM-C, 4200 190 800 00

Welding hood

- selectable dark shades: DIN 5 - 8, 9 - 13
- switching time: 0,25 ms
- lightening time: 0,1 s to 1 s
- cassette with four sensors
- power source: solar cell + 2x 3V Lithium battery CR2450
- "welding methods - MMA, MIG/MAG, TIG, SAW, PAC, PAW"
- switch position for welding/grinding
- switching on/off
- working temperature: -5°C to +50°C

Viewing area: 55 × 98 mm

Standards: EN 379, EN ISO 16321-1, EN ISO 16321-2, EN 166, EN 61000-6-3, EN 61000-6-1

Unit: 1 piece

NEW



WELDING HOOD, 4200 001 000 00

Welding hood

- leather neck protector
- adjustable into the exact position
- stop protecting from crash into the welder's body
- welding methods - electric arc
- helmet harness and welding glass are not included
- helmet harness: 4200-003-000-00
- welding glass: 4200-005-113-00, 4200-004-000-XX

Material: special cardboard sprayed on both sides with special matte finish

Viewing area: 90 × 110 mm

Standards: EN 175

Unit: 1 piece



CROSS FOR HOOD, 4200 003 000 00

Welding accessories

- designed for welding hood 4200 001 000 00

Unit: 1 piece



GLASS FOR HOOD, 4200 005 113 00

Welding accessories

- flat with smooth surface
- undistorted vision
- resistant to common liquids
- thickness: 2mm

Viewing area: 90 x 110 mm

Material: glass

Optical class: 1

Mechanical pagength: 5

Lens color: clear

Standards: EN 166

Unit: 1 piece



GLASS FOR HOOD, 4200 004 000 XX

Welding accessories

- flat green coloured glass, thickness: 2mm
- resistant to common liquids
- suitable for electric arc welding, plasmatic welding

Viewing area: 90 x 110 mm

Material: glass

Welding darkness: 09 - 12

Standards: EN 166, EN 167, EN 168, EN 169

Unit: 1 piece



SAFETY FOIL FOR HOOD, 4200 006 000 00

Welding accessories

- safety foil for welding hood

Viewing area: 90 x 110 mm

Lens color: clear

Standards: EN 166

Unit: 1 piece



HEAD PROTECTION

All European head protection products are covered by European Standards, which are explained in following table.

STANDARDS	
EN 812	Light industrial head protection helmets - designed to protect the head when striking hard and firmly placed objects (not applicable instead of EN 397 protective helmet)
EN 397	Industrial protective helmets to protect the worker from falling of the objects on the head
EN 14052 + A1	Industrial helmets with a high degree of protection are tested for larger impact and side impact as well
EN 50365	Electrically insulating helmets for use in low voltage installations


ACCESSORIES STANDARDS	
EN 166	Personal eye-protection
EN 352-3	Ear-muffs for industrial safety helmets
EN 1731	Means for protecting eyes and face from mesh for industrial and other uses against mechanical hazards

HEAD PROTECTION FOR INDUSTRIAL USE: EN 397

The helmet for industrial use is intended for protection of the user against falling objects and prevent injuries of brain and skull fracture.


IMPACT ABSORPTION TEST

- 5kg heavy weight with rounded shape is dropped on the helmet from the height of 1m
- The maximum transmitted force must not exceed 5 kN



CHIN STRAP FASTENING

- At first, apply a force of 150N and then increase it up to 20N/min until it comes off
- The chin strap fastening should yield to a force of at least 150N, but not more than 250N




FLAME RESISTANCE TEST

- A burner effects at an angle of 45° on a random point in the distance from 50 to 100 mm from the top of the head for the period of 10 seconds
- The flame must not be visible after 5 seconds



PENETRATION TEST

- A 3kg heavy pointed cone is dropped on the helmet from the height of 1 m
- The cone must not get into contact with the test dummy of head under the helmet





COMBINED HEAD PROTECTION

CXS VISOR VM85, 4320 004 000 00

Protective visor

- provides protection for garden work
- combinable with head gears or visor holder CXS

Material: steel mesh

Size: 205 x 395 mm

Standard: EN 1731

Box: 200 pieces

Pack: 10 pieces

Unit: 1 piece



CXS VISOR VC85, 4320 005 000 00

Protective visor

- provides protection for garden work and protection for work with liquids
- combinable with head gears or CXS Visor holder

Size: 205 x 395 mm

Material: polycarbonate

Optical class: 1

Mechanical strength: B

Lens color: clear

Standard: EN 166

Box: 200 pieces

Pack: 10 pieces

Unit: 1 piece



CXS HEAD GEAR H870, 4320 003 000 00

Head gear

- combinable with CXS visors
- not available for ear muffs
- wheel ratchet

Material: polypropylene

Color: black

Box: 40 pieces

Pack: 10 pieces

Unit: 1 piece



CXS HEAD GEAR DP85, 4320 007 166 00

Head gear

- combinable with CXS visors
- designed for forestry sets
- available for ear muffs CXS EP106
- wheel ratchet

Material: polypropylene

Color: yellow

Box: 60 pieces

Pack: 10 pieces

Unit: 1 piece



CXS VISOR HOLDER H867, 4320 006 000 00

Visor holder

- combinable with CXS visors
- with removable adapter for using with helmet
- without adapter can be used in a combination with ear muffs for helmet

Material: polypropylene

Color: black

Box: 100 pieces

Pack: 50 pieces

Unit: 1 piece



COMBINED HEAD PROTECTION

3M G500-GU, 4320 008 000 00

Head gear

- compatible with visors, ear muffs and integrated spectacles 3M
- wheel ratchet
- 3 positions for height adjustment
- 8 positions for gear adjustment
- front cover ventilation

Material: ABS

Color: yellow

Pack: 10 pieces

Unit: 1 piece



3M 5F-11, 4320 009 000 00

Protective visor

- compatible with visors holder, helmet G3000 and ear muffs 3M
- thickness: 1,5 mm
- protects face against liquid splash, mechanical particles and electric arc

Size: 172 x 348 mm

Material: polycarbonate

Optical class: 1

Mechanical strength: B

Lens color: clear

Standard: EN 166, EN 170

Box: 60 pieces

Pack: 10 pieces

Unit: 1 piece



3M FH1, 4320 161 800 00

Visor holder

- compatible with visors, helmet G3000 and ear muffs 3M
- snap in fixing

Material: polycarbonate

Pack: 10 pieces

Unit: 1 piece



3M ADAPTER P3EV/2, 4320 015 000 00

Adapter for helmet

- compatible with visors, helmet G3000 and ear muffs 3M
- snap in fixing

Pack: 5 pairs

Unit: 1 pair



3M V9C, 4110 235 113 00

Integrated spectacles

- integrated eyewear for 3M helmets
- easy to use clip-on attachment to connect to the headband of the helmet or headgear
- flexible joints allow individual adjustment

Optical class: 1

Mechanical strength: F

Lens color: clear

Color frame: black

Standard: EN 166, EN 170

Unit: 1 piece



OKULA Š-P 28, 4320 001 000 00

Protective visor

- including head gear
- suitable over prescription glasses
- protects face against liquid splash and mechanical particles

Size: 220 x 290 mm

Material: PMMA (plexiglass)

Optical class: 2

Mechanical strength: 5

Color: clear

Standard: EN 166

Box: 40 pieces

Pack: 5 pieces

Unit: 1 piece



COMBINATION OF PROTECTIVE ELEMENTS

COMBINATIONS FOR CXS VISOR HOLDER H867

- holder including adapter for helmet mounting
- without adapter can be used with clam shell helmet protectors
- cannot be used without helmet




CXS VISOR HOLDER H867, 4320 006 000 00

CXS STAVBAŘ, 4310 001 XXX 00

CXS VISOR VM85, 4320 004 000 00

CXS EP167, 4420 006 800 01



CXS VISOR HOLDER H867, 4320 006 000 00

CXS STAVBAŘ, 4310 001 XXX 00

CXS VISOR VC85, 4320 005 000 00

CXS EP167, 4420 006 800 01

COMBINATION OF PROTECTIVE ELEMENTS

PROTECTIVE EQUIPMENT COMBINATIONS FOR CXS HEAD GEAR H870

· without the possibility of using scallop protectors



CXS VISOR HOLDER H870, 4320 003 000 00

CXS VISOR VM85, 4320 004 000 00

CXS VISOR VC85, 4320 005 000 00



COMBINATIONS FOR CXS HEAD GEAR DP85

· possibility of using shell protectors

· in combination with the shield and shell protectors it forms a forestry set



CXS VISOR HOLDER DP85, 4320 007 166 00

CXS VISOR VM85, 4320 004 000 00

CXS EP106, 4420 001 166 00



CXS VISOR HOLDER DP85, 4320 007 166 00

CXS VISOR VC85, 4320 005 000 00

CXS EP106, 4420 001 166 00



HELMETS AND ACCESSORIES

OKULA Š-P 29, 4320 002 000 00

Protective visor

- including head gear
- suitable over prescription glasses
- protects face against liquid splash and mechanical particles

Size: 330 x 290 mm

Material: PMMA (plexiglass)

Optical class: 2

Mechanical strength: 5

Color: clear

Standard: EN 166

Box: 40 pieces

Pack: 5 pieces

Unit: 1 piece



CXS STAVBAŘ, 4310 001 XXX 00

Safety helmet

- temperature resistance: -10°C to +50°C
- weight: 340 g
- service life: 5 years from the production date
- electrical insulating ability to 440Vac
- 4-point textile harness

Size: 55 - 62 cm

Material: HDPE

Standard: EN 397

Box: 24 pieces

Unit: 1 piece

helmet with a used sweatband



CXS SWEATBAND, 4310 040 000 00

Helmet accessories

- for CXS STAVBAŘ helmets

Material: polyester and polyethylenef

Pack: 10 pieces

Unit: 1 piece



CXS CHIN STRAP, 4310 005 000 00

Helmet accessories

- for CXS STAVBAR helmets
- 2-point

Material: polyester and polyethylene

Pack: 10 pieces

Unit: 1 piece



MSA CHIN STRAP, 4310 164 000 00

Helmet accessories

- for MSA V-GARD® 500 helmets

Material: polyester

Pack: 20 pieces

Unit: 1 piece



MSA V-GARD® 500, 4310 163 XXX 00

Safety helmet

- with Fas-Trac III wheel ratchet
- temperature resistance: -30°C to +50°C
- weight: 360 g
- lateral deformation resistance
- service life: 3 years storage life + 5 years service life
- 4-point textile harness with PVC sweatband
- use in potentially explosive atmospheres ATEX areas

Size: 52 - 64 cm

Material: ABS

Standard: EN 397, EN ISO 80079-36

Box: 20 pieces

Unit: 1 piece

4-point textile harness with PVC sweatband



400

250

150

100

200

034

035



HELMETS AND ACCESSORIES

3M G3000, 4310 003 XXX 00

Safety helmet

- temperature resistance: -30°C to +50°C
- weight: 310 g
- uvicator tell by fading when to change the helmet
- 4-point textile harness with wheel ratchet
- lining can be rotated 180° which allows the helmet to be worn back-to-front
- antistatic

Size: 54 - 62 cm

Material: ABS

Standard: EN 397

Box: 20 pieces

Unit: 1 piece

400
523
250
200
150
100



3M CHIN STRAP GH4, 4310 006 000 00

Helmet accessories

- for 3M helmets
- 3-point

Material: nylon

Box: 100 pieces

Pack: 10 pieces

Unit: 1 piece



PROHELM LASS, 4310 002 XXX 00

Safety helmet

- temperature resistance: -20°C to +50°C
- weight: 370 g
- service life: 5 years from the production date
- electrical insulating ability to 440Vac
- 6-point textile harness
- resistance against lateral deformation

Size: 53 - 62 cm

Material: HDPE

Standard: EN 397

Pack: 30 pieces

Unit: 1 piece

200
100
400
150
250



CHIN STRAP, 4310 007 000 00

Helmet accessories

- for PROHELM helmets
- 2-point

Material: textil

Pack: 20 pieces

Unit: 1 piece



CXS HYNEK INSOLE, 4310 008 800 00

Helmet accessories

- underneath helmet insert

Material: 100 % polyester fleece

Box: 100 pieces

Pack: 10 pieces

Unit: 1 piece



215

413

700

800

166



CXS CRAN, 4310 207 XXX 00

Cap with lining

- plastic inner lining
- reflective tapes
- side mesh part
- strap with velcro for size adjustment
- suitable for activities which do not require helmet wearing
- can not be used as a helmet replacement

Material - fluorescent colors: 65 % polyester, 35 % cotton

Material - other colors: 85 % cotton 15 % polyester

Hardcap: ABS, EVA foam

Standard: EN 812:2012

Box: 60 pieces

Unit: 1 piece



HEARING PROTECTION

STANDARDS

EN 352-1	Earmuffs (machine operators, assembly line operators)
EN 352-2	Earplugs (operators in food processing industry)
EN 352-3	Earmuffs for industrial safety helmets
EN 352-6	Earmuffs with an electric communication device
EN 458	Recommendation for selection, use, and maintenance of hearing protection equipment

NOISE LEVELS IN DB

You need to select a suitable PPE:

- determine the nature of the noise - constant, variable, intermittent, pulsating- measure the intensity (dB) and frequency (Hz) of workplace
- the permissible sound level is between 70 and 85 dB
- in the range of 80 - 85 dB, severe harassment occurs and reduced psychic performance
- it is recommended to attenuate to acceptable values for human ear - 70 to 80 dB

For more clarity, you can compare some of the examples directly in the sub-graph, where dB values are assigned to certain situations and activities.





HEARING PROTECTION

CXS CORTIX FEP-03, 4410 093 200 00

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort
- latex-free

Material: polyurethane foam

Attenuation in dB: SNR 34 dB

Standard: EN 352-2

Box: 2000 pairs

Pack: 200 pairs

Unit: 1 pair



CXS CORTIX FEP-03, 4410 093 200 01

Pack: 3 pairs per pack

Unit: 1 pair

CXS CORTIX FEP-03, 4410 093 200 02

Pack: 50 pairs

Unit: 1 pair

CXS CORTIX FEP-03, 4410 093 200 03

Box: 2000 pairs

Pack: 200 pairs

Unit: 1 pair

CXS CORTIX FEP-03, 4410 094 200 00

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort
- latex-free
- 500 pairs per pack

Material: polyurethane foam

Attenuation in dB: SNR 34 dB

Standard: EN 352-2

Box: 10 packs

Pack: 500 pairs

Unit: 1 packs



CXS CORTIX EP-06TC, 4410 096 200 00

Ear plugs

- washable, reusable
- outer flange design helps to keep the ear plug in place
- finger grip improves ease of insertion
- latex-free
- PVC cord
- packed in case with belt clip

Material: monopren

Attenuation in dB: SNR 27 dB

Standard: EN 352-2

Box: 1000 pairs

Pack: 100 pairs

Unit: 1 packs



CXS CORTIX FEP-03C, 4410 095 200 00

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort
- latex-free
- PVC cord

Material: polyurethane foam

Attenuation in dB: SNR 34 dB

Standard: EN 352-2

Box: 2000 pairs

Pack: 200 pairs

Unit: 1 packs



CXS CORTIX FEP-03C, 4410 095 200 01

Pack: 3 pairs per pack

Unit: 1 pair

CXS CORTIX FEP-03C, 4410 095 200 02

Pack: 50 pairs

Unit: 1 pair

CXS CORTIX FEP-03C, 4410 095 200 03

Box: 200 pairs

Unit: 1 pair



CXS CORTIX DISPENSER, 4410 097 000 00

Ear plug dispenser

- freestanding or wall mounting
- twist motion system releases ear plugs piece by piece
- the upper tray can be easily refilled

Material: ABS

Box: 4 pieces

Unit: 1 piece



3M EAR SOFT NEON, 4410 001 000 00

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort

Material: polyurethane foam

Attenuation in dB: SNR 36 dB

Standard: EN 352-2

Pack: 1000 pairs

Unit: 1 pair



HEARING PROTECTION

3M EAR SOFT NEON, 4410 001 000 01

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort
- 3 pairs per pack

Material: polyurethane foam

Attenuation in dB: SNR 36 dB

Standard: EN 352-2

Pack: 3 pairs per pack

Unit: 1 packs



3M EAR SOFT NEON, 4410 001 000 02

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort
- 50 pairs in pack

Material: polyurethane foam

Attenuation in dB: SNR 36 dB

Standard: EN 352-2

Pack: 50 pairs

Unit: 1 packs



3M EAR SOFT NEON, 4410 001 000 03

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort
- 250 pairs in pack

Material: polyurethane foam

Attenuation in dB: SNR 36 dB

Standard: EN 352-2

Pack: 250 pairs

Unit: 1 packs



3M EAR CLASSIC, 4410 002 000 00

Ear plugs

- single-use, washable
- gradually expand and adhere to ear canal

Material: PVC foam

Attenuation in dB: SNR 28 dB

Standard: EN 352-2

Pack: 1000 pairs

Unit: 1 pair



3M EAR CLASSIC, 4410 002 000 01

Ear plugs

- single-use, washable
- gradually expand and adhere to ear canal
- 3 pairs per pack

Material: PVC foam

Attenuation in dB: SNR 28 dB

Standard: EN 352-2

Pack: 3 pairs per pack

Unit: 1 packs



3M EAR CLASSIC, 4410 002 000 02

Ear plugs

- single-use, washable
- gradually expand and adhere to ear canal
- 50 pairs in pack

Material: PVC foam

Attenuation in dB: SNR 28 dB

Standard: EN 352-2

Pack: 50 pairs

Unit: 1 packs



3M EAR CLASSIC, 4410 002 000 03

Ear plugs

- single-use, washable
- gradually expand and adhere to ear canal
- 250 pairs in pack

Material: PVC foam

Attenuation in dB: SNR 28 dB

Standard: EN 352-2

Pack: 250 pairs

Unit: 1 packs



3M E-A-R CAPS, 4410 007 000 00

Ear plugs

- re-usable
- provide day long protection for users
- replacement pods available
- replacement caps: 4410 056 000 00


Material: polyurethane foam and polycarbonate

Attenuation in dB: SNR 23 dB

Standard: EN 352-2

Pack: 50 pairs

Unit: 1 pair



HEARING PROTECTION

3M E-A-R SOFT, 4410 008 000 00

Ear plugs

- box of 500 pairs for E-A-R dispenser and refill bottle
- single-use
- evenly distributed pressure allowing optimal comfort

Material: polyurethane foam

Attenuation in dB: SNR 36 dB

Standard: EN 352-2

Pack: 4 packs

Unit: 1 packs



3M E-A-R REFILL BOTTLE, 4410 010 000 00

Ear plugs

- refill bottle contains 500 pairs of E-A-R Soft ear plugs
- single-use
- evenly distributed pressure allowing optimal comfort

Material: polyurethane foam

Attenuation in dB: SNR 36 dB

Standard: EN 352-2

Pack: 4 packs

Unit: 1 packs



3M DISPENSER ONE TOUCH PRO, 4410 043 000 00

Dispenser

- for ear plugs refill bottles
- twist motion system
- freestanding or wall mounting
- using in interior or exterior

Pack: 1 piece

Unit: 1 piece



CXS EP101, 4420 081 166 00

Ear muffs

- simple economic design
- adjustable position of muffs

Attenuation in dB: SNR 27,6 dB

Standard: EN 352-1

Box: 60 pieces

Unit: 1 piece



CXS EP106, 4420 001 XXX 00

Ear muffs

- cushioned headband
- adjustable position of muffs
- available for head gear CXS DP85 as forestry set with ear protection

Material: PVC foam

Attenuation in dB: SNR 27,5 dB

Standard: EN 352-1

Box: 60 pieces

Unit: 1 piece



CXS EP109, 4420 047 166 00

Ear muffs

- cushioned and adjustable headband
- foldable

Attenuation in dB: SNR 29,8 dB

Standard: EN 352-1

Box: 60 pieces

Unit: 1 piece



HEARING PROTECTION

CXS EP167, 4420 006 000 01

Ear muffs

- universal helmet attachments
- using with CXS STAVBAR available

Attenuation in dB: SNR 25,9 dB

Standard: EN 352-3

Box: 30 pairs

Unit: 1 pair



3M PELTOR H540A-411-SV, 4420 004 000 00

Ear muffs

- cushioned headband
- rings are filled with soft plastic foam
- double casing minimizes resonance in the holder casing and allows maximum high-frequency attenuation
- audio connection between the inner volume and the volume between the the casings allows maximum low frequency attenuation
- OPTIME III series

Attenuation in dB: SNR 35 dB

Standard: EN 352-1

Pack: 20 pieces

Unit: 1 piece



3M PELTOR H510P3E-405-GU, 4420 007 000 01

Ear muffs

- helmet attachments
- rings are filled with a liquid and foam
- OPTIME I series

Attenuation in dB: SNR 26 dB

Standard: EN 352-3

Box: 10 pairs

Unit: 1 pair



3M PELTOR H520P3E-410-GQ, 4420 008 000 01

Ear muffs

- helmet attachments
- rings are filled with a liquid and foam
- OPTIME II series

Attenuation in dB: SNR 31 dB

Standard: EN 352-3

Box: 10 pairs

Unit: 1 pair



3M PELTOR H510A-401-GU, 4420 002 000 00

Ear muffs

- cushioned headband
- rings are filled with a liquid and foam
- OPTIME I series

Attenuation in dB: SNR 27 dB

Standard: EN 352-1

Pack: 20 pieces

Unit: 1 piece



3M PELTOR H520A-407-GQ, 4420 003 000 00

Ear muffs

- cushioned headband
- rings are filled with a liquid and foam
- sound attenuation of extremely low frequencies to a maximum degree
- OPTIME II series

Attenuation in dB: SNR 31 dB

Standard: EN 352-1

Pack: 20 pieces

Unit: 1 piece



SUITABLE RESPIRATORY PROTECTIVE EQUIPMENT

	Particulate respirators class FFP1**** 		Particulate respirators class FFP2 		Particulate respirators class FFP3 	
Protection factor	APF4*		APF 10		APF 20	
PEL**	4		12		50	
NPK-p***	4		12		50	
General protection	Protection against non-toxic, non-fi bro- genic dusts and aerosols. Inhalation of these parti- cles does not lead to disease, but respiratory tract irritation may occur.		Protection against solid and liquid harmful fi brogenic dusts, smoke and aerosols. Inhala- tion of these particles irritates the respiratory organs for a short time, the long- term effect reduces the perfor- mance of the lungs.		Protection against toxic and harmful dusts, smoke and aerosols. Filters carcinogenic and radioactive harmful substances and patho- gens such as viruses and bacteria. Inhalation leads to the development of various types of diseases, not just lung.	
Typical applications	Typical applications	Harmful substance	Typical applications	Harmful substance	Typical applications	Harmful substance
	Sweeping floors	Dust (non-toxic)	Cutting, drilling, sand-blasting, grinding of iron, stone, brick	Metal dust	Cutting, drilling, sandblast- ing, grinding of steel	Metal dust
	Allergies caused by animal hair or spores	Dust	Spraying or painting paints (in some cases it is necessary to use a chemical filter)	Dust and fibers	Working with asbestos	Fiber
	Treatment of hay	Dust	Soldering and welding of mild steel, zinc	Fine particles of paint	Spraying or painting paints (in some cases it is necessary to use a chemical filter)	Fine particles of paint
			Soldering and welding of mild steel, zinc	Smoke	Welding of stainless steel, aluminum	Smoke from metal oxides and aluminum
			Healthcare	Bacteria, aerosol	Healthcare	Bacteria, infections, viruses, aerosols
			Plastering, cement mixing, demolition	Dust	Groove milling, cutting bricks, blocks	Dust
Explanation of abbreviations: *APF: Protection factor **PEL: Permissible exposure limit ***NPK-P: Maximum Permissible Concentration in the Environment ****FFP: Protection class						

Explanation of abbreviations:

*APF: Protection factor

**PEL: Permissible exposure limit

***NPK-P: Maximum Permissible Concentration in the Environment

****FFP: Protection class

STANDARDS

EN 136	<i>Respiratory protective devices. Facial masks</i>
EN 140	<i>Respiratory protective devices. Half masks and quarter masks</i>
EN 143	<i>Respiratory protective devices - Particulate filters</i>
EN 149+A1	<i>Respiratory protective devices - Particulate filter masks</i>
EN 166	<i>Personal eye-protection</i>
EN 405+A1	<i>Respiratory protective devices - Filter masks with valves against gases or gases and particles</i>
EN 14387	<i>Respiratory protective devices - Anti-gas and combination filters</i>

RESPIRATORY PROTECTION PICTOGRAMS



Available on request



Latex free



Head-top fastening



Non reusable



Efficacy against coronaviruses



Ear-loop fastening



Reusable



Contains activated carbon



Half-mask classification



Dolomite dust test

CLASSIFICATION OF FILTERS FOR MASKS AGAINST GASES AND VAPORS

A	organic gases and vapors, eg organic solvents such as turpentine, petrol, toluene, xylene with a boiling point <65 °C
B	inorganic gases and vapors, eg chlorine, bromine, hydrogen sulphide
E	acid gases and pairs, eg sulfur dioxide, hydrogen chloride
K	ammonia and organic ammonia compounds, such as dimethylamine
AX	low boiling organic compounds ≤ 65 °C
HG	quicksilver

RISK IDENTIFICATION

Application	Risk	Recommended protection
Painting, spraying, painting, surface finish	Solvent-based paints	A2 P3
	Dirt / grinding resistant spray	A2 P3
	Thinners, resins, synthetic resins	A2 P3
	Latex paints, solvent residues	A2 P3
	Wood preservatives	A1 P2
Maintenance	Disinfection, cleaning	A B E K P2
Decoration	Glue, spray adhesive, foam, lacquer	A1 P2
Waste disposal	Bacteria, germ cells, odors	A1 P3
Agriculture	Pesticides, insecticides	A B E K P2
Wood treatment products	Binder, spray glue	A2 P3
Construction, grinding, cutting, drilling	Tarred	A2 P3
	Joining, sealing	A1 P2
	Sprayed insulating foam	A1 P2
Painting	Organic solvents (boiling below 65 °C)	AX P3
	Paint remover containing ammonia	A B E K
	Polyurethane varnishes	A B E P3
	Thinner varnishes	A2
	Water-based varnishes	A1
Binders	Thinners containing glue	A1
Manipulation	Sulfur dioxide	A B E
	Hydrochloric acid	A B E
	Liquid fertilizers	A B E K
	Ammonia	K
	Formaldehyd	A1 + formaldehyde
	Storage / transport of dangerous products	A B E K P3

* with the exception of formaldehyde
 ** in possibly If isocyanates are present,
 please contact your representative of 3M



WARNING: This guide is for guidance only. It should not be the only guide for choosing a mask. Details on performance and load restrictions are given on the mask packaging and in the instructions for use. Before using any of these masks, the user must read and master the instructions to be used for each of the products used. Local legal regulations must be observed. Limits for the use of reusable face masks and half masks with gas and vapor filters: Half masks can be used up to the level of 10x PEL (NPK-P). Full face masks can be used up to a level of 200x PEL (NPK-P) (depending on the filter used) Class 1 filter up to 10x PEL (NPK-P) or 1000 mg / m³ (0.1 vol. %); Class 2 filter up to 10x PEL (NPK-P) or 5000 mg / m³ (0.5 vol. %). The first limit reached applies. Filter AX against low-boiling substances (organic compounds with a boiling point lower than 65 °C). The AX filter should only be used with 3M celo full face masks. AX filters can only be used for one shift. Filters A1 and A2 against organic vapors with a boiling point lower than 65°C.

WARNING: These instructions are for guidance only. They should not be used as the sole means of selecting a filter half mask or filters. See the manual for more information for the use of each product. Relevant national legislation must be observed.

PARTICULATE RESPIRATORS

CXS SPIRO, 4510 001 000 00

Particulate respirator FFP1

- foldable
- protection against solid and liquid aerosols in concentrations up to 4 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 240 pieces

Pack: 20 pieces

Unit: 1 piece



FFP1



CXS SPIRO, 4510 002 000 00

Particulate respirator FFP1

- foldable with exhalation valve
- protection against solid and liquid aerosols in concentrations up to 4 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



FFP1



CXS SPIRO, 4510 003 000 00

Particulate respirator FFP2

- foldable
- protection against solid and liquid aerosols in concentrations up to 12 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free
- efficacy against coronaviruses

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 240 pieces

Pack: 20 pieces

Unit: 1 piece



FFP2



CXS SPIRO, 4510 004 000 00

Particulate respirator FFP2

- foldable with exhalation valve
- protection against solid and liquid aerosols in concentrations up to 12 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free
- efficacy against coronaviruses

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



FFP2



CXS SPIRO, 4510 005 000 00

Particulate respirator FFP1

- moulded
- protection against solid and liquid aerosols in concentrations up to 4 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 240 pieces

Pack: 20 pieces

Unit: 1 piece



FFP1



CXS SPIRO, 4510 006 000 00

Particulate respirator FFP1

- moulded with exhalation valve
- protection against solid and liquid aerosols in concentrations up to 4 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



FFP1



CXS SPIRO, 4510 007 000 00

Particulate respirator FFP2

- moulded
- protection against solid and liquid aerosols in concentrations up to 12 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free
- efficacy against coronaviruses

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 240 pieces

Pack: 20 pieces

Unit: 1 piece



FFP2



CXS SPIRO, 4510 008 000 00

Particulate respirator FFP2

- moulded with exhalation valve
- protection against solid and liquid aerosols in concentrations up to 12 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free
- efficacy against coronaviruses

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



FFP2



PARTICULATE RESPIRATORS

CXS SPIRO, 4510 009 000 00

Particulate respirator FFP2

- moulded with exhalation valve
- active carbon pre-filter
- protection against solid and liquid aerosols in concentrations up to 12 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free
- efficacy against coronaviruses

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



FFP2



CXS SPIRO, 4510 010 000 00

Particulate respirator FFP3

- moulded with exhalation valve
- protection against solid and liquid aerosols in concentrations up to 50 x TLV
- adjustable nosepiece
- inner foam
- adjustable head straps
- fastening on the top of the head
- non-reusable
- latex free
- efficacy against coronaviruses

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 60 pieces

Pack: 5 pieces

Unit: 1 piece



FFP3



3M 9310+ AURA, 4510 011 000 00

Particulate respirator FFP1

- foldable
- protection against solid and liquid aerosols in concentrations up to 4 x TLV
- design for easier breathe
- headbands keep a near constant tension
- fastening on the top of the head
- non-reusable
- dolomitic dust test
- latex free

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 240 pieces

Pack: 20 pieces

Unit: 1 piece



FFP2



3M 9312+ AURA, 4510 012 000 00

Particulate respirator FFP1

- foldable with exhalation valve
- protection against solid and liquid aerosols in concentrations up to 4 x TLV
- design for easier breathe
- headbands keep a near constant tension
- fastening on the top of the head
- non-reusable
- dolomitic dust test
- latex free

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



FFP1



3M 9320+ AURA, 4510 013 000 00

Particulate respirator FFP2

- foldable
- protection against solid and liquid aerosols in concentrations up to 12 x TLV
- design for easier breathe
- headbands keep a near constant tension
- fastening on the top of the head
- non-reusable
- dolomitic dust test
- latex free

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 240 pieces

Pack: 20 pieces

Unit: 1 piece



FFP2



3M 9322+ AURA GEN3, 4510 099 000 00

Particulate respirator FFP2

- foldable with 3M™ Cool Flow™ Comfort exhalation valve
- 3M Advanced Electret filter medium
- protection against solid and liquid aerosols in concentrations up to 12 x TLV
- design for easier breathe
- headbands keep a near constant tension
- fastening on the top of the head
- non-reusable
- dolomitic dust test
- latex free
- efficacy against coronaviruses

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



FFP2



3M 9332+ AURA GEN3, 4510 094 000 00

Particulate respirator FFP3

- foldable with 3M™ Cool Flow™ Comfort exhalation valve
- 3M Advanced Electret filter medium
- protection against solid and liquid aerosols in concentrations up to 50 x TLV
- design for easier breathe
- headbands keep a near constant tension
- fastening on the top of the head
- non-reusable
- dolomitic dust test
- latex free
- efficacy against coronaviruses

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 120 pieces

Pack: 10 pieces

Unit: 1 piece



FFP3



3M 8833, 4510 021 000 00

Particulate respirator FFP3R

- moulded with exhalation valve
- protection against solid and liquid aerosols in concentrations up to 50 x TLV
- soft padded inner part
- stable outer shell
- re-usable
- fastening on the top of the head
- dolomitic dust test
- latex free
- efficacy against coronaviruses

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 80 pieces

Pack: 10 pieces

Unit: 1 piece



FFP3



MASK AND FILTERS

3M 9914, 4510 016 000 00

Particulate respirator FFP1

- moulded with exhalation valve
- active carbon pre-filter
- protection against solid and liquid aerosols in concentrations up to 4 x TLV and against organic vapours below NPF
- fastening on the top of the head
- non-reusable
- dolomitic dust test
- latex free

Material: polypropylene

Standard: EN 149:2001 + A1:2009

Box: 100 pieces

Pack: 10 pieces

Unit: 1 piece



FFP1



CXS DUST, 4590 005 000 00

Veil

- moulded
- to prevent contamination of product

Material: 100 % polypropylene

Standard: EN 149:2001 + A1:2009

Box: 1000 pieces

Pack: 50 pieces

Unit: 1 piece



CXS DUST, 4590 019 100 00

Veil

- moulded
- to prevent contamination of product
- 3 pcs per pack

Material: 100 % polypropylene

Box: 300 pieces

Pack: 3 pieces

Unit: 1 piece



CXS HALITUS, 1160 168 400 01

Disposable Face Mask

- class I medical device
- non-woven fabric
- integrated nose clip
- elastic ear loops
- three-layer design
- 10 pcs per pack

Material: 100 % polypropylene

Standard: EN 14683:2019 + AC:2019 - Type I

Box: 200 packs

Pack: 1 packs

Unit: 1 packs

FINAL SALE



3M 6200, 4520 002 000 00

Safety half-mask

- antiallergic cheek piece of material
- adaptable head straps
- bayonet mounting system for 2 filters
- can be used with all filters 3M 2000 series, 5000 series and most filters of series 6000
- mask without filter does not perform a protective function
- filter excluded

Size: M, L

Standard: EN 140

Pack: 10 pieces

Unit: 1 piece



3M 6300, 4520 003 000 00

half mask compatible with 3M filters



3M 7502, 4520 003 000 00

Safety half-mask

- antiallergic cheek piece of material and eudermal silicone
- head straps enable to drop the mask down when not in use without putting down
- bayonet mounting system for 2 filters
- can be used with all filters 3M 2000 series, 5000 series and most filters of series 6000
- mask without filter does not perform a protective function filter excluded

Size: M, L

Standard: EN 149:2001 + A1:2009

Box: 240 pieces

Pack: 20 pieces

Unit: 1 piece



3M 7503, 4520 004 000 00



half mask compatible with 3M filters



3M 4251+, 4520 124 000 00

Safety half-mask A1P2 RD

- protection against gases and vapors up to 10 x TLV and particles up to 12 x TLV
- 2 carbon filters
- adjustable tapes
- recommended to be used with overspray guard 3M 400

Standard: EN 405+A1

Pack: 10 pieces

Unit: 1 piece



3M 400, 4590 001 000 10

Protective cover

- prevents filter contamination by paint when spraying with 3M 4000 series half masks
- 10 pcs per packs

Pack: 50 pieces

Unit: 1 piece



3M 6800, 4520 002 000 00

Full-face mask

- adaptable headband
- bayonet fastening system for 2 filters
- polycarbonate anti-scratch visor resistant to chemicals
- can be used with all filters 3M 2000 series, 5000 series and most filters of series 5000
- mask without filter does not perform a protective function

Size: M, L

Standard: EN 136, EN 166

Pack: 4 piecey

Unit: 1 piece



3M 6900, 4520 003 000 00



MASK AND FILTERS

3M 6885, 4590 007 000 00

Masks and filters accessories

· protection for visors of full-face masks 3M 6000 series

Pack: 100 pieces

Unit: 1 piece



3M 603, 4590 003 000 01

Masks and filters accessories

· filter adapter is used in combination
with particulate filters of 3M series 5900

Pack: 8 pairs

Unit: 1 pair



3M 501, 4590 002 000 01

Masks and filters accessories

· filter retainer is used in combination
with particulate filters of 3M series 5000

Pack: 10 pairs

Unit: 1 pair



3M 502, 4590 004 000 008

Masks and filters accessories

· filter adapter is used in combination
with particulate filters of 3M series 2100
· 8 pcs per pack 8 pcs per pack

Pack: 8 packs

Unit: 1 pack



3M 105, 4590 006 000 00

Masks and filters accessories

· pre-moistened towlette
· cleaning and freshening the face piece of mask

Pack: 400 pieces

Unit: 1 piece



3M 5911, 4520 008 000 01

Particulate filter FFP1R

- protection against solid and liquid aerosols in concentrations up to 4 x TLV and against organic vapours below NPF
- can be used individually or as a prefilter
- use the filter in combination with filter holder 3M 501

Standard: EN 143

Pack: 400 pieces

Unit: 1 piece



3M 5925, 4520 009 000 01

Particulate filter FFP2R

- protection against solid and liquid aerosols in concentrations up to 12 x TLV and against organic vapours below NPF
- can be used individually or as a prefilter
- use the filter in combination with filter holder 3M 501

Standard: EN 405+A1

Pack: 40 pairs

Unit: 1 piece



3M 2125, 4520 010 000 01

Particulate filter FFP2R

- protection against solid and liquid aerosols in concentrations up to 12 x TLV and against organic vapours below NPF
- can be used individually or as a prefilter

Pack: 50 pieces

Unit: 1 piece



3M 6051, 4520 011 000 01

Gas and vapour filter A1

- protection against gases and organic vapours
- possibility to buy version with identifier

Standard: EN 14387

Pack: 32 pairs

Unit: 1 pair



MASK AND FILTERS

3M 6055, 4520 012 000 01

Gas and vapour filter A2

- protection against gases and organic vapours
- possibility to buy version with identifier

Pack: 32 pairs

Unit: 1 pair



3M 6059, 4520 013 000 01

Gas and vapour filter ABEK1

- protection against organic, inorganic and acid gases, ammonia and its derivatives

Standard: EN 14387

Pack: 8 pairs

Unit: 1 pair



3M 6057, 4520 014 000 01

Gas and vapour filter ABE1

- protection against organic, inorganic and acid gases

Pack: 10 pairs

Unit: 1 pair



3M 6099, 4520 016 000 001

Gas and vapour filter A2B

- protection against organic vapors (boiling point > 65°C), inorganic and acid gases, ammonia and its derivatives, mercury, formaldehyde and particles
- only for full-face masks

Standard: EN 14387

Pack: 8 packs

Unit: 1 packs















5-1,7 OX





CHILDREN'S ASSORTMENT

SIZE CHART	480
INDEX	481
JACKETS	482
SWEATSHIRT	484
FUNCTIONAL UNDERWEAR	486
BIB PANTS, TROUSERS	486
RAIN COAT, HIGH VISIBLE VEST	489
T-SHIRT	490
CAP, MULTIFUNCTIONAL SCARF	490
GLOVES	491



HOW TO SET THE CORRECT CODE?

Product code - you can select the desired size available with the product by putting the code after the double-digit **XX**.

CXS PRODUCT, 1234 567 890 XX

Size: 46 - 64
Base material: 98 % cotton 2 % elastane
Weave: twill
Grammage: 230 g/m²
Additional material: 6000 polyester
Norm: EN ISO 13688
Box: 20 pieces
Unit: 1 piece

SIZE CHART

CLOTHING

HEIGHT	AGE	COD
90	1,5 - 2	09
100	2 - 3	10
110	3 - 4	11
120	5 - 6	12
130	7 - 8	13
140	9 - 10	14
150	11 - 12	15
160	13 - 14	16
170	15 - 16	17

CLOTHING

HEIGHT	COD
XS	91
S	92
M	93

GLOVES

HEIGHT	COD
5	05
6	06
7	07

Jackets



page
482

CXS AUGUSTA

NEW



page
482

CXS STRETCH

NEW



page
483

CXS RENO

NEW WINTER



page
483

CXS NEVADA



page
484

CXS NORFOLK

**Sweatshirt,
functional
underwear**



page
484

CXS GRANBY CHILD

NEW



page
485

CXS TORONTO

FINAL SALE NEW COLOUR



page
485

CXS ARRYN



page
486

CXS REWARD

WINTER



page
486

CXS REWARD

WINTER



page
486

CXS ROWAN

**Bib pants,
trousers**



page
487

CXS CAMO



page
487

CXS CAMO



page
487

CXS PHOENIX CASPER



page
488

CXS GARFIELD



page
488

CXS TRENTON

WINTER

**Rain coat,
high visible
vest**



page
489

CXS FROGY



page
489

CXS TEDDY



page
489

CXS TEDDY

T-shirt



page
490

CXS DENNY

**Cap,
multifunctional
scarf**



page
490

CXS TYNAN

NEW



page
490

CXS TYNAN

NEW



page
490

CXS LORY



page
490

CXS TOBY

WINTER

Gloves



page
491

CXS MIKE



page
491

CXS DRAGO



page
491

CXS DRAGO

CHILDREN'S ASSORTMENT

jacket packed into its own pocket



CXS AUGUSTA, 1290 004 266 XX

Children's lightweight jacket

- fixed hood
- side zipper pockets
- back pocket with covered zipper
- foldable into the back pocket
- sleeves and bottom to the elastic band
- reflective accessories
- water-repellent treatment (up to 10 washing)

Size: 120 - 160

Material: 100 % polyester

Weight: 60 g/m²

Box: 50 pieces

Unit: 1 piece



250



413



CXS STRETCH, 1230 152 XXX XX

Children's softshell jacket

- detachable hood
- chest zipper pocket
- side zipper pockets
- inner cuffs
- tightening at the bottom
- reflective supplements
- ULTRA TPU membrane
- water resistant material up to 5000 mm except seams
- breathability 5000 g/m²/24h

Size: 120 - 160

Material: 96 % polyester, 4 % elastane

Lining: 100 % polyester combined with fleece

Box: 20 pieces

Unit: 1 piece



413



250



CXS RENO, 1310 165 XXX XX

Children's vest

- padded
- detachable hood
- waist into elastic cuff
- reflective accessories

Size: 120 - 160

Material: 100% polyester, hood: 55% polyester 45% cotton

Padding: 100 % polyester

Lining: 100 % polyester

Box: 20 pieces

Unit: 1 piece



detachable hood



CXS NEVADA, 1230 120 300 XX

Children's softshell jacket

- detachable hood
- inner cuffs
- tightening at the bottom
- reflective supplements
- OPTI TPU membrane

Size: 120 - 160

Material: 96% polyester, 4% elastane

Lining: 100 % polyester - fleece

Box: 20 pieces

Unit: 1 piece



CHILDREN'S ASSORTMENT

detachable hood



CXS NORFOLK, 1230 117 816 XX

Children's softshell jacket

- detachable hood
- inner cuffs
- tightening at the bottom
- reflective accessories
- OPTI TPU membrane
- water resistant material up to 8000 mm except seams
- breathability 3000 g/m²/24h

Size: 120 - 170

Material: 96% polyester, 4% elastane

Lining: 100 % polyester - fleece

Box: 20 pieces

Unit: 1 piece



250



CXS GRANBY CHILD, 1510 066 XXX XX

Children's sweatshirt

- antipilling fleece
- sleeves to the elastic band
- bottom elastic hem
- reflective accessories

Size: 120 - 160

Material: 100 % polyester - microfleece

Weight: 190 g/m²

Box: 30 pieces

Unit: 1 piece



808 **FINAL SALE**

437 **NEW COLOUR**



311 **NEW COLOUR**



CXS TORONTO, 1520 006 XXX XX

Children's sweatshirt

- thumb hole on the sleeve cuff
- fleece collar
- zipper fastening
- 2 front zipper pockets
- colored sewing
- reflective accessories

Size: 120 - 160

Material: 100 % polyester FlexiShield

Weight: 230 g/m²

Box: 20 pieces

Unit: 1 piece



800

416



CXS ARYN, 1520 182 XXX XX

Children's sweatshirt

- fixed hood with drawstring
- kangaroo pocket
- final silicon wash
- reflective accessories
- waist and sleeves with ribbed knit cuff
- inner part fine combed

Size: 120 - 170

Material: 65 % cotton 35 % polyester

Weight: 300 g/m²

Box: 20 pieces

Unit: 1 piece



CHILDREN'S ASSORTMENT

CXS REWARD, 1720 004 808 XX

Children's functional undershirt

- Ultra Lava antibacterial treatment
- inner part fine combed
- warming material
- colored sewing

Size: 120 - 160

Material: 92 % polyester, 8 % elastane

Weight: 230 g/m²

Box: 50 pieces

Unit: 1 piece

WINTER



CXS REWARD, 1740 004 808 XX

Children's functional underpants

- waist band
- Ultra Lava antibacterial treatment
- inner part fine combed
- warming material
- colored sewing

Size: 120 - 160

Material: 92% polyester 8% elastane

Weight: 230 g/m²

Box: 50 pieces

Unit: 1 piece

WINTER



CXS ROWAN, 1440 036 800 XX

Children's sweatpants

- lacing at the waist
- inner part fine combed
- elastic rib waist and bottom of the legs
- 2 front pockets

Size: 120 - 160

Material: 65% cotton 35% polyester

Weight: 280 g/m²

Box: 20 pieces

Unit: 1 piece



CXS CAMO, 1030 150 531 XX

Children's bib pants

- reinforced knees and seat
- waist with buttons and elastic band in the back
- elastic braces in the back
- chest zipper pocket with smaller flap pocket
- front and back pockets
- side pocket
- reflective accessories

Size: 90 - 150

Material: twill 65% polyester 35% cotton

Weight: 240 g/m²

Box: 20 pieces

Unit: 1 piece



CXS CAMO, 1020 150 531 XX

Children's trousers

- reinforced knees and seat
- waist with belt loop and elastic band in the back
- front and back pockets
- side pocket
- reflective accessories

Size: 140 - 170

Material: twill 65% polyester 35% cotton

Weight: 240 g/m²

Box: 20 pieces

Unit: 1 piece



CXS PHOENIX CASPER, 1030 012 XXX XX

Children's bib pants

- lightweight material
- chest zipper pocket
- side button fastening
- back waist rubber with button for size adjustment
- 2 front pockets
- back simple pocket
- reinforced knees
- elastic braces in the back
- reflective accessories

Size: 90 - 150

Material: twill 65% polyester 35% cotton

Weight: 190 g/m²

Box: 20 pieces

Unit: 1 piece



CHILDREN'S ASSORTMENT

CXS GARFIELD, 1030 012 816 XX

Children's bib pants

- chest zipper pocket with smaller pockets
- waist with belt loops
- side button fastening
- back waist rubber with button for size adjustment
- 2 front pockets
- pockets for pencils and small items on the left thigh
- zipper pocket on the right thigh
- back simple pocket
- elastic braces in the back
- reflective accessories

Size: 90 - 150

Material: twill 65% polyester 35% cotton

Weight: 235 g/m²

Box: 20 pieces

Unit: 1 piece



detachable braces
with size adjustment



CXS TRENTON, 1420 005 816 XX

Children's softshell trousers

- detachable braces with size adjustment
- flexible waist with adjustable size
- 2 front zipper pockets
- back zipper pocket
- zipper at the bottom
- detachable inner snowbelt at the bottom of the legs
- reflective accessories
- TPU membrane

Size: 120 - 160

Material: 94 % polyester, 6 % elastane

Lining: 100 % polyester - fleece

Weight: 310 g/m²

Box: 20 pieces

Unit: 1 piece



CXS FROGY, 1170 006 500 XX

Children's rain coat

- waterproof
- fixed hood
- push-button fastening
- thermo-sealed seams
- reflective accessories

Size: 90 - 150

Material: 100 % PVC

Box: 50 pieces

Unit: 1 piece



CXS TEDDY, 1114 002 150 91

Children's high visible vest

- reflective tapes
- printing
- velcro closing

Size: XS

Standard: 100 % polyester

Norm: EN 17353:2020 Typ: AB3

Box: 100 pieces

Unit: 1 piece



CXS TEDDY, 1114 002 150 XX

Children's high visible vest

- reflective tapes
- printing
- velcro closing

Size: S, M

Material: 100 % polyester

Standard: EN 17353:2020 Typ: AB3

Box: 100 pieces

Unit: 1 piece



CHILDREN'S ASSORTMENT

CXS DENNY, 1610 006 100 XX

Children's T-shirt

- stabilizing neck tape
- tubular body
- final silicon wash

Age: 4 - 12 years

Material: 100 % cotton, single jersey

Weight: 155 g/m²

Box: 60 pieces

Unit: 1 piece



CXS TYNAN, 1115 060 XXX 00

Hat with LED light

- knitted
- double-layer
- run time: 1 - 8 hours depending on used mode
- power supply: USB
- 3 light modes

Size: XS

Material: 100 % acrylic, 5 % polyester

Luminous flux: 150 lm

Pack: 12 pieces

Box: 120 pieces

Unit: 1 piece



CXS LORY, 1820 118 804 00

Children's multifunctional scarf

- 8 different usage

Size: UNI

Material: 95 % polyester, 5 % elastane

Box: 200 pieces

Pack: 10 pieces

Unit: 1 piece



CXS TOBY, 1820 134 801 00

Children's multifunctional scarf

- winter
- 8 different usage

Size: UNI

Material: 100 % polyester

Box: 100 pieces

Pack: 10 piece

Unit: 1 piece



CXS MIKE, 3210 014 250 05

Children's combined gloves

- gloves with velcro wrist
- elastic cuff

Size: 5

Material: goat or sheep grain leather, cotton knit

Standard: EN 388 / 2112X

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair



CXS DRAGO, 3410 008 400 XX

Children's coated gloves

- elastic cuff
- palm and fingers coated
- printing
- blister

Size: 5, 7

Material: 100 % polyester, nitrile foam

Box: 120 pairs

Unit: 1 pair



CXS DRAGO, 3410 008 150 XX

Children's coated gloves

- elastic cuff
- palm and fingers coated
- printing
- blister

Size: 5, 7

Material: 100 % polyester, nitrile foam

Box: 120 pairs

Unit: 1 pair





WORK ACCESSORIES

INDEX	494
NOTEBOOKS, BAGS	496
TOOL POUCH, SNAP HOOK	497
KNEE PADS	499
KNIVES, METERS	500
BATTERIES, TESTERS	502
HEADLAMPS	503
FIRST-AID KITS	505
SAFETY TOOLS	506



INDEX

Notebooks, bags



page
496

CXS UMBRELLA
NEW



page
496

CXS NOTEBOOK



page
496

CXS NOTEBOOK



page
496

CXS LEONIS
NEW



page
497

CXS LEONIS



page
497

CXS LEONIS



page
497

CXS LEONIS



page
497

CXS SHOPPING BAG

Tool pouch, snap hook



page
497

CXS LONE



page
498

CXS MAT



page
498

CXS PAT



page
498

CXS SNAP HOOK



page
498

CXS KLIPS

Knee pads



page
499

CXS GEL KNEE PAD



page
499

CXS KNEE PAD



page
499

CXS KNEE PAD



page
499

CXS FLEXI-INSERT

Knives, meters



page
500

CXS POCKET KNIFE



page
500

CXS HUNTING KNIFE



page
500

CXS FOLDING KNIFE



page
500

CXS BREAK OFF KNIFE



page
501

CXS MEASURE



page
501

CXS MEASURE



page
501

CXS PENCIL



page
501

POWERBANK

Batteries, testers



page
502

BATTERIES



page
502

BATTERIES



page
502

ALCOHOLTEST



page
502

CXS ALCOHOL TESTER



page
503

MOUTHPIECE



page
503

Headlamps

MOUTHPIECE



page
503

**CXS XPE LED / COB
LED FLASHLIGHT**



page
503

CXS SW LED FLASHLIGHT



page
504

CXS TYNAN



page
504

CXS TYNAN



page
504

CXS TYNAN



**CXS CREE LED
XPG FLASHLIGHT**



page
504

**CXS CREE LED
XPG HEADLAMP**



page
504

**CXS 3W LED
HEADLAMP**

page
504



page
505

**CXS 3W CREE
LED HEADLAMP**

First-aid-kits



page
505

FIRST-AID KIT



page
505

CAR FIRST-AID KIT

Safety tools



page
505

CXS REFLECTIVE TAPE



page
505

SIGN



page
506

SIGN



page
506

SIGN



page
506

CXS TAPE



page
506

CXS TAPE



page
506

CXS PLASTIC CHAIN



page
507

CXS TAPE



page
507

CXS CONE



page
507

CXS CONE



page
507

CAR SCRAPER



page
507

GLUE



WORK ACCESSORIES

CXS UMBRELLA, 8110 143 800 00

Automatic umbrella

- with CXS logo
- easy to open and fold with one button

Diameter: 98 cm

Box: 60 pieces

Unit: 1 piece



CXS NOTEBOOK, 8110 096 409 00

- soft cover
- 80 sheets
- lined

Size: 82 x 136 mm

Box: 100 pieces

Pack: 50 pieces

Unit: 1 piece



CXS NOTEBOOK, 8110 096 710 00

- hard cover
- 96 sheets
- lined

Size: 121 x 174 mm

Box: 60 pieces

Pack: 30 pieces

Unit: 1 piece



CXS LEONIS, 6110 123 800 00

Sports backpack

- waterproof material and zippers
- volume 7 l
- load capacity: 10 kg
- padded back
- ergonomic mesh straps with chest and waist
- two main compartments with inner pockets, front zip pocket with a cable outlet for headphones or a power bank
- reflective elements

Size: 45 x 15 x 23 cm

Material: DryGuard: 600D polyester, PU base, 210D lining

Box: 30 pieces

Unit: 1 piece



CXS LEONIS, 6110 112 800 00

Backpack

- waterproof material and zippers
- volume 20 l
- load capacity: 15 kg
- padded back and ergonomically shaped back straps with adjustable
- chest strap
- two large pockets, smaller front zipped pocket, side pockets - one zipped and one open mesh
- reflective elements

Size: 49 x 30 x 11 cm

Material: DryGuard: 600D polyester, PU base, 210D lining

Box: 10 pieces

Unit: 1 piece



CXS LEONIS, 8110 111 800 00

Sport bag, small

- volume 54 l
- load capacity: 15 kg
- padded top handle for carrying and adjustable shoulder strap
- reflective accessories

Size: 60 x 30 x 30 cm

Material: 600D polyester, PU base, 210D lining

Box: 10 pieces

Unit: 1 piece



CXS LEONIS, 8110 111 800 01

Sport bag, large

- volume 105 l
- load capacity: 30 kg

Size: 75 x 37,5 x 37,5 cm



CXS SHOPPING BAG, 8100 027 700 00

Folding bag with inside pocket

- possibility to fold into the inner pocket

Size: 44 x 43 cm

Material: 190T polyester

Box: 360 pieces

Pack: 20 piece

Unit: 1 piece

possibility to fold into the inner pocket



CXS LONE, 6110 109 800 00

Tool pocket

- belt and metal buckle
- made of durable CORDURA® material
- two main compartments - one with zipper, one smaller pocket for pencils and small parts, 3 loops
- load capacity 3 kg

Material: 500D nylon Cordura,

600D polyester, PU base

Box: 80 pieces

Unit: 1 piece



WORK ACCESSORIES

CXS MAT, 6110 007 800 00

Tool pouch

- textile onepiece tool pocket pouch
- metal loop
- load capacity 4 kg

Material: 600D polyester

Box: 20 pieces

Unit: 1 piece



CXS PAT, 6110 008 800 00

Tool pouch

- textile threepart multifunctional tool pocket pouch
- metal loop
- load capacity 5 kg

Material: 600D polyester

Box: 10 pieces

Unit: 1 piece



CXS SNAP HOOK, 4690 060 808 00

Universal snap hook

- opening 18mm
- possibility to attach keys, lightweight tools and other accessories
- this is not a safety snap hook (clutch) or a snap hook for climbers
- 2 pieces/blister

Size: 66 x 6 mm

Material: aluminium

Box: 100 pieces

Unit: 1 piece



CXS KLIPS, 6126 505 034 00

Clip for hanging gloves

- suitable for hanging gloves, keys and other small items on clothing, backpack, etc.

Material: polyacetal

Box: 500 pieces

Pack: 25 pieces

Unit: 1 piece



CXS GEL KNEE PAD, 6110 088 800 00

Gel knee pad

- soft padding for better adjustment
- wide elastic band with velcro fastening
- resistant to impact
- outer cover

Upper material: 100 % tubular nylon

Padding: 30% polyethylene foam,
30% polyester, 30% PVC, 10% silicone

Outer cover: polyethylene

Standard: EN 14404+A1:2010, TYPE 1

Box: 12 pairs

Unit: 1 pair



CXS KNEE PAD, 6110 009 800 00

Textile knee pad

- elastic bands with velcro fastening
- resistant to impact
- plastic cover
- blister

Size: 18 x 25 cm

Material: 100 % polyester

Standard: EN 14404+A1:2010, TYPE 1

Box: 48 pieces

Unit: 1 piece



CXS KNEE PAD, 6110 010 150 00

Polyurethane knee pad

- elastic bands for fastening
- protects knee against injury and kneeding in kneeling position
- blister

Size: 12 x 15 x 5,5 cm

Material: 100 % polyurethane

Thickness: 150 microns

Standard: EN 14404+A1:2010, TYPE 1

Box: 60 pieces

Unit: 1 piece



CXS FLEXI-INSERT, 6110 011 800 00

Flexi insert to the knee pockets

- protects knee against kneeding in kneeling position
- blister

Size: 17 x 22 cm

Standard: EN 14404+A1:2010, TYPE 2

Box: 100 pieces

Unit: 1 piece



WORK ACCESSORIES

CXS POCKET KNIFE, 6126 004 000 00

Pocket knife 7 in 1

- scissors, can and bottle opener, screwdriver, file, cork-screw, knife
- blister

Material: ocel 420

Box: 72 pieces

Unit: 1 piece



CXS HUNTING KNIFE, 6126 005 000 00

Hunting knife

- folding hunting knife with safety lock
- blister

Length: 22,5 cm

Material: blade - stainless steel 420, handle - wood

Box: 72 pieces

Unit: 1 piece



CXS FOLDING KNIFE, 6126 015 000 00

Pocket knife

- folding knife with safety lock
- blister

Length: 20,2 cm

Material: blade - stainless steel, handle - anodized aluminum

Box: 60 pieces

Pack: 10 pieces

Unit: 1 piece



CXS BREAK OFF KNIFE, 6126 459 000 05

Break off knife

- steel break off blade of 18 mm width
- engraved logo
- 5 spare blades
- blister

Box: 144 pieces

Pack: 12 pieces

Unit: 1 piece



5 spare blades



CXS MEASURE, 6121 008 000 00

Tape measure

- brake
- hanging strap
- magnetic hook

Material: metallic meter in a plastic case

Length: 3 m

Box: 120 pieces

Pack: 12 pieces

Unit: 1 piece



CXS MEASURE, 6121 007 000 00

Tape measure

- brake
- hanging strap
- magnetic hook

Material: metallic meter in a plastic case

Length: 5 m

Box: 120 pieces

Pack: 12 pieces

Unit: 1 piece



CXS PENCIL, 6126 006 000 00

Carpenter's pencil

Box: 1200 pieces

Pack: 200 pieces

Unit: 1 piece



POWERBANK, 6121 039 000 00

Powerbank 10 000 mAh

- LED indicator for battery status
- USB-C cable included
- charging time: 7 hours
- weight: 215g
- input: DC 5V / 2A
- output: DC 5V / 2A / 1.0 A
- possibility to charge 2 devices simultaneously

Size: 96 x 65 x 26 mm

Box: 45 pieces

Unit: 1 piece



WORK ACCESSORIES

BATTERIES, 6121 027 000 00

Batteries Tesla AA Silver+

- alkaline AA batteries, 4 pcs in blister
- for devices with high power consumption

Box: 120 packs

Pack: 12 packs

Unit: 1 pack



BATTERIES, 6121 028 000 00

Batteries Tesla AAA Silver+

- alkaline AAA batteries, 4 pcs in blister
- for devices with high power consumption

Box: 120 packs

Pack: 12 packs

Unit: 1 pack




ALCOHOLTEST, 6123 049 000 00

Alcohol tester

- one-off alcohol breath detecting tubes
- do not contain toxic CHROME
- the pack contains 10x set (detection tube, specific balloon and mouthpiece)

Box: 100 packs

Unit: 1 pack



CXS ALCOHOL TESTER, 6123 048 800 00

Digital alcohol tester

- fuel cell sensor technology
- LCD display
- detects in range 0,00-4,00 ‰
- sound indicator

Type: CA05FL

Box: 40 pieces

Pack: 12 pieces

Unit: 1 piece



MOUTHPIECE, 6123 051 000 00

Mouthpiece for alcohol tester

- mouthpiece for CXS Alcohol tester CA05FL
- plastic
- packed individually

Pack: 1 piece

Unit: 1 piece



MOUTHPIECE, 6123 003 000 00

Mouthpiece for alcohol tester

- mouthpiece for CXS Alcohol tester CA2000/S
- plastic

Box: 50 pieces

Unit: 1 piece



CXS XPE LED / COB LED FLASHLIGHT, 6121 038 800 00

Headlamp with XPE LED strip and side light

- XPE LED strip and COB LED side light
- motion sensor
- water resistant IP X4
- switching light modes: COB LED strip: 100%, 30%, XPE LED
- light: 100%, 30%
- run time: up to 9 hours
- power supply: USB-C (cabel included)

Luminosity: 252 lm

Battery: Li-Pol 3,7V 1200 mAh

Box: 100 pieces

Pack: 50 pieces

Unit: 1 piece



CXS SW LED FLASHLIGHT, 6121 037 810 00

LED flashlight

- SW LED
- motion sensor
- water resistant IP 44
- switching light modes: 100% - 70% - 30% - flashing - SOS
- run time: up to 15 hours
- power supply: USB (cabel included)

Luminosity: 190 lm

Size: 64 x 45 x 35 mm

Material: ABS plastic

Box: 100 pieces

Pack: 50 pieces

Unit: 1 piece



CXS TYNAN, 1115 049 XXX 00

Hat with LED light

- knitted
- double-layer
- run time: 1 - 8 hours depending on used mode
- power supply: USB
- 3 light modes
- yellow version with reflective stripe

Size: UNI

Material: 100% acrylic,

yellow: 95% acrylic 5% polyester

Luminosity: 150 lm

Pack: 12 pieces

Box: 120 pieces

Unit: 1 pack



CXS 3W LED FLASHLIGHT, 6121 010 000 00

LED flashlight

- 3W LED
- adjustable beam focus
- water resistant
- switching light modes: 100% - 70% - 30% - flashing - SOS
- run time: up to 24 hours
- power supply: 3 x AAA battery (excluded)

Luminosity: 150 lm

Size: 34 x 134 mm

Weight: 150 g

Material: aluminium

Box: 100 pieces

Pack: 10 pieces

Unit: 1 piece



CXS CREE LED XPG HEADLAMP, 6121 030 166 00

Headlamp

- rechargeable via USB cable (included)
- switching light modes: 100% - 70% - 30% - SOS (red flashing)
- adjustable beam angle

Luminosity: 140 lm

Size: 60 x 35 x 30 mm

Material: ABS plastic

Box: 72 pieces

Pack: 12 pieces

Unit: 1 piece



CXS 3W LED HEADLAMP, 6121 009 518 00

Headlamp

- 3W LED
- adjustable beam focus
- switching light modes: 50% - 100% - flashing
- run time: up to 42 hours
- power supply: 3 x AAA battery (excluded)

Luminosity: 120 lm

Size: 60 x 45 x 70 mm

Weight: 96 g

Material: ABS plastic, aluminium zoom

Box: 100 pieces

Pack: 10 pieces

Unit: 1 piece



CXS 3W CREE LED HEADLAMP, 6121 019 000 00

Rechargeable headlamp

- 3W LED
- adjustable beam focus
- adjustable inclination angle (90°)
- switching light modes: 100% - 50% - flashing
- run time: up to 8 hours
- 2 kinds of power supply
- 3 x AAA battery (excluded)
- rechargeable battery & charger & car charger (included)

Luminosity: 150 lm

Size: 81 x 44 x 40 mm

Weight: 278 g

Material: ABS plastic

Box: 20 pieces

Pack: 10 pieces

Unit: 1 piece



FIRST-AID KIT, 6122 001 000 00

Plastic first-aid kit

- plastic with filling without medicaments
- for placement on the wall, removable
- for 15 people

Size: 17 x 26 x 8 cm

Box: 10 pieces

Unit: 1 piece



CAR FIRST-AID KIT, 6130 007 000 00

Car first-aid kit

- cortex
- for cars
- with the content according to the directive no. 206/2018Sb.

Box: 25 pieces

Unit: 1 piece



CXS REFLECTIVE TAPE, 1115 048 150 01

Self-winding reflective tape

- high visible accessory for non-professional use

Size: 43 x 4,5 cm

Material: reflective PVC foil, metal safety spring

Standard: EN 13356, type 2 - removable accessory

Box: 168 pieces

Pack: 42 pieces

Unit: 1 piece



SIGN, 6124 001 000 00

No entry for unauthorized

- plastic safety sign, thickness 0,5 mm
- symbol + text in Czech language only

Size: 210 x 297 mm

Material: plastic

Box: 1 piece

Unit: 1 piece



WORK ACCESSORIES

SIGN, 6124 002 000 00

No entry

- plastic safety sign, thickness 0,5 mm
- symbol + text in Czech language only

Size: 210 x 297 mm

Material: plastic

Box: 1 piece

Unit: 1 piece



SIGN, 6124 003 000 00

No entry to construction site

- plastic safety sign, thickness 0,5 mm
- text in Czech language only

Size: 420 x 297 mm

Material: plastic

Box: 1 piece

Unit: 1 piece



CXS TAPE, 6126 010 251 00

Barricade tape

Width: 70 mm

Length: 500 m

Thickness: 30 microns

Material: polyethylene

Box: 12 pieces

Unit: 1 piece



CXS TAPE, 6126 011 160 00

Barricade tape

- self-adhesive tape - left
- for dangerous places marking
- for indoor environment only

Width: 60 mm

Length: 66 m

Thickness: 150 microns

Material: polyethylene

Box: 20 pieces

Pack: 4 pieces

Unit: 1 piece



CXS PLASTIC CHAIN, 6126 009 251 00

Boundary chain

- antimagnetic
- conductive
- temperature resistant: -10°C to + 75°C

Box: 4 packs

Box: 25 m

Unit: 1 m



CXS TAPE, 6126 012 160 00

Barricade tape

- self-adhesive tape - right
- for dangerous places marking
- for indoor environment only

Width: 60 mm

Length: 66 m

Thickness: 150 microns

Material: polyethylene

Box: 20 pieces

Pack: 4 pieces

Unit: 1 piece



CXS CONE, 6126 013 251 00

Road cone

- red with white band
- diameter of the upper part 4 cm

Material: PE

Height: 34 cm

Base: 22,5 x 22,5 cm

Unit: 1 piece



CXS CONE, 6126 014 251 00

Road cone

- red with 2 white bands
- diameter of the upper part 3,5 cm

Material: PE

Height: 54 cm

Base: 29 x 29 cm

Unit: 1 piece



CAR SCRAPER, 6130 005 000 00

Car scraper with snow brush

- for snow with a long handle

Box: 10 pieces

Unit: 1 piece



GLUE, 6126 007 000 00

Instant glue

- cyanoacrylate instant glue

Box: 80 piece

Unit: 1 piece





WORK AT HEIGHT

STANDARDS	510
INDEX	511
HARNESSES	512
FALL ARRESTERS AND ENERGY ABSORBERS	515
LANYARDS	516
ACCESSORIES	517



STANDARDS

STANDARDS	STANDARDS OVERVIEW
EN 341	Personal fall protection equipment - descender devices for rescue.
EN 353-1+A1	Personal fall protection equipment. Part 1: Guided type fall arresters including a rigid anchor line.
EN 353-2	Personal protective equipment against falls from a height. Part 2: Guided type fall arresters including a fl exible anchor line.
EN 354	Personal fall protection equipment - Lanyards
EN 358	Personal protective equipment for work positioning and prevention of falls from a height. Belts for work positioning and restraint and work positioning lanyards.
EN 360	Personal protective equipment against falls from a height - Retractable type fall arresters.
EN 361	Personal protective equipment against falls from a height - Full body harnesses.
EN 362	Personal protective equipment against falls from a height - Connectors.
EN 363	Personal fall protection equipment - Personal fall protection systems.
EN 795	Personal fall protection equipment - Anchor devices.
EN 813	Personal fall protection equipment - Sit harnesses.
EN 364	Personal protective equipment against falls from a height - Test methods.
EN 365	Personal protective equipment against falls from a height. General requirements for instructions for use, maintenance, periodic examination, repair, marking and packaging.
EN 355	Personal Fall Protection Equipment. Energy Absorbers.
EN 1496	Personal fall protection equipment - Rescue lifting devices.

SIZE CHART - LANYARDS

SIZE	CODE
2,5 m	001
5 m	002
10 m	003

SIZE	CODE
20 m	004
30 m	005
40 m	006
50 m	007

SIZE CHART - HARNESSES

SIZE	CODE
M - XL	95
XXL	96

SAFETY HARNESSES



- fall arrest system
- ascend and descend
- back connecting ring
- full body harness
- fall arrester
- safety rope



- fall arrest system from
- workplace level
- back connecting ring
- energy absorber or retractable
- fall arrester
- full body harness



- fall arrest system
- ascend and descend
- front connecting ring
- fall arrester
- safety rope
- full body harness



- fall arrest system
- ascend and descend
- back connecting ring
- fall arrester
- safety rope
- work positioning
- equipment



- fall arrest system above
- workplace level
- front connecting ring
- back connecting ring
- fall arrest body harness
- self-retracting lifelines



- fall arrest system above
- workplace level
- front connecting ring
- back connecting ring
- fall arrest body harness
- self-retracting lifelines

HARNESSES



str.
512

P-81MX1 PRO

NEW



str.
512

P-30

NEW



str.
513

P-50

NEW



str.
513

P-51EMX



str.
514

P-70



str.
514

P-30 HV



str.
514

PB-10

NEW

FALL ARRESTERS AND ENERGY ABSORBERS



str.
515

AC 011

NEW



str.
515

ROLEX



str.
515

CR 250 V 10



str.
515

ABM



str.
515

ABM

LANYARDS



str.
516

LP 100



str.
516

AC 100



str.
516

LB 100



str.
516

PROT 3

ACCESSORIES



str.
517

JSP EVO3 LINESMAN



str.
517

AZ 900



str.
517

AX 011



str.
517

AZ 011



str.
517

AZ 014T

HARNESSES

P-81MX1 PRO, 4610 056 819 XX

Safety harness

- Connecting carabiner for attachment to a fall arrest system
- front attachment loops, usable as a seat per EN 813 standard
- rear anchorage point for fall arrest system connection
- side plastic buckles for tool attachment
- work positioning belt with side positioning points
- H-frame construction for easy donning and enhanced cushioned padding
- weight: 1980 g
- load capacity 140 kg

Size: M-XL (95), XXL (96)

Material: polyamide webbing, metal buckles


Height: 164 - 180 cm, 180 - 195 cm

Chest circumference: 85 - 120 cm, 90 - 140 cm

Standard: EN 361, EN 358, EN 813

Unit: 1 piece

NEW



P-30, 4610 001 819 XX

Safety harness

- back attaching buckle
- designed for use with a fall arrest system
- front attachment loops
- connecting and adjusting buckles
- adjustable thigh straps

Size: 95 - 96

Material: polyamide webbing, metal buckles


Height: 164 - 185 cm, 185 - 200 cm

Chest circumference: 85 - 100 cm, 100 - 130 cm

Standard: EN 361

Unit: 1 piece

NEW



P-50, 4610 002 819 XX

Safety harness

- back attaching buckle
- designed for use with a fall arrest system
- front attachment loops
- connecting and adjusting buckles
- stiffened lumbar support with buckle

Size: 95 - 96


Material: polyamide webbing, metal buckles

Height: 164 - 185 cm, 185 - 200 cm

Chest circumference: 85 - 100 cm, 100 - 130 cm

Standard: EN 361, EN 358

Unit: 1 piece



P-51EMX, 4610 003 000 95

Safety harness

- back attaching buckle
- designed for use with a fall arrest system
- front attachment loops
- connecting and adjusting buckles
- Adjustable positioning belt with an automatic buckle made of high-carbon steel
- load capacity 140 kg

Size: 95


Material: polyamide webbing, metal buckles

Height: 164 - 180 cm

Chest circumference: 85 - 100 cm

Standard: EN 361, EN 358

Unit: 1 piece



HARNESSES

P-70, 4610 030 000 XX

Safety harness

- connecting snap hook for fall arrest system, load capacity 140 kg
- front attaching buckle - can be utilized as a sit harness according to EN 813
- front attachment loops, work positioning belt
- rear tool buckles, adjustable thigh straps

Size: 95 - 96 (on request)


Material: polyamide webbing, metal buckles

Height: 164 - 185 cm, 185 - 200 cm

Chest circumference: 85 - 100 cm, 100 - 130 cm

Standard: EN 361, EN 358, EN 813

Unit: 1 piece



P-30 HV, 4610 031 200 95

Safety harness

- designed for use with a fall arrest system, load capacity 140 kg
- front attachment loops, vest with reflective strips
- connecting and adjusting buckles, adjustable thigh straps

Size: 95 (on request)

Material: straps: polyamide/polyester,


vest: polyester/cotton, galvanized steel buckles

Height: 164 - 180 cm

Chest circumference: 85 - 100 cm

Standard: EN 361

Unit: 1 piece



PB-10, 4610 004 819 95

Positioning belt

- breathable stiffened lumbar support
- side buckle
- adjustable belt clip
- textile belt strap

Size: 95

Material: polyamide, polyester

Standard: EN 358

Unit: 1 piece



FALL ARRESTERS

AND ENERGY ABSORBERS

AC 011, 4620 066 000 00

Guided type fall arrester

- combined with an energy absorber
- designed for use with polyamide rope AC 100 of diameter 14 mm
- steel snap hook AZ 002 with opening 19 mm included
- load capacity 140 kg

Length: 44 cm

Standard: EN 353-2

Unit: 1 pair



ROLEX 4, 4620 001 000 00


Retractable fall arrester

- combined with an energy absorber
- upper snap hook AZ 011 with opening 18 mm included
- webbing snap hook AZ 002 AS included
- webbing retractor inside the cover

Length: 2,25 m

Standard: EN 360

Unit: 1 piece



CR 250 V 10, 4620 040 800 00


Retractable fall arrester

- cable retractor with brake and energy dissipating mechanism
- plastic casing steel rope with diameter 4 mm inside
- rotating snap hook AZ 002 ASI with opening 24 mm included

Length: 10 m

Standard: EN 360

Unit: 1 piece



ABM, 4620 006 000 00

Energy absorber with two lanyards

- energy absorber made of 32 mm wide polyamide webbing
- adjustable lanyards length LB 100 of diameter 12 mm
- 1 steel snap hook AZ 002 included
- 2 steel snap hooks AZ 022 included

Length: 2,25 m

Standard: EN 355

Unit: 1 piece



ABM, 4620 005 001 00

Energy absorber with lanyard

- energy absorber made of 32 mm wide polyamide webbing
- adjustable lanyard length LB 100 of diameter 12 mm
- 1x steel snap hook AZ 002 and 1x AZ 022

Length: 2 m

Standard: EN 355

Unit: 1 piece



LANYARDS

LP 100, 4630 XXX 000 000

Positioning lanyard with snap hook

- lanyard ended with loops
- steel snap hook AZ 002 with opening 18 mm
- can be used as a temporary anchor device and horizontal anchor lanyard
- maximal load capacity 100 kg

Codes: 001 (2,5 m), 002 (5 m)

Material: polyamide

Length: 2,5 m, 5 m

Diameter: 10,5 mm

Standard: EN 795 class B, EN 354

Unit: 1 pair



AC 100, 4630 XXX 000 00

Working lanyard with snap hook

- thimbles on both ends of the lanyard
- steel snap hook AZ 002 with opening 18 mm
- lanyard is determined for energy absorber AC 010
- maximal load capacity - vertical use: 140 kg, horizontal use: 100 kg

Codes: 003, 004, (005, 006, 007 on request)

Material: polyamide

Length: 10 m, 20 m, 30 m, 40 m, 50 m

Diameter: 14 mm

Standard: EN 353-2

Unit: 1 piece



003 - 10 m

004 - 20 m

005 - 30 m

006 - 40 m

007 - 50 m



LB 100, 4630 008 000 00

Working lanyard with snap hook

- lanyard with adjustable length
- steel snap hook AZ 002 with opening 18 mm
- use with energy absorber or lanyard for work positioning
- maximal load capacity 100 kg


Material: polyamide, polyester

Length: 1,5 m

Diameter: 12 mm

Standard: EN 354, EN 358

Unit: 1 piece



PROT 3, 4630 009 000 00

Positioning device with snap hook

- protective cover of lanyard
- steel snap hook AZ 011 with opening 18 mm
- steel snap hook AZ 002 with screw lock with opening 18 mm included
- adjusting device of lanyard length
- maximal load capacity 140 kg

Material: polyamide

Length: 2 m

Diameter: 14 mm

Standard: EN 358

Unit: 1 piece



ACCESSORIES

JSP EVO3 LINESMAN, 4310 258 150 00

Protective helmet

- 6-point textile harness
- 1-2-3 point adjustment of chin strap depth
- sweatband made of egyptian cotton
- micropeak
- size setting Revolution® Wheel Ratchet
- temperature resistance -40°C/+50°C
- protection against 1000 V and 440 Vac
- service life: 5 years

Size: 53 - 64 cm

Material: HDPE

Weight: 404 g

Standard: EN 397, EN 50365

Box: 10 pieces

Unit: 1 piece

size setting Revolution® Wheel Ratchet



AZ 900, 4630 010 000 00

Webbing sling

- stitched ends of the strap making a closed loop
- load capacity of webbing: 22 kN
- it can be used as anchorage device or with energy absorber

Material: polyamide

Length: 120 cm

Standards: EN 354,

EN 795 class B, EN 566

Unit: 1 piece



AX 011, 4690 059 400 00

Transport bag

- designed for work in heights
- it allows transportation of equipment and protects it against adverse environmental effects
- abrasion resistant and easy to wash

Material: PVC, fabric

Dimensions: 300 x 300 x 600 mm

Volume: 33 l

Unit: 1 piece



AZ 011, 4640 001 000 00

Safety snap hook

- snap hook with screw locking
- opening 18 mm
- unlimited service life, provided that annual inspections are regularly performed by a qualified professional
- static strength: 25 kN
- load capacity 140 kg

Size: 108 x 60 mm

Material: steel

Standard: EN 362 class B

Unit: 1 piece



AZ 014T, 4640 002 000 00

Safety snap hook

- light snap hook with automatic locking
- opening 24 mm
- unlimited service life, provided that annual inspections are regularly performed by a qualified professional
- static strength: 20 kN

Size: 117 x 73 mm

Material: aluminium

Standard: EN 362 class B

Unit: 1 piece





CUSTOM SEWING

<i>PRINT AND EMBROIDERY WORKSHOP</i>	<i>520</i>
<i>SEWING WORKSHOP</i>	<i>524</i>





The services we offer also include the possibility of individual printing and embroidery of textiles.

Screen printing

Technology, the principle of which is to push the color through the permeable areas of the template. The permeable areas (motif) are created on the screen using a photosensitive emulsion, which hardens when exposed to light and makes the screen impermeable. The advantage is a wide selection of colors, durability, high resistance to mechanical stress. In our printing workshop, we have an automatic VARI PRINT EASY carousel from SHENK and two manual carousels + two drying tunnels for the production of screen-printed logos.



Embroidery

A highly representative way of branding corporate textiles or other promotional items made of textiles, as it is characterized by high resistance and durability. An indisputable advantage of embroidery is its use on products where the use of other technologies is not suitable. These include primarily fleece sweatshirts and jackets, hoodies, terry towels and bath towels, bathrobes, hats, knitted textiles, etc. We have three Japanese TAJIMA machines and two SWF machines.



Transfer

The use of flat printing on special portable paper, from which the print is transferred by means of a thermal transfer press to the desired garment. As with screen printing, it is possible to achieve fine contours and an unlimited choice of colours. Logos are produced using a semi-automatic printing machine Roku Print with a modern dusting system Ino Powder.

Digital print

This is a new technology that combines the capabilities of digital printing with screen transfer. Direct digital printing on the transfer film with application of adhesive on the given textile is ignited by a thermal transfer press. The great advantage of this technology is the possibility of printing complex motifs, but also, for example, printing photographs or various creative effects.



Digital print

Our printing workshop uses the DTG M2 printer for digital printing on textiles. The great advantage and advantage of direct digital printing, which ranks among the most modern methods of our time, is the unlimited colour, achieving colour transitions, printing over seams, zippers and buttons, the possibility of printing complex motifs, but also, for example, printing photographs or various creative effects. Digital printing is classified as direct printing, i.e. the colour applied directly to the structure of the material becomes part of it. The textile itself is still breathable and comfortable to wear even with such a large logo format.

Cut nylon/flock

A technology whose principle is to transfer a given graphic element onto a flexible vinyl film. After cutting on a special Summa printing press (we have 3 pieces) and separating the excess material, the graphic motif is transferred to the selected textile with the help of a thermotransfer press. The advantage of the technology is edge sharpness and accuracy. It is suitable for small series production. A popular form in this technology is reflective nylon, which, because of its properties, can reflect light in the dark.





All working clothes produced by us meet the EN ISO 13688 standard. We tailor on the basis of men's as well as ladies' dressmaking cuts; we produce also nonstandard sizes made exactly to measure. In addition to common working clothing, we make also special protective clothing such as alert clothes (according to EN ISO 20471) and clothes for welders (according to EN ISO 11611), fire-resistant and antistatic clothes (according to EN ISO 11612 and EN 1149).

We produce workwear only from high-quality, pre-shrunk and colorfast materials, which are provided with a material sheet guaranteeing the grammage per m², colorfastness and structure with a guaranteed finish (number of binding points per cm²) in twill, satin or plain weave.

A material composition can be of 100 % cotton or a blend (a mix of 65 % polyester and 35 % of cotton, or alternatively another proportion of cotton, polyester, nylon, spandex, viscose and silk). We offer a wide spectrum of colours – according to the sample list. Grammage of fabric from 135 to 390 g/m². Our products are made by technologies which ensure meeting the stress requirements in a given kind of work.

In production and finishing of a garment, elaborating of the details in every item of clothing is guaranteed. Each garment has a tag with maintenance information. Following these maintenance instructions will allow your clothing to be worn for a long time with great reliability.

We can accommodate standard clothing models to a customer's wishes, for example

- sewing up reflective tapes with the width 2,5 or 5 cm/in widths of 2,5 or 5 cm
- finishing the lower edge of the sleeves and legs according to a customer's wishes
- changes in the number and shape of pockets
- saddle colour difference
- reinforcing interlining of the shoulders, elbows, knees, thighs and buttocks
- stitch-bonding of an embroidery logo

While issuing to us your purchase order, please indicate information necessary for the price calculation

- material grammage and composition
- fabric colour (possibly combination of colours)
- dressmaking cut (if it is not identical with some of our normalised models, a customer-made design or sewn sample is required)
- quantities





EXPLANATIONS

PICTOGRAMS	528
WASHING SYMBOLS	529
NOTES	530



PICTOGRAMS



Standard fit



Comfort fit



4-WAY STRETCH material



2-WAY STRETCH material



Reinforced knee area



Underarm ventilation



Waterproof TPU membrane



Waterproof CX-SHIELD membrane



Waterproof material



Breathable material



Lightweight material



Recycled material



Taped seams



EASY PROLONG SYSTEM



Reversible clothing



Winter version



Reflective elements



Women's version



ESD protection



Cotton



Leather



Available on request



Heated



Composite toe cap



Steel toe cap and steel midsole



Steel toe cap



Made in Czech Republic



Made in EU



Footwear category



Touchscreen-compatible



Washable



Heavy-duty



Medium-duty



Light-duty



Large amount of water and oil



Small amount of water and oil



Dry conditions and everyday dirt



Glove Category



Blister-packed



Unisex



a1 - Anti-Scratch



a2 - Anti-Fog



a3 - UV Protection



a4 - Adjustable temples



a5 - Adjustable visor angle




a6 - Soft temple tips



Elastic band




Foam insert




WASHING SYMBOLS


CARE SYMBOLS




CHLORINE BLEACH




DRY CLEANING



IRONING



TUMBLE DRYING



[illegible]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for writing or drawing. There are no margins, text, or other markings on the page.

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.



This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.










8100 029 000 07



8 591940 319281 >